



Archbee Documentation and Help Center

1. GETTING STARTED

1.1. Welcome to Archbee!

1.2. How to get started

1.3. Learn the basics

2. EDITOR

2.1. How to use the Editor

2.2. Editor Blocks

2.2.1. Headings

2.2.2. Expandable Headings

2.2.3. Lists

2.2.4. Table

2.2.5. Button

2.2.6. Callout

2.2.7. Horizontal Divider

2.2.8. Vertical Split

2.2.9. Minitaskers

2.2.10. Link Grid

2.2.11. Workflow

2.2.12. Tabs

2.2.13. File

2.2.14. Images and videos

2.2.15. Image

2.2.16. Map

2.2.17. Code editor: multi-language

2.2.18. Code drawers

2.2.19. API docs blocks

2.2.19.1. API endpoints

2.2.19.2. OpenAPI/Swagger

2.2.19.3. Scalar

2.2.19.4. GraphQL

2.2.20. Mermaid diagrams

2.2.21. Changelog

2.3. Use Markdown shortcuts

2.4. WYSIWYG Menu

2.5. @ Mentions and dynamic links

2.6. Emojis

2.7. Multi-level drag&drop

2.8. Reusables

2.8.1. Reusable variables

2.8.2. Space-specific variables

2.8.3. Content snippets

2.8.4. Glossary

2.8.5. Document Tags

2.8.6. Display Rules

2.8.7. File Manager

2.9. Find & Replace

2.10. Notification Center

2.11. Add inline comments

3. DOCUMENTS

3.1. Create a document

3.2. Templates

3.3. Starting a Document from External Sources

3.4. Convert a doc to a Category

3.5. Fold or expand categories/folders

3.6. Convert to link

3.7. Document history

3.8. Review System

- [3.9. Branches & Reviews](#)
- [3.10. Verify documents](#)
- [3.11. Mark as hidden on public docs](#)
- [3.12. Notify on document changes](#)

4. [SPACES](#)

- [4.1. Spaces](#)
- [4.2. Space group](#)
- [4.3. Space group settings](#)
- [4.4. Document trees](#)
- [4.5. Create a Clone of a Space](#)
- [4.6. Team Access Control](#)
- [4.7. AI Addon](#)
- [4.8. AI external sources](#)
 - [4.8.1. Import website links](#)
 - [4.8.2. Import Confluence pages](#)
 - [4.8.3. Import Notion pages](#)
 - [4.8.4. Import GitBook and YouTube links](#)
- [4.9. How to set up logo and accent colors](#)
- [4.10. Questions & Answers Section](#)

5. [HOSTED SPACES](#)

- [5.1. Hosting Spaces on a custom domain](#)
- [5.2. Hosting Spaces on a sub folder](#)
- [5.3. Public Access Controls](#)
 - [5.3.1. Manage mail templates](#)
- [5.4. Authentication Pages](#)
- [5.5. Space Links](#)
- [5.6. External Links](#)
- [5.7. Version Links](#)
- [5.8. Localization](#)

- 5.9. [Auto-Translation with AI](#)
- 5.10. [Publish a Space to Domain](#)
- 5.11. [App documentation widget](#)
- 5.12. [App documentation widget - React](#)
- 5.13. [Suggest Changes](#)
- 5.14. [Subscribe to changes](#)
- 5.15. [RSS Feed](#)
- 5.16. [Insights](#)
 - 5.16.1. [Traffic](#)
 - 5.16.2. [Document Feedback](#)
 - 5.16.3. [Search](#)
 - 5.16.4. [Ask AI](#)
 - 5.16.5. [Questions & Answers](#)
- 5.17. [Custom Landing Page](#)
 - 5.17.1. [Landing page templates](#)
 - 5.17.1.1. [Template 1](#)
 - 5.17.1.2. [Template 2](#)
- 5.18. [SEO Meta Controls](#)
- 5.19. [Custom Code](#)
- 5.20. [Custom CSS](#)
- 5.21. [Sitemaps](#)
- 5.22. [Redirects - URL alias](#)

6. [PUBLIC API](#)

- 6.1. [Open Api](#)
 - 6.1.1. [Sync Open Api document](#)
 - 6.1.2. [Info Open Api document](#)
- 6.2. [Doc](#)
 - 6.2.1. [Get document](#)
 - 6.2.2. [Update / Create document](#)

6.2.3. [Delete document](#)

6.2.4. [Search document](#)

6.2.5. [Import Content](#)

6.3. [DocSpace](#)

6.3.1. [Create Space](#)

6.3.2. [Update Space](#)

6.3.3. [Publish Space](#)

6.3.4. [Clone Space](#)

6.3.5. [Delete Space](#)

6.3.6. [Create Space Group](#)

6.3.7. [Delete Space Group](#)

6.4. [Organization](#)

6.4.1. [Organization Export](#)

6.4.2. [Organization Display Rules](#)

6.5. [Upload](#)

6.5.1. [Upload single file](#)

6.6. [Suggest Change](#)

6.6.1. [Merge suggestion into main document](#)

6.6.2. [Discard suggestion document](#)

6.7. [Download OpenAPI file](#)

7. [ORGANIZATIONS](#)

7.1. [Organizations](#)

7.2. [Manage the Organization](#)

7.3. [Subscriptions & Payment](#)

8. [IMPORT & EXPORT](#)

8.1. [Importing OpenAPI / Swagger](#)

8.1.1. [API Try It!](#)

8.1.2. [OpenAPI Settings](#)

8.2. [Import documents](#)

8.3. Exporting documents

8.4. Export to PDF

9. INTEGRATIONS

9.1. Webhook-endpoint

9.2. Archbee integrations: enhance your team's workflow

9.3. GitHub

9.3.1. Set up the repository

9.3.2. GitHub 2-way sync

9.3.3. Sync multiple GitHub folders

9.3.4. Code base as Shadow docs

9.3.5. Custom code & code snippets with GitHub

9.4. Zapier

9.5. Intercom

9.6. Zendesk Federated Search

9.7. Integration to Slack

9.8. Embed Examples

9.8.1. G-Suite (Sheets / Docs / Slides)

9.8.2. Airtable

9.8.3. Loom

9.8.4. Figma

9.8.5. Miro

9.8.6. Typeform

9.8.7. Trello

9.8.8. Codepen

9.8.9. Mode Analytics

9.8.10. Github Gist

9.8.11. Lucidchart

9.8.12. Jira

9.9. SAML Integration

9.9.1. Google Setup

9.9.2. Azure setup

9.9.3. Okta setup

9.10. Anthropic Claude Connector

10. GUIDES

10.1. SignUp - Join your organization

10.2. How to change Archbee template

10.3. How to show the full title in Portal tree

10.4. Create a docs website

10.5. How to set up web analytics tracking

10.6. How to manage URLs for redirects

10.7. How to copy the URL invite link from the team member page

10.8. Insert copyright, registered, and trademark symbols

10.9. How to style Archbee templates with CSS

10.10. How to change the font

10.11. How to manage the card and billing details

11. MISC

11.1. Document converter

11.2. Archbee Chrome extension guide

11.3. Search Analytics

11.4. Search Shortcuts and Operators

11.5. Firewall Blocking Document Access

11.6. Editor Keyboard Shortcuts

11.7. Archbee Concepts

11.8. How to setup your account

11.9. Glossary

11.10. Limits

11.11. Subprocessors

12. Q&A

12.1. [How can I add an additional custom domain to my organization](#)

12.2. [How to transfer super admin privileges to another user](#)

12.3. [How can i arrange and group my imported OpenAPI docs](#)

12.4. [Why the landing page template isn't publishing to production](#)

12.5. [Why is my published space blank?](#)


12.6. [Why can't i change the domain?](#)

13. [SOCIAL LINKS](#)

13.1. [Untitled](#)

1. GETTING STARTED

1.1. Welcome to Archbee!




Welcome to the **Archbee Documentation Center**, your go-to resource for all documentation features, setup guides, and lots more.

See why we truly love what we do and how we show it through our platform.

Learn how to use Archbee


Leverage enterprise-wide product expertise, seamlessly integrate your tools, and centralize product documentation, API references, and developer guides — **all within a single comprehensive platform.**



[Check out our product features](#)



[Start building with our guides](#)



[Integrations, API access, and more](#)



Need help? ↓

support@archbee.com



Archbee changelog

[Read the product updates](#)

1.2. How to get started


Exploring a new product doesn't have to be overwhelming nor time-consuming. Here is what you need to know to get started with Archbee.

First and foremost, you need an account. You'll most likely get invited by your organization or you can [create an account](#).

Then, you need to get familiarized with only 2 primary areas that you will interact with when using the product:

1. The [Sidebar navigation panel](#) on the left side
2. The [Document area](#) in the center (along with TOC on the far right)
3. The [Content panel](#) on the right side

Let's go through each one.



Archbee UI

Sidebar navigation panel

The left sidebar navigation panel is where you organize your content. This is where you will create **Spaces (1)** and **Documents (2)**, access the **Organizaton menu (12)**, define **Reusables (18)**, manage **Archives (17)**, captured flows and converted markdown with **Chrome extension (15)**, dynamic and AI **Search (5)**, view **Notification Center (13)**, create a new **Space group (14)**, and to collapse **Sidebar (19)** to focus on your content.

Here are some actions you can take to get started:

- **Create a new Space** - click the **+** button to add a new Space, and give it a name.
- **Create or Import documents** - you can create multiple documents or import content to a Space.
- **Drag and drop to organize** - as you build your product knowledge hub, move Spaces or Documents to the desired position.
- Convert a document to a **Category** or a **Link**


Organization menu


The Organization menu is a centralized hub for accessing settings and managing your organization. Here, you can import content, invite new members, and more. Below is a list of available options:

- **User preferences** menu for managing your account and adjusting **notification preferences**;
- **Import content** into your current workspace;
- **Switch organizations** if you belong to multiple entities;
- **Invite members** to join your organization;
- Access **Organization Logs**;
- **Organization Settings** for member management and configuration;
- **Subscription & Billing** management for overseeing your subscription;
- **Theme switcher**;
- **Knowledge graph**;

Document area

Here, you'll find the main tools for managing your content.

You can swiftly **Add blocks (3)** by typing  to open the menu. To see how your work will look before publishing, use the **Preview/Edit (6)** button. For a quick boost in content creation, the integrated **AI Write (7)** provides tools to help you write and refine your work efficiently.

At the top of the document area, you have a context menu for the **Document options (8)**. Just click on the 3 dots  open the entire list of available options like:

- **Document info**
View details about the document, including author, creation date, and last modified.
- **Ping team member**
Notify a team member about the document.
- **Share**
Invite others to view or collaborate on the document.
- **Subscribe to changes**
Receive notifications when the document is updated.
- **Document Revision History**
View a timeline of changes made to the document.
- **SEO Meta Controls**
Customize metadata for search engine optimization.
- **Copy Markdown to clipboard**
Copy the document's Markdown code to the clipboard.
- **Export to Markdown file**
Save the document as a Markdown file.
- **Export to PDF file**
Save the document as a PDF file.
- **Spellcheck**
Enable spell checking to help identify and correct errors in the document. We also allow **Grammarly** to get on top of our editor and suggest corrections and improvements.
- **Full width editor**
Expand the writing area of the editor to use the full width of the screen.

- **Find & Replace**

Search for a particular word and replace it.

Content panel

The content panel is a essential area for document management and collaboration, featuring three tabs:

- the **Contents** tab includes the Table of Contents and **Document Tags**;
- the **Comments** tab allows users to collaborate and provide feedback;
- and the **Code** tab offers a two-column layout (if its enabled in Appearance) to show **Code drawers**, ideal for API documentation.

This structure enhances writing documentation workflow and experience.

Ready to explore the full potential of Archbee? Dive deeper into our features and learn how to create stunning documentation:

Learn **How to use the Editor**

Manage your **Documents**, **Spaces** or **Custom Domain**


Integrate your favorite tools, like **GitHub** or **Slack**, with Archbee.

1.3. Learn the basics

What is Archbee?

Archbee is a complete product documentation platform with advanced features such as reusable content, versioning, document revision history, and collaboration features to keep product and engineering teams in sync and the documentation up-to-date.

Unlike content management systems, and generic knowledge bases, Archbee provides a feature-rich platform to write and host product guides, along with developer documentation, API references, and SDKs.



We are a cloud-based documentation platform that anybody in your team can use effortlessly, with zero learning curve.

Check out our features overview:

Authoring features

- [How to use the Editor](#)
- [Create a document](#)
- [Import documents](#)
- [Reusable variables](#)
- [Content snippets](#)

Publishing features

- [Publish a Space to Domain](#)
- [Public Access Controls](#)
- [Custom CSS](#)

Collaboration

- ✓ [Verify documents](#)
- [Mark as hidden on public docs](#)
- [@ Mentions and dynamic links](#)

Why Archbee?

When you need to capture and publish product documentation, there's a hard truth:

Your product is only as good as your documentation.

And, with the technical product knowledge too often trapped in the minds of your developers...your documentation is only as good as your collaboration process to extrapolate product knowledge and share it internally or with the clients/users.

So, what can you do?

- Build your own documentation system (docs-as-code)? And make it too technical for most people to contribute?
- Write and share Word docs and PDFs? Good luck keeping everything straight.
- Use tools built for individual writers? That just stifles collaboration.
- Use generic knowledge bases that are not tailored to your product's complexity.

What should you do?

Use Archbee to make documentation a team sport, speeding documentation creation while substantially improving its depth. It's an effortless process to create, edit, and collaborate...

All with zero engineering effort, tailored to your needs.

Use cases

Archbee can serve multiple use cases:

- For internal collaboration

- Public docs
- Setting up self-service knowledge bases
- Developer docs
- Even publishing blog posts

The platform is super flexible and easy to use. We focus on delivering the best-in-class experience for teams that need to write and publish product documentation - especially for companies that sell developer tools.

Need help to decide if Archbee is a good fit for you?

When it comes to knowledge management, you have the following solutions:

- internal collaboration tools: Confluence, Notion, etc
- help authoring tools: MadCap Flare, Adobe RoboHelp, etc.
- content management systems: Contentful, WordPress
- knowledge base software: ZenDesk, Helpscout, Intercom, FreshDesk

In the market, you have tools that lack advanced features required to write complete product documentation or tools that lack the collaborative options to capture the knowledge company-wide.

This is where Archbee comes in. Capture complete product knowledge from your product specialists and build developer documentation and product guides that are easy to publish, customize and maintain.

Here are some examples of companies that use Archbee to build:

Developer documentation



- [Klevu docs](#)

Product knowledge portals



- [CrossRiver docs](#)

- [Troopr.ai docs](#)
- [Founda Health docs](#)
- [Flipper Zero docs](#)
- [ChartHop docs](#)

To see more examples of product portals our clients have built, go to the [**Showcase section.**](#)



2. EDITOR

2.1. How to use the Editor

First of all, welcome! 🙌

The Editor is like your second home and you need to know where everything is at all times.

That's why it's important that we highlight a few main concepts to set you on your merry way:

- Enter in edit mode by pressing on  **Edit** button or use the **Ctrl** / **Cmd** + **E** shortcut. You can use the same shortcut or to press on  **Preview** button to lock your document and to see how it looks before publishing it.
 - If you have Review System enabled, check [here](#) for more details.
- Use forward slash **/** to add a new content block (see all blocks [here](#)).

There are four categories:

1. **Basic** - with multiple blocks that help you format documents
2. **Media** - use these to import files, images, embed Youtube or Vimeo videos
3. **Developer** - you will use these when you write software documentation because you will leverage:
 - [Code editor: multi-language](#)
 - [Mermaid diagrams](#)
 - [API endpoints](#)
 - [OpenAPI/Swagger](#)
 - [GraphQL](#)

4. **Embed** - most of our integrations work inside the editor. You can add embeds from other tools like Loom, Figma, Miro, Lucidcharts, and more. Check the [Embed Examples](#) page for more info.

- Write using [Markdown shortcuts](#) and check the keyboard shortcuts by pressing **Ctrl** or **Cmd** + **/**
- Use [WYSIWYG Menu](#) for formatting options on each piece of text when you **highlight** or **double-click**.
- Start [Using @ Mentions and dynamic links](#) after you add more documents to link between them.

Copy-pasting text maintains the formatting, and what's super neat about it is that you can add images this way (instead of importing them).

Also, when you paste markdown, the editor automatically recognizes it and renders the format correctly.

2.2. Editor Blocks

Imagine Archbee blocks as the building blocks for your documentation.

They are like Legos that you can use to create your documentation exactly how you want it.

There are all sorts of blocks to choose from, so you can add whatever you need to make your documentation informative and easy to understand.

Basic blocks

Heading 1
Heading 2
Heading 3

Headings

▼ Heading 1
▼ Heading 2
▼ Heading 3

Expandable Headings


Table

- Unordered List
- 1 Ordered List
- Check List

Lists

Button

Button



Callout




Horizontal Divider

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Proin vel arcu sagittis, tempor nibh ut, ullamcorper magna.


☐ ☐ ☐

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Proin vel arcu sagittis, tempor nibh ut, ullamcorper magna.

Vertical Split



Minitaskers



Link Grid

- First Step**
Open the editor
- Second Step**
Press "7" to show block menu



Workflow

Brand Profile

Brand and customize your docs website using the appearance settings.

Tabs

Media blocks

 download.json 

File



Image




Video



Map

Developer blocks



```
import requests
import json

url = "https://api.pindpiper.com/orders"

payload = json.dumps({
  "api_key": "(API_KEY)",
  "amount": 1.0
})
```

Code editor



```
Code Section Title
import requests
import json

payload = json.dumps({
  "api_key": "(API_KEY)",
})

Responses
import requests import requests import requests import requests
```

Code drawers




```
Get document
GET /api/v1/documents/{id}
Responses
200 OK
application/json
{"id": "123456789", "name": "Document 1", "content": "This is a sample document."}
```

API Endpoints




```
pet
GET /pet/{petId} Find pet by ID
POST /pet/{petId} Update a pet in the store with form data
PUT /pet/{petId} Update a pet in the store with full data
DELETE /pet/{petId} Delete a pet
```

OpenAPI/Swagger




```
GraphQL
query {
  todos {
    id
    title
    complete
  }
}
```

GraphQL




```
graph TD
  Alice --> Bob
  Bob --> John
  John --> Alice
  John --> John
```

Mermaid diagrams


$$\sin x = \sum_{k=0}^{\infty} (-1)^k \frac{x^{2k+1}}{(k+1)!}$$

TeX Equation



```
Archbee v1.22
Added Deep tabular data is now supported
Fixed Teammates not receiving emails fast enough
Broken Everything is broken in this release
Improved Works 0.000001% faster
```

Changelog

Embed blocks

Most of our integrations work inside the editor. You can add embeds from other tools like Loom, Figma, Miro, Lucidcharts, and more.

Check the [Embed Examples](#) page for more info.

Content Snippets

Reusable blocks of content that you can insert into multiple documents. Create them once, then easily add them wherever needed, saving time and ensuring consistency across your documentation.

Check the [Content snippets](#) page for more info.

2.2.1. Headings

Heading 1

Heading 2

Heading 3

Headings are essential building blocks for organizing and structuring your documentation. They help break down your content into clear sections and subsections, making it easy for readers to navigate and understand.

Why to use headings?

- **Improve readability**

Headings guide readers through your content, making it easier to follow the flow of information.

- **Enhance visual hierarchy**

Different heading levels create a clear hierarchy, emphasizing important points.

- **Improve SEO**


Search engines use headings to understand your content's structure, which can help with search rankings.

How to add a heading

You have **four** ways to add a heading:


WYSIWYG Menu

Highlighting the text and choosing the heading options from [WYSIWYG Menu](#)



Add Block Menu

Insert the heading from blocks menu. Type `/` and select the heading block



Markdown Shortcuts

Use markdown shortcuts to insert it:

- `#` + `space` for Heading 1
 - `##` + `space` for Heading 2
 - `###` + `space` for Heading 3
 - Check the [Use Markdown shortcuts](#) page for more markdown shortcuts
-

Keyboard Shortcuts

Using keyboard shortcuts to toggle paragraphs into:

On Mac

On Windows

- **Heading 1:** `⌘ Command` + `⌥ Option` + `1`
 - **Heading 2:** `⌘ Command` + `⌥ Option` + `2`
 - **Heading 3:** `⌘ Command` + `⌥ Option` + `3`
 - Check the [Editor Keyboard Shortcuts](#) page for more keyboard shortcuts
-

Customizable Heading Links

You can assign custom URLs (aliases) to any heading in Archbee, making it easier to share direct links to specific sections of a page.

Below is a clear, step-by-step guide:

How to Set a Custom Heading Link

1. **Hover over the heading** you want to link to.
2. Click the **Anchor Link** bubble that appears.
3. In the popup, switch **Auto-generate** off if needed.
4. Enter your **custom alias** (URL-friendly text).
5. Press **Set**.

Building blocks for organizing and structuring your documentation. Organize your content into clear sections and subsections, making it easy for users to understand.

↔ Anchor Link

Why?

Users can navigate through

hierarchy

to create a

clear structure of headings to understand your content's structure, which can help

Anchor Link Alias

Auto-generate link alias
Toggle off to edit the anchor alias.

Anchor Alias

why-to-use-headings

Set

Link Preview: ...#why-to-use-headings

Why Customize Heading Links?

- Create short, clean, human-readable URLs.
- Establish consistent naming conventions across your documentation.
- Improve navigation for users who need deep-link access.

Be careful when setting custom aliases for heading links. Duplicated aliases can lead to multiple headings or documents sharing the same URL, causing navigation conflicts.

Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.

[Check out all blocks](#)

Need help? ↓

Use the **blue chat bubble** from bottom right corner.


Or try **AI Chat** (from search box) for quick answers.

Your opinion matters

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

2.2.2. Expandable Headings



Expandable headings are a way to organize your documentation content and improve readability. They allow you to create sections that can be expanded or collapsed by users, making it easier to find specific information.

Why use expandable headings?


- **Improved organization**
Expandable headings help break down complex topics into manageable sections.
- **Enhanced readability**
Users can focus on relevant information by expanding or collapsing sections.
- **FAQ-style format**
Expandable headings are ideal for creating FAQ (Frequently Asked Questions)

sections in your documentation.

How to add a expandable heading


There are tree ways to create expandable headings in Archbee:

- Insert the heading from blocks menu. Type `/` and select the heading block



Add Expandable Heading

- Converting an existing heading to expandable by type `>>` at the beginning of one, then hit space



Convert and unwrap them

- Use markdown shortcuts to insert it:
 - `>>#` + space for Expandable Heading 1
 - `>>##` + space for Expandable Heading 2
 - `>>###` + space for Expandable Heading 3

To unwrap the content of the expandable heading, just delete the heading and you will be left with the text only.

Allowed blocks for content

Inside the expandable headings, you can use **all blocks** for content, excepting the expandable heading block.

Here are some examples:

✓ Expandable Heading 1

- You can add here any of the custom blocks available in Archbee's editor

✓ Expandable Heading 2

- You can toggle the heading as expandable or collapsible

✓ Expandable Heading 3

```
fetch("https://api.cakes.com", {
  "method": "GET",
  "headers": {
    "Accept": "application/json"
  }
})
.then(response => {
  console.log(response);
})
.catch(err => {
  console.error(err);
});
```

Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.

[Check out all blocks](#)

Need help? ↓

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.


Your opinion matters

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

2.2.3. Lists

Archbee has three types of lists:



Bulleted lists

You can add a bulleted list by typing `-` (dash) and space at the beginning of a new row.

Here's one:

- a bulleted list item
- and the second one
 - and an indented one
 - a super indented one
- back to square 1

Numbered lists

Numbered lists work exactly like bulleted lists, except you can add them by typing `1.` (one and dot) at the beginning of a new row.


Here's one:

1. a numbered list
 1. going deeper
 2. stay the course
 1. Mariana Trench? Don't do this...
2. going back
3. end of story

PRO TIP 😊

Alternatively, you can add images inside both **Bulleted lists** or **Numbered lists** by creating a list of items and typing / inside it. This will let you add an image to a list item together with text:

1. type / inside a list item



Add image to list

2. Embed or upload your file inside the list and continue

Checklists

Available only in the editor, not clickable in public spaces

Checklists work precisely like the other two, except you can check items on or off.

You can add a checklist by typing `[]` in the editor or clicking the checklist icon in a new

row.

Here's one:

- 2019
- 2020
- 2021
- Q1 WIP
- Q2 WIP

Important

Above, we've shown you how to add lists but now you wonder *"How do I exit the list?"*... **You exit the list by hitting enter twice at the end of the list item.**

The first enter introduces a new empty list item and then the second enter removes the empty list item and moves on to a new paragraph.

We feel this is important to share because usually all editors (from Microsoft Word to Google Docs) work this way but many people are unaware and it seems like a hard UX not knowing this.

Indenting

To indent a list, press `TAB` on a new list item. To de-indent a list, press `SHIFT+TAB` .

Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.

[Check out all blocks](#)

Need help? ↓

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.

Your opinion matters

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

2.2.4. Table

2.2.5. Button

2.2.6. Callout

2.2.7. Horizontal Divider

2.2.8. Vertical Split

2.2.9. Minitaskers

2.2.10. Link Grid

2.2.11. Workflow

2.2.12. Tabs


2.2.13. File

2.2.14. Images and videos

You can add an image by a simple drag-and-drop from your computer (jpg, png, gif) or by typing `/` and clicking on **Image**, where you can paste a link or insert from a local document.

Insert a video (YouTube, Vimeo) by typing `/` and clicking on **Youtube or Vimeo**.

You can also type `(image)` or `(video)` in the editor, for the same results.



Adding images/videos



Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.


[Check out all blocks](#)



Need help? ↓

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.



Your opinion matters

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

2.2.15. Image

Spice up your documentation with eye-catching images. The Image block lets you add visuals that complement your text and make your content more engaging.

Why to use it?

- **Break up the text**

Images can make your documents more visually appealing and easier to read.

- **Tell a story**

Images can convey emotions, ideas, and concepts more effectively than words alone.

- **Add context**


Images can provide additional information or context to your content.

- **Improve engagement**

Visuals can make your documents more engaging and interesting.

How to use image block?

- 1 Type `/` to open Archbee block menu
- 2 Search for **Image** block and click to insert insert



3 Choose a image from **File Manager** or paste your image link. By default, you will upload an image for light theme.

4 Adjust your image. You can scale the image **from 10% to 100%** width size of the content width.

You can align the image to **left**, **right** or **center** of the content container.

5 **Optionally** — we recommend you to add:

- **Image Caption**


To create context, improve SEO, and enhance accessibility

- **Alt Text**

Provide a textual description for visually impaired users and SEO

- **Dark Mode Image**

Reduce eye strain & improve accessibility on dark mode theme, and create a modern look.



Examples of Using Image Blocks

- **Product showcases**

Use high-quality images to highlight your products or services.

- **Tutorials**

Include step-by-step visual guides to make instructions easier to follow.

- **Blog posts**

Add relevant images to break up the text and enhance the overall reading experience.

- **Infographics**

Create visually appealing infographics to present data or complex information.

- **Mood boards**

Use images to create mood boards or inspiration boards for design projects.



 **Find other blocks**

Discover new ways and blocks to create stunning and functional documentation pages.


[Check out all blocks](#)



 **Need help? ↓**

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.




 **Your opinion matters**

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.


2.2.16. Map



2.2.17. Code editor: multi-language

Our code editor is where you can show off code examples that can be easily copied.

You can add multiple tabs using the same language and use drag-and-drop to reorganize tabs.



When you add a new tab, you can also change the name to something like a file, e.g.,

`main.js`

See our example:

```
fetch("https://api.cakes.com", {
  "method": "GET",
  "headers": {
    "Accept": "application/json"
  }
})
.then(response => {
  console.log(response);
})
.catch(err => {
  console.error(err);
});
```

Markdown

Code block with a single tab

```
var http = require('http');

http.createServer(function (req, res) {
  res.writeHead(200, {'Content-Type': 'text/plain'});
  res.end('Hello World!');
}).listen(8080);
```

Use the following Markdown to generate a code block with a single code example:

```
## Code block
```

```
```nodejs
var http = require('http');

http.createServer(function (req, res) {
 res.writeHead(200, {'Content-Type': 'text/plain'});
 res.end('Hello World!');
}).listen(8080);
```
```

Code blocks without language

```
// code block not specified
```

Use the following Markdown to generate a code block without specifying the language:

Code blocks

```
:::::codeblocktabs  
  
...  
// code block not specified  
...  
  
...  
// code block not specified  
...  
  
...  
// code block not specified  
...  
  
:::::
```

Code editor with multiple tabs

```
// PHP is the best.
```

Use the following Markdown to generate a Code block with multiple tabs:

Demo Code Blocks

```
:::::codeblocktabs
```

```
```php  
// PHP is the best.
```
```

```
```java  
// and JAVA too
```
```

```
```go  
// demo go
```
```

```
```javascript  
// demo js
```
```

```
:::::
```



Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.


[Check out all blocks](#)



Need help? ↓

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.



Your opinion matters

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

2.2.18. Code drawers

Code drawers are a great way to show code examples in a three-column layout.

Here's one:""

```
let x, y, z; // Statement 1
x = 5;      // Statement 2
y = 6;      // Statement 3
z = x + y;  // Statement 4

document.getElementById("demo").innerHTML =
"The value of z is " + z + ".";
```

Here's another one.

```
# Program to find the sum of all numbers stored in a list


# List of numbers
numbers = [6, 5, 3, 8, 4, 2, 5, 4, 11]

# variable to store the sum
sum = 0

# iterate over the list
for val in numbers:
    sum = sum+val

print("The sum is", sum)
```

And a screenshot while editing:



Code drawers

Markdown

Use the following Markdown to generate code drawer blocks:

Test codedrawer

```
::::codedrawer{title="a code drawer"}
:::codeblocktabs-examples
```php
// Some wordpress plugi
// Add our plugin's option page to the WP admin menu.
public function add_plugin_options_page() {
 add_options_page(
 'Example Plugin Settings',
 'Example Plugin Settings',
 'manage_options',
 'ex',
 [$this, 'render_admin_page']
);
}
```
```go
// Next should be used only inside middleware.
// It executes the pending handlers in the chain inside the calling handler.
// See example in GitHub.
func (c *Context) Next() {
 c.index++
 for c.index < int8(len(c.handlers)) {
 c.handlers[c.index](c)
 c.index++
 }
}
```
```javascript
// demo js
```
:::
:::codeblocktabs-responses
```json
// 404 - not found
{
 requireFingerprintScope: true,
 maxMachines: 1,
 concurrent: false,
 floating: false,
 protected: true,
 strict: true
}
```

```
}
...
:::
::::
```



### Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.


[Check out all blocks](#)



### Need help? ↓

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.



### Your opinion matters

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

## 2.2.19. API docs blocks

---

Many software companies have their developers or technical writers update documentation manually, which can be prone to errors and subsequently lead to customer churn.

At Archbee, we strongly believe that API documentation should always be generated from code and this is why we have native integrations with Swagger and GraphQL.

Read on to understand why it's awesome and how you can use it for your company.



**API endpoints**



**OpenAPI/Swagger**



**GraphQL**

## 2.2.19.1. API endpoints

---

We also recognize that not all companies provide standardized APIs, so we built an in-house widget to let you describe to your team or customers what your API looks like.

Additionally, it's super useful when working together with external teams, where you need to communicate an API specification, and instead of providing a JSON file, you provide a document with this widget, and let it describe anything from URL, Parameters, Cookies, Request structure, Response structure, etc.

You can add one by typing `(api)` in the editor or clicking the API icon in a new row.

---

# Cakes API

Try it 

This endpoint allows you to obtain free cakes.

**POST**

https://api.cakes.com/v1/cakes/:id



## Request

### PATH PARAMETERS

**id** String **required**

ID of the cake to get,  
for free of course.

### QUERY PARAMETERS

**recipe** String **required**

The API will do its best to find  
a cake matching the provided recipe.

**gluten** Boolean **required**

Whether the cake should be  
gluten-free or not.

### HEADER PARAMETERS

**X-Auth-Token** String **required**

Authentication token to track  
down who is emptying our stocks.

```
fetch("https://api.cakes.com/v1/cakes/:id", {
 "method": "POST",
 "headers": {
 "Accept": "application/json"
 }
})
.then(response => {
 console.log(response);
})
.catch(err => {
 console.error(err);
});
```

```
{
 "name": "Cake's name",
 "recipe": "Cake's recipe name",
 "cake": "Binary cake"
}
```

---

## Add Cake

Try it ▶

Add a new cake

PUT

https://api.cakes.com



### Request

#### BODY PARAMETERS


**id** String **required**

ID of the cake to get

```
fetch("https://api.cakes.com", {
 "method": "GET",
 "headers": {
 "Accept": "application/json"
 }
})
.then(response => {
 console.log(response);
})
.catch(err => {
 console.error(err);
});
```

It's VERY flexible letting your team describe in detail any type of HTTP endpoint.

We're also working on making it interactive, so your customers can actually make the request from here.



### **Find other blocks**

Discover new ways and blocks to create stunning and functional documentation pages.


**[Check out all blocks](#)**



### **Need help? ↓**

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.



### **Your opinion matters**

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

## 2.2.19.2. OpenAPI/Swagger

---

We also support OpenAPI/Swagger specifications out of the box.


Loading swagger...



### Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.


[Check out all blocks](#)



### Need help? ↓

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.



### Your opinion matters


Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.

## 2.2.19.3. Scalar

---

Here is an example of using Scalar integration







## 2.2.19.4. GraphQL

---

Here's a live **GraphiQL** component that you can use to play around with an API:





### Find other blocks

Discover new ways and blocks to create stunning and functional documentation pages.


[Check out all blocks](#)



### Need help? ↓

Use the **blue chat bubble** from bottom right corner.

Or try **AI Chat** (from search box) for quick answers.



### Your opinion matters

Use the below feedback form, anonymously.

Or ask a question in **Q&A section** and our team or AI will give you a solution.



## 2.2.20. Mermaid diagrams

---

## 2.2.21. Changelog

---



## 2.3. Use Markdown shortcuts

---



## 2.4. WYSIWYG Menu

---





## 2.5. @ Mentions and dynamic links

---





## 2.6. Emojis

---



## 2.7. Multi-level drag&drop

---









## 2.8. Reusables

### 2.8.1. Reusable variables

---





## 2.8.2. Space-specific variables

---







## 2.8.3. Content snippets

---

### Add a Content snippet

- 1 In the bottom left corner, click on the **Dynamic Components** → **Content Snippets** tab
- 2 In the new window, you can now define your content snippets or edit the existing ones if you have already defined them
- 3 Add the title and your snippet, then click on the **Save content snippet** button
- 4 Go back to the editor and type `/`
- 5 Go to the new content snippet tab and select it

### Edit a content snippet


- 1 Click on the **Dynamic components** → **Content snippet** tab (alternatively, click on the badge name of the content snippet inside the editor)
- 2 Look for the content snippet you want to change and select it from the list on the left
- 3 Change content and click on **Save content snippet** to update it
- 4 If you want to delete a content snippet, click on the trash icon

#### IMPORTANT!

When you want to delete a content snippet, make sure to remove it from other documents where you have referenced it. We've made things easier for you → a red box should appear letting you know that this content snippet is no longer available and you should remove it.

# Content snippets in action

## 2.8.4. Glossary




The [Glossary](#) helps to improve both **the reader's experience** and **the accuracy of your content**. By allowing you to define and manage **keywords, terms, or expressions**, the Glossary ensures that complex terms are clearly explained throughout your documents.

### Managing the Glossary terms

#### 1 Navigate to the Glossary Tab

- Navigate to the Dynamic Components tab from the bottom left menu
- Select the **Glossary** tab.




Here, you will be able to create, manage, and view all your defined glossary terms.

#### 2 Creating a Glossary Term


- To create a new term, enter the desired word in the " **Term** " field and its definition in the " **Definition** " field.
- Click on " **+ Create** " button
- Your Term will be added in a **Glossary table**


### 3 Using Glossary Terms in the Editor


- In the Editor, simply type `{{` . This will trigger a dropdown menu showing all the available glossary terms that you've defined.
- From the list, select the term you want to insert. This will automatically add the term into your content.
- Once a glossary term is inserted in the content, the term will appear as a clickable word.
- When readers hover over the term, a tooltip will appear with its definition, providing a helpful explanation.













### 4 Glossary Management

- To edit an existing term, click on the  **Edit** icon next to the term in the Glossary table (you can update both the "Term" and "Definition" as needed).

- If you no longer need a glossary term, you can remove it by clicking the  **Delete** icon next to the term, in Glossary table.



Glossary		Search
Term	Definition	
Cloud	In technology, the cloud is a global network of remote servers designed to store and process data for other devices and computers	 
Prioritization	is an action that arranges items or activities in order of importance.	 
Problem Management	Problem Management is an IT service management process tasked with managing the life cycle of underlying "Problems."	 
Incident Management	Incident management is a process used by IT operations and DevOps teams to respond to and address unplanned events that can affect service quality or service operations	 
Change request	A change request is a formal proposal for an alteration to some product or system	 

## Benefits of Using the Glossary Feature


- **Improved User Experience**  
Readers can easily understand specialized terms without leaving the page.
- **Increased Accuracy**  
Define precise terms that will be consistently used across your documents.
- **Efficiency**  
Once a term is defined in the Glossary, it can be reused without the need to repeatedly explain it.

## 2.8.5. Document Tags

Document tags help you easily categorize, find, and understand your content faster.

### How to Create a Tag


1. Go to **Dynamic Components** → **Document Tags**.
2. In the "Create Tag" section:
  - Enter a **Tag Name**.
  - Optionally, add a **Description** to explain what the tag is for.
  - Choose a **Color** to visually identify your tag.
  - Click on **+Create** button
  - ✓ Your tag will now appear in the Document Tags list and be ready for use!



### How to Add a Tag to a Document

1. Open the document you want to tag.
2. On the right-hand navigation panel, find the **Document Tags** section.

3. Click **Add Tag** and select the tag you created.
4. The tag will now be attached to your document!



To quickly locate the tags, use the Search feature where you can sort by [Tags](#)

## Why Use Document Tags?

- Quickly filter and locate documents.
- Group related content together.
- Help your team understand the purpose of each document at a glance.


Start tagging today to make your documentation cleaner and more powerful! 📄

## 2.8.6. Display Rules

This feature works in combination with a **JWT Public Access Control** or

- with Guest Accounts
- with Magic Links
- with SAML integration

A JWT authentication will have to be configured so the conditions defined in the Display Rules are validated or invalidated.




The Display Rules feature allows you to display specific content blocks based on predefined conditions. This feature provides flexibility in content delivery, ensuring that users see content tailored to their needs and behaviors.

### Creating Display Rules Conditions

- 1 Go to the **Dynamic Components** tab in the platform's bottom left corner.
- 2 Select **Display Rules**
- 3 Create a New Rule Set:

- Click on **+ Create New Rule Set** to define conditions for displaying content.
- Specify your conditions using **AND/OR** logic to determine when content should be shown. These conditions can be based on various parameters such as user behavior, profile attributes, or other criteria relevant to your platform.




## Applying Display Rules to a Block


### 1 Edit Your Content Block

In the editor, locate the block you want to transform into a display content block.


### 2 Access the block menu

Hover on the block to reveal the block menu, which is represented by six dots (  block menu icon).

### 3 Press the **Display Rules** button



Default Block Menu




AI Options Block Menu

## Applying Display Rules to document/folder

- 1 Click on the three vertical dots near the document/folder name
- 2 Select the Display Rule that you want to apply

Choose the rule set you previously created from the **Dynamic Components**.



Once these steps are completed, the selected content block will be transformed into a conditional content block, displaying only when the specified conditions are met.

## Example Use Case:

Imagine you want to display a special promotion only to users who have previously purchased from your store and are visiting during a holiday season.

You would:

- 1 Navigate to the Dynamic Components tab and create a new rule set with conditions based on purchase history and the current date.
- 2 Apply this rule set to the promotional content block in the editor.
- 3 Users meeting these conditions will now see the special promotion block during their visit.

## JWT Token Integration

- Keeping encoded conditions in the URL used for connection.
- Ensuring that dynamic content can be securely tailored based on the information contained within the token.

When a user accesses the platform, their JWT token is decoded to retrieve the conditions. These conditions are then matched against the predefined rule sets, determining which content blocks should be displayed

## Display Rules with Public Authentication options

You can now apply Display Rules to public users who sign in using:

- Guest Accounts
- Magic link
- SAML

## How It Works

- Create a Display Rule
- Apply Rule to a document or a folder
- Done!

When a user logs in (magic link, guest accounts, or SAML)  
the rule checks the email's info  
If it matches → **they can see it the document/folder**  
If not → **it's hidden**

## Example

**Rule:** Email contains archbee

**User logs in** with sarah@archbee.com

✓ Sarah can view the doc

**User logs in** with mike@gmail.com

✗ Mike won't see it



## 2.8.7. File Manager


---

The File Manager is an essential feature designed to store and manage all files within your organization, ensuring everything is centralized and easily accessible. This tool simplifies the process of uploading, displaying, and selecting media files for your documentation needs.

### Accessing the File Manager

You can access the File Manager from the left navigation panel, located at the bottom left corner of the interface.


**Reusables → File Manager**



### Key Features

#### Uploading Files


- **Direct Upload**
- Easily upload your files directly within the File Manager window.




- **Drag and Drop**
- Simply drag and drop files into the File Manager for quick uploading.

## Organizing Files

- **Folders**
- Sort your files into folders to keep everything organized and easy to locate.




- **Move Files:**
- Move files between folders to maintain an organized structure.




## File Management

- **View Details**
- Click on three vertical dots to view the file details, including file name, type, and upload date/modified date.




- **Download**
- Download files to your local machine or remove files that are no longer needed.



## File Preview

- **Image Preview**
- Quickly preview images directly within the File Manager panel to ensure you select the correct file.



## Using Files/Images in the Editor

- **Media File block**  
In the Editor, type "/" and select Media → File or type (file)
- **Media Image block**  
In the Editor, type "/" and select Media → Image or type (image)
- **Choose image from File Manage**  
Choose the desired file or image from the File Manager panel to insert it into your document.

## Paste an image link or upload your image

Image URL

Add Image

or

 Choose Image

No image chosen

## 2.9. Find & Replace

Quickly locate and update text across your documentation with the **Find & Replace** feature. A simple, powerful feature that helps you maintain consistency and accuracy across your documentation


### How to Access ▮

- Click on the three-dot menu ( : ) near the Document name or Space name
- Select Find & Replace

### How It Works ▮

The Find & Replace feature helps you search for specific words or phrases and replace them with new content. This is especially useful for updating product names, correcting recurring typos, or rephrasing terms across a workspace.

Here's how to use it:




- **Search** – Enter the text you want to find.
- **Replace** – Type what you'd like to replace it with.
- **Options** (optional):
  - **Match case:** Only replace words that match the exact capitalization.
  - **Whole words:** Replace full words only.
- **Choose scope** – Use the dropdown to apply changes to:
  - **All Blocks:** Specific block types (e.g., paragraphs, headings, tabs).
- Click **Replace All** to apply the changes instantly.

## 2.10. Notification Center

---

The Notification Center allows users to view all their notifications in one centralized place conveniently.




### Accessing Notifications

- Access the **bell icon** located at the **top-left corner** of the page 🛎
- Clicking the **bell icon** will open a dropdown list displaying all notifications received, organized by the time they were triggered
- Notifications include:
  - Ping team members
  - Mentions in comments or documents
  - Questions received on documents
  - Review requests
  - Updates and changes on documents

Users can click on specific notifications to navigate to the related document.

### Managing Notification Preferences via e-mail



Users have full control over their notifications through **Notification Center**:

1. Navigate to **User Preferences > Notifications**.
2. From this section, users can enable or disable notifications for various categories. Disabling this setting, the e-mail will not longer be generated but the notification still received.
  - **Editor mentions**
  - **Pings from team members**
  - **Review Requests**
  - **Questions & Answers**
  - **Verify Documents**

Each notification type has an option to receive updates via **email**. Simply check or uncheck the box to manage preferences.


## 2.11. Add inline comments

Comments are an excellent way to engage your colleagues in a discussion about a certain topic that you may need clarification for. They enable you to provide feedback on the content, share valuable insights, ask questions, and foster collaboration and teamwork.

Additionally, you can use comments to create notes for yourself as you're going through your documentation.


### How does it work?

- 1 In the editor, highlight any piece of text (a word, a whole phrase, or an entire paragraph). The menu bar will pop up - click the **Comment** button on the far right.



Comment button

- 2 On the right side of the page, a conversation will open where you can leave a comment or engage your colleagues in a discussion



- 3 Unresolved comments are marked in light yellow. Click the highlighted text to open the comment box in the right sidebar. The comment box provides the following options:
1. Continue thread - type your answer and hit the "Reply" button
  2. Resolve comments (click the ✓ button in the upper right of the comment box)
  3. Delete comments/thread (click the 🗑 button in the upper right of the comment box)

!If you delete the comment thread, you will delete all the conversation as well

- 4 Reopen a closed comment/thread by clicking the **UNDO** icon on the upper right of the comment box

## Comments on this document

Reopen



**Andrei Birleanu**

Thread • 4 minutes ago



A closed/resolved comment thread is highlighted in grey. When a comment thread is resolved, it will still keep history in that thread, until deleted. The text will stay highlighted in grey until the thread is deleted.


☐ You can tag a specific team member or mention @document\_name as well in the comment thread.

Check out [@ Mentions and dynamic links](#) for more info!

# 3. DOCUMENTS

## 3.1. Create a document

To add a new document inside a Space, click the **+** plus icon in the left navigation panel or use the **CMD/CTRL + M** shortcut.



Add a new doc

Add a title to your document and continue writing your content. Alternatively, import a file.

Bear in mind that new document is automatically created when you import a file.

□

If you **import multiple files**, that will generate a new document for each imported file.

## Move document

You've created your document but now you realize that it needs to be moved to a different space. After all, docs are a living, breathing organism, right? 😊

Drag-and-drop your document to the desired spot or space.

Alternatively, from the **three-dot menu** next to each document, click **Move to another space** and then select where you want to move that document.

## Delete/archive document

When you want to delete/archive a document, make sure that you don't forget to hit **Publish space**, otherwise the document will still be present on public docs.




## 3.2. Templates


With Archbee, you get a few out-of-the-box templates for **Engineering, Marketing, Product, Sales, or Executive.**

### How to use it?

Templates and your custom templates will show up whenever you add a new document.



When you click to use a template, you can preview its content and decide whether you want to use it.



## Manage Templates

Additionally, you can create your own templates for your team.

To do so:

1 Go to **Reusables**.

2 Select **Templates** tab.

From here, you can delete older templates, to manage who have acces to them or to see where are them used.

3 Hit the **Add a new template** button.


4 Okay, now it's time to just go ahead and write your stuff!

You can also use some other features here, like:

- All **Editor Blocks** available in main editor
- **Find & Replace**
- **AI Write Assist**

## Remember

Make sure to save the template once you're done with your writing!



## Available Templates

Here's a full list of system templates:

**Tech Specification**

**Docker cheatsheet**

**Launch checklist**

**Client Kickoff**

**Meeting Notes**

**Project Proposal**

**Project Retrospective**

**Post mortem**

**Investor Letter**

**Quarterly OKRs**

**Monthly Sales Recap**

**Marketing styleguides**

**User persona**


**Competitor watch**

**Social Media Policy**

**Marketing project**

**SEO Checklist**

## 3.3. Starting a Document from External Sources




Smart Document Creation: Templates, AI, and Syncing from External Apps

Whether you want to start with a predefined template, link your content from Google Docs or Confluence, or leverage AI for assistance, this feature gives you full flexibility to get started in seconds.

**When creating a new document, you can:**

- Start with a template for structured content ✓
- Sync from Google Docs or Confluence to import existing documents ✓
- Write with AI for quick content generation ✓


### Start with a Template




Start a new document and press 'Start with a template' option

- Choose from a variety of *pre-designed templates* tailored to different documentation needs.

- Templates ensure *consistent formatting and structure*, saving you time and effort.
- You can *edit the document freely* after selecting a template.



## Sync Content from External Apps



### Google docs integration:

- Directly *import documents from Google Docs* into our editor.
- A file selection interface lets you *choose the document* you wish to import.
- Once imported, the document syncs with a Google doc. Any changes will be updated in Archbee

## Steps for integration


- 1 Click on the Google Docs icon
- 2 You'll be redirected to our Integrations page → Click on "Connect with Google Docs"
- 3 Connect with your Google docs account and Allow Archbee access
- 4 Once integrated, go back to your Archbee page and select a file from your Google Docs list

## Confluence Integration


- Easily *link Confluence documents* to your workspace.
- Simply *paste the Confluence document URL* into the provided input field.
- Your linked content will be *imported automatically*, allowing you to continue editing in our documentation editor.

## Steps for integration

- 1 Click on the Confluence integration icon
- 2 You'll be redirected to our Integrations page → Click on "Confluence" tab
- 3 Add your Confluence username and the API key created here: <https://id.atlassian.com/manage-profile/security/api-tokens> and save it




- 4 Once integrated, go back to your Archbee page and paste your Document from Confluence:



## Write with AI

- Our AI-powered assistant helps you generate structured content from scratch.
- You maintain full control over the AI-generated content and can edit it as needed.



## 3.4. Convert a doc to a Category

### How do I build a document tree?

It's easy-peasy! You can build document trees by a simple drag-and-drop. Click on any document, hold and move it under a different document of your choosing.

You will see that the document you moved is now a child document, whereas the one one above is the parent doc.


With Archbee, you can create a parent doc and nest multiple documents under it.

When you use a document as a parent, we recommend that you add content.

If you still want to group documents under Categories, **you should convert a doc to a Category** (which works like a folder - there is no content).

You can add as many child documents to a parent **as you want**.


We **don't have a limit** to the number of nested documents.



The Archbee User Guide has different sections.

### How to convert a doc to a Category [Folder]

- 1 Click the **+** to **add** a new document
- 2 Click on the **three-dot menu** **:** to open the Space/Document menu
- 3 Click on **Convert to a category**



Convert doc to category

- 4 **Add a title** to your category
- 5 Use **drag & drop** to nest documents under the Category

!


When converting a doc to a category, all of its content will be lost.

## Fold or expand categories/folders


When you add folders/categories to your documentation site, you may want to keep them folded or expanded, depending on your preferences or style guide you're following.

### How does this work?

By default, a folder/category is **expanded** when you preview the live page after publishing.



Fold on public



Docs site view

If you want to fold the folder/category, follow these steps:

- 1 Click on the **three-dot menu** next to the folder/category name
- 2 Click **Make folded by default on public**

3 Publish your changes to preview the results


If you wish to go back to expanded view, click **Make expanded by default on public**.

## 3.5. Fold or expand categories/folders


When you add folders/categories to your documentation site, you may want to keep them folded or expanded, depending on your preferences or style guide you're following.

### How does this work?

By default, a folder/category is **expanded** when you preview the live page after publishing.



Fold on public



Docs site view

If you want to fold the folder/category, follow these steps:

- 1 Click on the **three-dot menu** next to the folder/category name
- 2 Click **Make folded by default on public**
- 3 Publish your changes to preview the results

If you wish to go back to expanded view, click **Make expanded by default on public**.

## 3.6. Convert to link

---

**Convert to a link** feature allows you to reference a LINK on the left navigation panel of a public space.

It's useful when you want to send the user to either an external URL or to another public space.

Follow these steps to convert a link:

- 1 Create a new document
- 2 Add a title relevant to the URL
- 3 Click on the **three-dot menu** of the doc you want to convert to a link and click on the option
- 4 Click on the converted document - a new modal will open where you need to add the URL. You can also change the name of the link.
- 5 Check the public space to see how the LINK looks in the left navigation panel

Also, when you add a URL, make sure to include `https://`

!

Make sure that this is something you want to do and that you save your content elsewhere. When converting a doc to a link, all its content and its children docs will be lost. This action is **IRREVERSIBLE**.

## 3.7. Document history

---

**Document revision history** is a feature that allows you to see the history of edits for an article — not just the last edit — and restore it to any version.

### ✓ **Autosave**

Each change you make to a document is autosaved, and in turn becomes another version of the document.


## How does it work?

### 1 **Access history**

Click on the 3-dots icon to open the document menu and click on Document Revision History.

### ⚠ **Warning**

If you're using the Review System, you'll need to finish your draft and merge it into the original to see the "Document review history" option.



Show document history


## 2 View changes

A new modal will open, showing the revisions on the left side and the document content in the right side.

## 3 Compare versions

Highlighted sections indicate differences between the selected version and the previous one:

- **Green** — for content added
- **Red** — for content deleted



Document versions

#### 4 Revert to a previous version

Click the **↶ Revert** button next to any saved version to restore the document to that state.

##### Note

When you revert to a version of the document, we'll keep the history, and the version you selected will be the new document.

For more complex collaboration and granular control over documents, explore our **Review System** feature, which enables draft mode, review requests, and more detailed change comparisons.

## 3.8. Review System

---

### What is Review System

Review System is a feature that allows teams to have more granular control over the content of their docs by having a new user role, the **Reviewer**, who is responsible for verifying and approving any changes made to the docs, content of docs, or space settings.


The Review System can be enabled at Space level. All newly created Spaces have Review System **OFF** by default. An Administrator can enable the Review System for each space manually. This way, you can have better control over the content of your public portals while leaving the internal team Spaces out of the Review System for faster edits.

What happens when a Draft is created for a doc:

1. A Draft version of the document will be created and can be edited by users
2. The Original version is kept, and you can switch between the Original and Draft versions
3. If you publish your Space, only the Original version will be published.
4. A Draft document can be reviewed and merged by a Reviewer
5. A Draft can be reviewed and discarded by a Reviewer; after this, the Draft is deleted
- 6.

### How to enable the Review System


Go to Space Settings / General Tab and toggle the Review System ON or OFF



## Edit, review, and merge documents


Once the Review System is enabled, the editing flow of a document will change. You will now have to create a draft for each doc you want to modify. A document can only have one draft active and will be available for everyone to see and edit.

- 1 Go to any document and enter Draft mode by clicking the `Edit Draft` button from the doc options bar




- 2 A draft is created, and now you can start editing the doc. You can see above the doc title that you have 2 versions of the current doc: Original and Draft.

Every time you navigate to a doc, you will see the Original version. If you want to edit, manually switch to the Draft version




3 While editing a draft, click the **Review** button on the right side of the doc options bar to:

1. View Diff
2. Request Review
3. Review & Merge




- 4 View Diff - this option will open a new window where you can see all the changes made to the draft compared to the original.



- 5 Request Review - this option will send a notification to the users with Review permissions on this Space. Use this when you completed your work and you need validation from a Reviewer.

If you are a Reviewer and receive this notification, just click on it and it will take you to the mentioned doc.




- 6 Review & Merge - this option is only available to users with Review permissions.

If you are a Reviewer and want to Review & Merge or Discard a Draft, click on this option, and a new window will open with a Diff view of the changes and 2 buttons: Discard Draft and Merge Draft.

Clicking on Discard will delete the Draft and return to Original version

Clicking on Merge the Draft will replace the Original version.



## Review and Publish

While Review System is enabled for a Space, a new step is added before you publish.


The Publish button is now replaced with Review & Publish.

Review & Publish is a new window that will allow you to review all changes made since the last publish of the Space.

Here's how it works:


- 1 Documents - here, you will see a list of newly added docs and removed docs

This menu is purely informative, and you can not make any actions here about the documents.




2 Drafts - this menu shows all docs that have a Draft active.


If you have Review permissions, you can Merge the drafts directly from this menu and then publish the Space.



### 3 Space Settings - analyse changes made to Space Settings




### 4 Navigate to your published content




## 3.9. Branches & Reviews

### Work in progress...

We're excited to roll out the **Branching System (Beta)** and open it up for users to try. This release marks a major milestone, bringing Git-style workflows directly into Archbee.



You can now create branches for your documentation, work on changes in isolation, and merge updates when they're ready. This gives teams a much stronger foundation for organizing drafts, planning documentation releases, and managing parallel work streams, all without relying on external Git repositories.



The branching system works with both **Archbee native projects** and **GitHub-connected repositories**, and it includes built-in conflict resolution so teams can collaborate confidently without dealing with traditional Git complexity.

### **i Beta notes:**

- Enable it when creating a space by selecting **Branches and Reviews System**
- Available only for **newly created spaces**
- You cannot switch existing spaces to branching during the Beta

## 3.10. Verify documents

---

As your product(s) grows, and the need to document knowledge in a central place expands, that knowledge can get outdated pretty fast. Especially if you don't have a large team of writers, product managers, support, or whoever is writing documentation.

That's why we felt the need to make this easy for you to keep your docs up-to-date, always. Enter: **Document verifications** ✓.

As the name suggest, you can use this option to verify documents periodically to ensure quality and consistency, as well as great customer experience through your docs.

Next to **Edit draft**, click on **Verification settings** > select a subject matter expert from your team, and choose how often the system will notify them to check the content of the document.

Check out the video below to see how it works:


## 3.11. Mark as hidden on public docs

With Archbee, you can **mark documents as hidden on public**. Use this functionality for multiple purposes:


- When you want to leave your in-progress work unpublished
- Keep documents unpublished until a review has been completed
- Separate your internal documents from public ones within a Space
- For personal notes/suggestions/experiments

### How does it work?

From any document (except *Personal docs*), click the three-dots menu, and then click the **Mark hidden on public** option to mark/unmark your document as hidden or visible.




Mark hidden on public



Mark visible on public

- A grey **H** icon will appear on the right side of the doc's title denoting that this document is hidden from public view.



H icon denoting a hidden doc

- A document marked as hidden, along with its children docs, will **not be published** together with the Space.
- If a Category contains only hidden docs, that Category will **not be visible** when you publish your Space.

Make sure that you don't forget to hit **Publish space** after you mark a doc as hidden, otherwise it will still be visible on public.



## 3.12. Notify on document changes

---



# 4. SPACES

## 4.1. Spaces

---





## 4.2. Space group

---





## 4.3. Space group settings

---







## 4.4. Document trees

---

## 4.5. Create a Clone of a Space

---

## 4.6. Team Access Control

---



## 4.7. AI Addon

---























## 4.8. AI external sources

---





## 4.8.1. Import website links

---

The most general type of content you can import is website links. However, due to security and privacy/copyright concerns, not all links are allowed: the base link must match your custom domain. This feature will not work properly if you do not set a custom domain.

### Wildcards

We also support links containing wildcards `\*` e.g., `https://www.archbee.com/blog/*`

This syntax will crawl all the links in `https://www.archbee.com/blog/*` and crunch the data.

### Limits

The system supports a maximum of 500 links. We will take the first 500 links passed, even those containing wildcard syntax.

### Sorting links

Links that are fed into the LLM are sorted in the following order:

1. Explicit links
2. Crawled links from wildcards

Make sure to pass your essential external resources as full links first if you are using wildcard syntax and know you might surpass the limit of 500 links.

## 4.8.2. Import Confluence pages

---


You can integrate AI with external Confluence pages. You must set credentials and the URL for a Confluence space from which we will ingest your documentation.

### Setup

- You need to set up an access token and provide it along with your Confluence username in order to authenticate the request. Then click **Connect with Confluence**.

You can generate an API token in Atlassian via [this tutorial](#).

- Follow these steps for each of your spaces separately:
  1. Use the base part of your URL: `https://example.atlassian.net/wiki/`
  2. You also need the `space key` for the space containing the pages to load as documents. You can find this when you navigate to your space URL e.g. `https://example.atlassian.net/wiki/spaces/{SPACE_KEY}`
  3. Then click **Add Link**



Import Confluence pages

## 4.8.3. Import Notion pages


---

Similar to Confluence, you can also integrate AI with external Notion pages. You need to set credentials and the URL for a Notion space from which we will ingest the documentation.

### Setup

1. Create a **Notion integration** and securely record the Internal Integration Secret, also known as `NOTION_INTEGRATION_TOKEN`
2. Add a connection to your new integration on your page or database. To do this, open your Notion page, go to Settings in the top right and scroll down to `Add connections` and select your new integration.
3. Get the `PAGE_ID` or `DATABASE_ID` for the page you want to load. The 32 char hex in the URL path represents the ID. e.g.,:

PAGE\_ID of: <https://www.notion.so/skarard/LangChain-Notion-API-b34ca03f219c4420a6046fc4bdfdf7b4> is `b34ca03f219c4420a6046fc4bdfdf7b4`




Import Notion pages

## 4.8.4. Import GitBook and YouTube links

GitBook and YouTube integrations are the easiest to import links from! All you need is the URL of a GitBook page or YouTube video.

The AI model will index the content, which is either:

- Documents from GitBook: Toggle the **Load all paths** to index all paths in the given GitBook website. For this to work, the URL must be a root path. e.g., <https://docs.gitbook.com>



- YouTube video transcripts, which searches for currently available transcripts.

Settings

Team Access Control

AI Features

API Keys

Import History

PUBLIC DOCS SETTINGS

Appearance

Landing Page

Team Access Control

Internal External Both

Add external sources to AI  
See how it works

YouTube

Link  
e.g. <https://www.youtube.com/watch?v=bZQun8Y4L2A>

+ Add Link

SPACI CURRICULUM

<https://arc4hbae.com/ai-features>

## 4.9. How to set up logo and accent colors

Brand and customize your docs website using the appearance settings.


To reach them, follow these steps:

- 1 Choose a space and click on the settings ( ⚙ )
- 2 Click on **Appearance** tab from *Shared Public Docs Settings* group
- 3 Here you will find the branding options, like:
  - [Accent Color](#)
  - [Logo](#)
  - [Favicon](#)
  - [Logo URL Redirect](#)
  - along with other options for the portal template

### How to set up a Logo


Go to the **Appearance** tab and upload your Logo. The Logo should be a **.png** image with a **3:1 aspect ratio**.

*Transparent background is recommended for clarity.*




# How to set up an accent color

Go to **Appearance** tab and set your **accent color** (light/dark mode) from here:



# How to set up Favicon

Go to **Appearance** tab and upload your **Favicon**.



# Logo redirect URL

If you want your Logo to be **redirected to a custom page**, you can use the following option:

Home

Import History

PUBLIC DOCS SETTINGS

Appearance

Landing Page

Public Access Control

Logo Redirect URL

Custom fonts

Click to upload or drag and drop  
Drop a square .png or .ico here, or click to select the file.

**Set**

**Google fonts**  
You can select Google fonts that will be applied to the public website on the body tag.

## 4.10. Questions & Answers Section

---

**Question & Answer (Q&A) Feature** on our documentation platform allows users to engage more deeply with the content by asking questions and providing answers or comments. This feature can foster a collaborative environment where users can seek clarification, share insights, or discuss specific aspects of the documentation. The Q&A feature is flexible and can be enabled or disabled depending on the needs of your space.

### Enabling/Disabling the Q&A Feature

- 1 Navigate to Space Settings by clicking on the settings (⚙️) icon.
- 2 Access the **Questions & Answers Section**
- 3 Enable/Disable the Feature
  - **Enable Questions & Answer Section for this space**

Toggle the switch to enable the *"Enable Questions & Answer Section for this space"* feature. When enabled, members can ask questions on documents internally.
  - **Enable Public messages**

Toggle the switch to enable the public messages. Allow your audience to ask questions on the public documentation
  - **Enable Automatic AI Replies**

Toggle the switch to enable automatic AI replies to public questions, similar to search chat answers.
  - **Enable Message Approval**

Toggle the switch to enable message approval. Messages left by users on public sites will require approval before being posted.

### Configurations

Use Question & Answer Section directly on your public or internal documents.

- Enable Question & Answer Section for this space**  
Allow your members to ask questions on documents.
- Enable public messages**  
Allow your audience to ask questions on public documentation.
- Enable Automatic AI Replies**  
AI replies will have to be manually approved/reviewed.
- Enable Message Approval**  
Messages left by users on public sites will have to be approved.


More information regarding the Question & Answer Section [here](#).

### ⚠ Important

After enabling or disabling the Q&A feature (or any settings), don't forget to re-publish your space.


## Asking a Question or Posting a Comment (public)

- 1 Navigate to the bottom of your Documentation Page



### Have a question?

Our super-smart AI, knowledgeable support team and an awesome community will get you an answer in a flash.


 **Andrei(custom profile)**  
andrei+custom@archbee.com

**Post** ➤

- 2 If you're authenticated, write your question/comment and press **Post**

If you're not authenticated yet, continue with Step 3

- 3 Enter your **name** and **e-mail** address and press **Sent authentication link**

ESC X

## Just a second...

To ask a question and connect with the community, please tell us:

- **A name:** This will be displayed with your posts.
- **Your Email:** We'll use this to send you notifications about your questions and to authenticate now. We won't spam you.

Don't worry, we'll remember you for next time.

Display Name

Email

By generating the authentication link, you agree to our [Terms Of Service](#) and [Privacy Policy](#).

Send Authentication Link

4 Click on the link from the received e-mail to confirm and participate on discussions.

### 📧 Congrats!

You are now authenticated and your question was posted.

Depending on the Q&A space configuration, your question could be in *"waiting for approval"* status until being approved by the Admin.

## Q&A for internal use

### Commenting and Questioning

Members can add comments or questions directly on documents.



## Have a question?

Our super-smart AI, knowledgeable support team and an awesome community will get you an answer in a flash.

Internal ✓

Post

## Approval Workflow

If the *"Enable Message Approval"* setting is on, comments or questions submitted from the public site will be placed in a **"Pending moderation"** status.

Members with the appropriate permissions will approve these submissions before they become publicly visible.



Andrei(custom profile)

6 days ago

Staff

Pending moderation



Accept



what is Archbee?



Answer

### Approval of AI responses

Likewise, when **Message Approval** is enabled, AI responses will be placed in a **"Pending moderation"** status.



**Andrei(custom profile)**

a few seconds ago

Community

Pending moderation



Accept



How can I create a custom landing page?



**Anonymous**

a few seconds ago

AI

Pending moderation



Accept



To create a custom landing page, follow these steps:

1. Click on the **Space** you want to add a custom HTML landing page.
2. Look for the **Settings** gear () and click on it.
3. In the **Space Settings** window, go to the **Landing Page** tab.
4. Select **Custom HTML**.
5. Add your **HTML code** in the **Landing page HTML** field and hit **Save**. Keep in mind that this is your `index.html` file.

# 5. HOSTED SPACES

## 5.1. Hosting Spaces on a custom domain

---


Archbee's Spaces can be made Public and hosted on your domain with auto-renewable SSL certificates and guaranteed uptime as part of our SLA. We host your content on your domain through Azure and CloudFlare CDN to be fast and reliable.

To publish your documentation portal to a custom domain (e.g., `docs.yourdomain.com`), you first need to set it up.

### How to add a custom domain

You need to set up your domain to enable the publish mode and get the preview and production environments. Adding a custom domain isn't as complex as it seems, and here's what you need to do.

- 1 Select the Space you want to publish to a domain.
- 2 Click on the gear icon to open the Space settings.
- 3 Navigate to the Custom Domain tab.
- 4 Next, you have to follow the steps mentioned there.



To add a CNAME for the desired subdomain, you need access to the domain registrant. This is typically where you purchased your domain name (like GoDaddy, Enom, or Name.com).

If you have access to add a CNAME, follow these steps, but also use the domain registrant knowledge base. We linked to some of the provider's documentation to help you out.

- 1 Sign in to your domain's account at your domain host.
- 2 Locate the page for updating your domain's DNS settings. The page might be called something like DNS Management, Name Server Management, or Advanced Settings.
- 3 Create or change the CNAME for the subdomain you have chosen and configured in Archbee (might have been something like `docs.yourcompany.com` )
- 4 Set the value for it to `proxy.archbee.com`

- 5 Save your changes and wait until they take effect. An SSL certificate will be generated for your subdomain and deployed to our edge infrastructure to all your users.

While you're here, please check that your CAA record does not prevent Google Trust LLC (pki.goog) to generate SSL certificates for your domain.

Lastly, check if the DNS has propagated. **CNAME record changes can take up to 72 hours to go into effect**, but typically they happen much sooner.

Next, you must set the Space public, add your subdomain in Step 4, then click Set.

When a new domain is configured, an **automated publish will be triggered**, and publish mode is activated, and now you can publish to production.

## How to find your domain host

You can search for your domain host online if you can't find your billing records.

The Internet Corporation for Assigned Names and Numbers (ICANN) is a non-profit organization that collects domain information. Use the ICANN Lookup tool to find your domain host.

- 1 Go to [lookup.icann.org](https://lookup.icann.org).
- 2 In the search field, enter your domain name and click Lookup.
- 3 On the results page, scroll down to Registrar Information.

The registrar is usually your domain host.

## How to add a CNAME

If you don't know how to add the CNAME, use this template to email your technical people for help adding your unique CNAME record to your DNS records.

Please enter your unique `Label/Host` and `Destination/Target` text into the email before sending it to your domain host's support team or somebody from your team.

Hello,

Would you please help me add a CNAME record to my domain's DNS records?

My domain is: e.g., archbee.io (replace it with your domain)

My CNAME record (destination/target) is: e.g., demo.archbee.io (replace it with the subdomain where you want to Space to be hosted)

My CNAME record (host/label) points to: proxy.archbee.com (don't change this one)

Please get in touch with me at: {your email address}

Thanks,

{your name}

## How to add a CNAME with popular providers


[https://docs.gandi.net/en/domain\\_names/common\\_operations/link\\_domain\\_to\\_website.html](https://docs.gandi.net/en/domain_names/common_operations/link_domain_to_website.html)

## 5.2. Hosting Spaces on a sub folder

The default way to host documentation with Archbee is on your custom domain, e.g **docs.piedpiper.com**. To make docs available at your main domain at a sub folder like **https://www.piedpiper.com/docs**, you will need access to your webserver to be able to proxy requests to our systems.

You will need to setup a default custom domain anyway, and then proxy to it from your main domain. We will take care that Google doesn't see it as duplicate by signalling it through a custom `canonical` tag.

### Step 1: Enter the optional proxy like in the picture below



While you're here, please make sure the URL path at **Step 5**, is the same one you set below in your webserver config.

## Step 2: Here are a couple of samples from popular webservers on how to config it so that the proxying system works

### Nginx Server Config

```
location /docs {
 proxy_ssl_server_name on;
 proxy_pass https://docs.piedpiper.com/docs
 proxy_set_header Host docs.piedpiper.com;
 proxy_set_header X-Real-IP $remote_addr;
 proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
 proxy_set_header X-Forwarded-Proto $scheme;
 proxy_set_header "requested-by" "proxy";
}
```

### Apache Server Config

- 1 Ensure the following modules are installed and enabled:

```
sudo a2enmod proxy
sudo a2enmod proxy_balancer
sudo a2enmod proxy_http
```

- 2 Add the following to the site configuration file under `/etc/apache2/sites-available`

For example: `000-default.conf`

```
SSLProxyEngine on
ProxyPass "/docs" "https://docs.piedpiper.com/docs"
ProxyPassReverse "/docs" "https://docs.piedpiper.com/docs"
```

Our full domain test working config looks something like:

```
<VirtualHost *:80>
 ServerName piedpiper.com
 DocumentRoot "/app"
 <Directory "/app">
 Options Indexes FollowSymLinks
 AllowOverride All
 Require all granted
 </Directory>

 SSLProxyEngine on
 ProxyPass "/docs" "https://docs.piedpiper.com/docs"
 ProxyPassReverse "/docs" "https://docs.piedpiper.com/docs"
</VirtualHost>
```

**3** Restart the Apache server:

For example, If you are using Apache on Linux:

```
$ sudo service apache2 restart
```

## 5.3. Public Access Controls


---

By default, a public Space does not have any authentication method, but you can choose and set a few:

- **Space-wide password;**
- **Guest Accounts**, where you manually create email + password combos and distribute them to your users;
- **Magic Links**, where you enter specific emails or entire domains, and users will authenticate using a link that we send to their email address;
- **Private Accounts**, where you add specific domains to let users authenticate/create accounts with their e-mail address
- **Private Links**, where you can generate private links and share them with your users and teams. Manage access control per user group via links;
- **JWT**, where your dev team generates a JWT with a secret key you provide in our UI, then pass it back to us as part of a link. This is the easiest to manage, but you will require developer time.
- **SAML**, when you have an external application that can act as a router to your space domain, so the public portal can be accessed only by members setted in providers like Google, Azure, Okta.

---

## None



The default behaviour is set as None, meaning it is available publicly. You can change to controls to limit the access for readers.


Everyone with the link will be able to read content.

Links are safe to share because they are cryptographically generated and unguessable.

When you want to gate the contents to specific readers, try any of the options below.


---

## Guest Accounts



Create guest accounts. Everyone with the link and a guest account will be able to read the content. Guest accounts are not charged as seats in Archbee.

## Private Accounts




Users will be able to authenticate/create an account in your space with their email address/password if you add their email address or their email domain to the list below.

Everyone with the link and a matched account will be able to read the content. Accounts are not charged as seats in Archbee.

The list of users with active accounts will appear in the 'Active Accounts' window.

# Magic Link




Users will be able to authenticate to your space with their email address if you add their email address or their email domain to the list below.

Everyone with the link and a matched account will be able to read the content. Accounts are not charged as seats in Archbee.


## Private links

Generate Private links for specific user groups/teams. Each user group/team will have their own link to the same documentation and you can manage access control via this links. You need to cut access for team 1? Delete the private link associated with team 1.




## How JWT works

### JWT - secret visitor authentication



Go to the Spaces settings, and set a JWT secret key that you generate on your server

## JSON WEB Key visitor authentication



Go to the Spaces settings, and set a JSON WEB Key Set URL. A JSON Web Key Set (JWKS) URL is a URL endpoint where a server publishes its public keys in JSON format.

The JWKS URL typically points to a JSON document that contains an array of cryptographic keys used for verifying signatures.

When Archbee receives a JWT, it can retrieve the corresponding public key from the JWKS URL and use it to verify the JWT's signature, ensuring that the token hasn't been tampered with and was indeed issued by a trusted party.

A JWKS URL provides a standardized way for clients to obtain the public keys needed to verify JWT signatures in a secure and scalable manner.

This is a sample `jwks.json` file:

```
{
 "keys": [{
 "kid": "1234example=",
 "alg": "RS256",
 "kty": "RSA",
 "e": "AQAB",
 "n": "1234567890",
 "use": "sig"
 }, {
 "kid": "5678example=",
 "alg": "RS256",
 "kty": "RSA",
 "e": "AQAB",
 "n": "987654321",
 "use": "sig"
 }]
}
```

## Generate the JWT token

Use one of the examples below to generate the JWT token.

You also need to replace the URL with the subdomain of your documentation site.

```
const sign = require('jsonwebtoken').sign;

exports.buildArchbeeLoginURL = function() {
 // Optional user credentials that you want to send back to Archbee
 const user = {
 name: 'John',
 email: 'Wick',
 };
 //create a signed token out of the user credentials with the
 //secret you set in Archbee
 const jwtToken = sign(user, '<archbeeJwtSecret>');
 //yourdomain is set in the Custom Domain tab
 const archbeeUrl = 'https://yourdomain.com';

 //create the complete URL containing the signed token that you'll send back to Archbee
 return `${archbeeUrl}?jwt=${jwtToken}&reload`;
};
```

Here is an example to generate a JWT token with .NET:

<https://github.com/dragosbulugean/archbee-jwt-dotnet>

```
using JWT;
using JWT.Algorithms;
using JWT.Serializers;

var payload = new Dictionary<string, object>
{
 { "name", "John Wick" },
 { "email", "john.wick@matrix.com" }
};
const string secret = "Tw9zaGVFcmV6UHJpdmF0ZUtleQ";

IJwtAlgorithm algorithm = new HMACSHA256Algorithm(); // symmetric
IJsonSerializer serializer = new JsonSerializer();
IBase64UrlEncoder urlEncoder = new JwtBase64UrlEncoder();
IJwtEncoder encoder = new JwtEncoder(algorithm, serializer, urlEncoder);


var jwtToken = encoder.Encode(payload, secret);
var archbeeLink = $"https://docs.yourcompany.com/?jwt={jwtToken}&reload";

Console.WriteLine($"JWT Token: {jwtToken}");
Console.WriteLine($"Archbee Link: {archbeeLink}");
```

JWT tokens are bypassed on Preview/Staging

---

## SAML - Security Assertion Markup Language



SAML can be configured for public space access in the same way as for team integration, see [SAML Integration](#) for more detailed steps regarding setting up each provider.


Note that just the metadata URL is needed as input. Also, we assume the space is already hosted on a custom domain.

In this way, the published space link will be routed through the new SAML application; thus, only members set up in the provider application can access the public portal.

## How to set up SAML as a public access control


- 1 Go to Azure Services → Microsoft Entra ID → "+Add" → App registration

Select "Accounts in this organizational directory only -Single tenant" and paste the Callback URL from Archbee Space Settings → Public Access Control → SAML into "Redirect URI" as in the below image, choosing Web auth:




2 Click on "Register"

3 On the newly created app in Azure, go to "Endpoints" and copy the "Federation metadata document" from the Azure App to the Archbee Space Settings → Public Access Control → SAML into the "Set SAML Metadata URL"



4 A unique Entity ID will be generated in Archbee, copy the "[api://PUBLISHED...](#)" link in your Azure App - Expose an API → Add → Fill Up the URL → Save it



- 5 Go to your Archbee space and re-publish it
- 6 Try to access the link and test the SAML authentication

## Preview Settings

This feature allows you to simulate authentication settings in a controlled preview environment before going live for internal users.

### Purpose

Enable this setting to apply authentication protection to your preview environment, restricting access to internal users only. This helps verify your auth configurations, user access flows, and protection settings without exposing changes to the public.

### How to Enable

- Navigate to the Public Access Control section while you're in Space Settings
- Select any authentication methods
- Toggle off the Preview Settings

- Publish your changes to Preview and test the authentication

Manage Authentication Flow



Login Page on Preview Environment

Manage public access control on preview portal for internal users only.

## Multi-Authentication

The Multi-Authentication feature allows you to enable more than one authentication method for accessing your documentation portal. This gives your users flexibility and improves accessibility.

### How it works

From the Public Access Control settings, you can toggle multiple authentication methods simultaneously. Users accessing your portal will be able to authenticate using any one of the enabled methods.

### Use Case Example








If you enable both **Private Link** and **Password**, users can access your documentation using either:

- A secure private link you share with them
- Or a common password you define

## Public Access Control

ESC X

### Public Access Control

 <b>Password</b> ⓘ ✓ Active   <a href="#">Configure</a>	 <b>Guest accounts</b> ⓘ 🔒 Not Used   <a href="#">Configure</a>	 <b>Private Accounts</b> ⓘ 🔒 Not Used   <a href="#">Configure</a>
 <b>Magic Link</b> ⓘ 🔒 Not Used   <a href="#">Configure</a>	 <b>Private Link</b> ⓘ ✓ Active   <a href="#">Configure</a>	 <b>JWT</b> ⓘ 🔒 Not Used   <a href="#">Configure</a>
 <b>SAML</b> ⓘ 🔒 Not Used   <a href="#">Configure</a>		

Only users who meet one of the enabled authentication methods will be granted access. You can disable any method at any time via the toggle switch in the Public Access Control settings.



## 5.3.1. Manage mail templates

---

This setting can be applied to the Private Accounts & Magic link authentication options

Our Mail Templates feature empowers you to customize the emails sent for password resets, new account registrations, and email signatures. With this feature, you can personalize the text and add custom branding (logo and colors), ensuring a consistent and professional look for your organization's email communications.


### Key Features

- **Customize Password Reset Emails** – Personalize the content users receive when resetting their password.
- **Modify New Account Emails** – Edit the welcome message for new users.
- **Set a Custom Signature** – Add a personalized sign-off for all emails.
- **Branding & Identity** – Integrate your company logo and colors into email templates
- **Live Preview & Testing** – Send test emails to verify the final design before going live.

### How it works

#### 1 Step 1: Access the Mail Templates Feature

- Navigate to **Space Settings > Public Access Control > Manage Mail Templates** in your dashboard.
- Here, you will see different email sections available for customization.



## 2 Step 2: Customize Email Messages

- **Forgot Password Message:** Modify the text for password reset emails.
- **New Account Message:** Edit the welcome email for newly registered users.
- **Ending & Signature:** Personalize how you Ending & Signature looks like

## 3 Step 3: Add Branding (Logo & Colors)

- Click **Customize Logo & Colors** to open branding settings.
- Upload your **company logo** to appear in all emails.
- Select custom **theme accent color** that align with your brand identity.

## 4 Step 4: Test and Deploy


- Use the **Send Test Email** button to preview how your emails will look.
- The customized emails will be sent automatically when triggered.

# Why Use Custom Mail Templates?

- ▣ **Stronger Branding** – Reinforce trust with company-branded emails.
- ▣ **Enhanced User Experience** – Provide clear, professional, and personalized communication.
- ▣ **Flexibility & Control** – Update messages anytime to match company tone or policy changes.



## 5.4. Authentication Pages




The Authentication pages option, allows you to create a fully customizable login page for users accessing your public portal.

### Steps to Customize Your Authentication Page

#### 1 Locate the "Authentication Pages" option

- Navigate to Space Settings → Public Doc Settings → Authentication Page(This is where you can start customizing your login page).



## 2 Choose your page layout

- **Only Authentication Form** - A straightforward one-column layout showing just the login form
- **Authentication Form and Image** - A two-column layout where you can add an image next to the login form for a more visually engaging design.

## 3 Customize your Form Position

- Decide whether the login form should appear on the **Left Side** or the **Right Side** of the page. Choose the option you prefer.

## 4 Select a Hero Image Theme

- Upload a Hero Image for **Light Mode** or **Dark Mode** depending of the overall style of your portal

5

Want to change the look and feel? Edit the logo and accent colors in the Space Settings → **Appearance** tab.



## 5.5. Space Links


---

Space Links is a feature that allows you to connect multiple published Spaces under unified navigation.

It's a way for you to set up multi-product, multi-version documentation sites and link between User Guides, Developer Documentation, API docs.

### How to set up Space Links

- 1 Go to the Space where you added your subdomain - let's call it the main Space - it's the one with an empty pathname.
- 2 Click on the gear icon ⚙️ for settings, then go to the Space Links tab.
- 3 Start building the Space Links:
  1. Add the space that you are currently on as a Space Link itself in the "Link to Space" box (we are doing this to be able to go back to your space);
  2. Add a label in the "Link Label" box (e.g., User Guide, Developer Documentation, API);
  3. Click the blue **+ Add** button;
- 4 Repeat the add Space Link process until you wire up all the space links that you want.
- 5 Exit the Space Settings window and publish all linked Spaces.



## Eligible space links


All your created spaces might be unavailable in the Space Link dropdown selector. That is because we are filtering only the spaces without connections with others, or if they are eligible for space linking.

While you can arrange and set up your Space Linking, behind the scenes, all your involved Spaces will replicate the same configuration. For example, let's take 2 spaces that are wired together, **User Guide** and **Developer Documentation**. While you are setting space linking on **User Guide** and wiring it together with **Developer Documentation**, you will find all your desired configurations replicated on **Developer Documentation's** settings.

Every time you do a change in the space link configuration, the configuration will be replicated on all the spaces involved.


Once published you will be able to see the changes in public spaces. Here's how it looks for your readers:

- [External Links](#)




External Links view on Stripey template

- **Version Links**



Version Links view on Stripey template

- **Space Links**



Space Links view on Stripey template

## 5.6. External Links


---

External links are a way to wire your current space with different external resources like, Home, Sign Up page, etc.


They show up in the top right corner if any are set on the current space.

### How to set up External Links

- 1 Click on the gear icon ⚙️ for settings, then go to the **External Links** tab, under **Space Connections** section
- 2 Start building the External Links:
  1. Add a Button label (e.g., Sign Up, Home)
  2. Add Button URL
  3. Click the blue **+ Add Button**;
- 3 Repeat the add the process, until you add all your desired External Links
- 4 Exit the Space Settings window, and publish the space, and they'll be propagated




Once published you will be able to see the changes on public spaces. Here's how it looks for your readers:



External Links view on Stripey template

## 5.7. Version Links



Version Links is a feature that allows you to create multiple saved versions of a Space.

Let's say you have a **Developer Guide** space, but soon enough, you release different versions of that product.

To keep the history and backward compatibility, you have to create a new version to save the current content in **Developer Guide v1.0**, and rename the **default main version** space to **Developer Guide - Current Version** or **Developer Guide - v2.0** (depends how you prefer) and continue to update the content in this main version.


The same rule will apply when you want to create the next version. You have to save the current content in a new version in **Developer Guide v2.0**, and keep working in **Developer Guide - Current Version** or **Developer Guide - v3.0** (depends how you prefer) for new updates.

The created versions should be only **clones** of the **default main version** space you are trying to fork from.

### How to set up Version Links


1 Click on the gear icon ⚙️ for settings, then go to the **Version Links** tab under **Space Connections** section.

2 Enable the version link feature for that space (if you are trying to save the first version).



## i For public documentations

Make sure your documentation is **Public** and visible to everyone, before you start creating version links.



3 Select the space you want to clone from. You can select:

- the **main version** - if you want to create a new version from the current main version;
- or **children (previous versions)** - if you want to create an update of an old version (if your last created version is v5.0 and you want to create v2.1, you have to select v2.0 as a starting point).

### ⚠ Attention!

The **main version** space is where you should work on your content. It is the latest version of your space.

When you create a new version, you're essentially saving a **snapshot** of your current work. Any changes you make from this point should be on the **main version**.

4 Add a label for your new saved snapshot version.

For example, before you start updating the **main version space** to *'version 3'* with the new content, you save a copy of the current version as *'version 2'*. This will let you keep track of your changes and go back to the previous version if needed.

5 Select the space language. You can choose the following languages:

- **English**
- **French**
- **German**
- **Spanish**
- **Italian**
- **Portuguese**
- **Russian**
- **Korean**
- **Thai**
- **Chinese**
- **Indonesian**

6 Hit the "**+ Create Version**" button to create this new saved snapshot version.

Based on the above example, this created snapshot version will have the given name in **Step 4** ("*version2*" in this case).


7 Repeat the steps from **3** to **6** until you create your desired structure.

8 Exit the Space Settings window and publish the space, and they'll be propagated.

**Remember!**


You have to **publish all versions** in order to be visible on the public documentation.

Once you have created a new version, your spaces will be grouped in your **Side Navigation** and display the label you provided. This way, you will always be able to spot Spaces with multiple versions and find them in a single place.



Once published, you can see the changes in public spaces. The versions will be displayed based on the context. If the Space does contain a Space Link and also has multiple versions, it will be displayed in the Space Link Tab.

Once published you will be able to see the changes on public spaces. Here's how it looks for your readers:



Version Links view on Stripey template

Enable Auto-Translation of your spaces with [Enable Auto-Translation with AI](#). Check full guide here: [Enable Auto-Translation with AI](#)

## 5.8. Localization

Localization is a powerful feature that supports (i18n) across your spaces.

By default, every space has the **English** language, meaning all the labels displayed to users on the public documentation will be set in English. However, if your space targets a different language audience, fear not! We've got you covered with comprehensive language support.

We consider that a language translation is just another version of a space, so the process of creating a space that supports a different language than English is similar to the [Version Links](#).


### How to set up Localization

#### 1 Accessing Settings

- Click on the gear icon (⚙️) to access settings.
- Navigate to the **Version Links** tab under the **Space Connections** section.

#### i For public documentations

Make sure your documentation is **Public** and visible to everyone, before you start creating version links.




## 2 Enabling Version Links

- Activate the version link feature for the desired space.

## 3 Building Version Links

- Choose the space you want to Clone from. This allows the selection of the current space or its children.
- Select the version language. You can choose the following languages:
  - **English**
  - **French**
  - **German**
  - **Spanish**
  - **Italian**
  - **Portuguese**
  - **Russian**
  - **Korean**
  - **Japanese**
  - **Thai**
  - **Chinese**
  - **Indonesian**
  - **Dutch**
  - **Afrikaans**
  - **Polish**
- Select the space language corresponding to the label.
- Click on **+ Create Version** to proceed.



#### 4 Repeat the Process

- Continue adding Version Links until your desired structure is achieved

#### 5 Finalizing Setup

- Exit the Space Settings window.
- Publish the space to propagate changes.

#### Remember!

You have to **publish all clones/versions** in order to be visible on the public documentation.

## Automatic Detection


We automatically detect if the Version Links are meant to translate a space or to define multiple product versions.

## Supported Languages

For the moment, we are supporting (English, French, German, Spanish, Italian, Portuguese, Russian, Korean, Japanese, Thai, Chinese and Indonesian).


# Viewing Changes

Once published, you will be able to see the changes in public spaces. The versions will be displayed based on the context. If the Space does contain a Space Link and also has multiple versions, it will be displayed in the Space Link Tab:



Localization view on Stripey template

Otherwise, it will appear above our search bar:




Localization view on Stripey template

This solution provides great flexibility based on your organization's needs. We can create more complex setups, like wiring Spaces, with versions that need translation or vice-versa.

## User Guide Translation and Versioning

- Translate the Employee Handbook into multiple languages (e.g., English, French, Italian).
- Customize product versions for specific languages and markets.



Localization view on Stripey template

## 5.9. Auto-Translation with AI

The **Auto-Translation with AI** feature automatically translates all documents in a space using AI-powered translation. This streamlines content localization and makes your documentation accessible across multiple languages.

Enable Version Links



Connect spaces to create a multi-version documentation site. Changes apply to all linked spaces and appear as versions on the published site.

Enable Auto-Translation with AI



Enable automatic AI-powered translation of all documents in this Space. The translation may take a few minutes to complete and consume tokens, accordingly.

### How to Enable

1. Navigate to **Space Settings**.
2. Go to the **Version Links** section.
3. Toggle on **Enable Auto-Translation with AI**.
4. Create a new version and select the target language.

Create a space version by cloning it

Clone from

Select your space

Label

Link Label

Language

 Spanish

[+ Create Version](#)

### How It Works

- Once enabled, all documents in the space are translated automatically using AI.
- Translation can take a few minutes, depending on the size of your content.

- This feature consumes tokens to process the translations.

### **Warning**

- Ensure you have sufficient tokens available to complete translations.
- For optimal performance, avoid making significant content changes while translations are in progress. Wait until the successful notification appears on the page.

## Keeping Translations in Sync

Whenever you modify source documents, you'll need to trigger translation again to keep all language versions in sync. Versioned spaces are created in **draft mode** by default, so new changes require manual review and approval — keeping a human in the loop and preventing AI-generated mistakes from being published without consent.

The review system works the same way as drafts in standard spaces. For more details, see [\*\*Review System\*\*](#).

Once you've reviewed the changes, you can merge all drafts and publish the new content. Drafts can be disabled — translation will still work without review — but we don't recommend it.

We've also added a new feature that lets you merge all drafts in one step: **Review & Merge Space**.

- Space Dashboard
- Auto-Translation ...
- Localization**
- Download OpenA...
- Editor Blocks
- Portal Dashboard
- API endpoints
- TeX Ecuation
- Subprocessors
- Draft & Reviews S...
- App documentati...
- Video
- Welcome to Arch...

Go to Document Discard this Draft Merge this Draft

Select the version language. You can choose the following languages:

- English
- French
- German
- Spanish
- Italian
- Portuguese
- Russian
- Korean
- Thai
- Chinese
- Indonesian
- Dutch
- Afrikaans
- Polish

## 5.10. Publish a Space to Domain

---

After [setting up a domain for your space](#), `publish mode` gets activated automatically.

The docs site is generated on the fly when you publish. We use a global CDN, so your documentation site is faster, providing a better user experience and SEO.

Publish mode also activates clean URLs removing any randomly generated components in the URLs that you see in the preview.

You can control the [SEO Meta Controls](#) for each document if that's what you want.

## 5.11. App documentation widget

---

Contextual documentation is embedded within your product where the user needs it most. The contextual docs widget helps users read the documentation without the need to browse the user guide portal in another window.

You can load specific articles or the entire user guide portal, which is a must-have for companies who want to increase product adoption and retention.

All you need to do is embed the HTML code generated under **Space settings** → **Widget integration**.

### How the widget works

Check out the video below showing the widget in action:


### How to implement the widget

To integrate the widget, follow these steps:

- 1 Select your **Space** inside the editor.
- 2 Click on the gear icon (⚙️) to get into **Settings**.

3 Go to **Widget integration**.

4 Click on the copy button, and paste the code into your `index.html` file, or in your application code.



Copy app widget code

Now, the widget will handle everything behind the scenes. Don't worry, everything is bundled and minified. It's a mere 56Kb download and it loads asynchronously, so your users won't feel a difference.

## Init event


In the `init` event, for the `spaceId` value, you can use the `spaceId` or the `PUBLISHED-{spaceId}`. This way you can use Spaces without publishing them, straight in your app.

Use `PREVIEW-{spaceId}` when you only want to publish a space to Preview and not on your domain.

Property	Type	Description	Required
spaceId	string	Pass the desired id to load your docs.	required
jwt	string	Pass the jwt token in order to see jwt protected docs.	optional
shareableToken	string	Pass the shareableToken from your private links to protect your docs.	optional
widgetType	'docs'   'search'	Default value is <code>docs</code> . This opens the widget with the desired behaviour. <code>docs</code> type will open the widget with the default behaviour, <code>search</code> will open a search widget bar that shows a search bar with AI support (if included in your subscription).	optional
hideNavbar	boolean	It shows or hides the top navbar from the widget modal. By default the navbar is visible. If you don't want to see the navbar, pass it with <code>true</code> value, otherwise just skip it.	
loadingStrategy	'lazy'   'eager'	The default value is <code>lazy</code> . While <code>lazy</code> loading delays the initialization of a resource, <code>eager</code> loading initializes or loads the widget as soon as the code is executed.	optional
bubble	'invisible'   'ask'	The default value is <code>invisible</code> . If set to <code>ask</code> it will display a bubble in the bottom-right of your screen. Whenever someone clicks on it, the search widget will open.	optional

Property	Type	Description	Required
	ask		
bubblePlaceholder	string	The placeholder that will be displayed in the bubble section. If not passed, a default value of <code>Ask a question</code> will be displayed.	optional
anchor	string	You can provide your <code>class</code> , <code>id</code> or <code>path</code> to a DOM element where you would like the widget to anchor and instantiate. It will anchor to the first element found in the DOM, if multiple elements with the same path are present. The container provided should have <code>position: relative</code> as the widget will be displayed based on the first <b>relative parent</b> found. e.g.,: <code>anchor: "#my-container"</code> / <code>anchor: ".container-class"</code>	optional

If you want a simple search bubble to always be present in your app, use the `bubble: "ask"` prop.



# Show widget event

`show-widget` event triggers the action to display the widget. It also has an *optional* property that you can pass to open a specific document from your initialized Spaces.

Property	Description	Required
<code>docId</code>	Set the doc id value to open a specific document. If <code>docId</code> is passed, <code>widgetType</code> is ignored, it will open in <code>docs</code> mode regardless of the prop passed. <b>Note:</b> You must add the word PUBLISHED in front of the docId as <code>PUBLISHED-docId</code> or <code>PREVIEW-spaceId</code> ; otherwise, the widget will open the document from edit mode that might have unpublished changes.	optional
<code>blockId</code>	Set a certain block id, in order to scroll to the desired section in that document.	optional

## Supported events

Here is a brief description of our **Widget event API**:

Event name	Description	Required
<code>init</code>	This event helps Archbee widget bootstrap required files into your app.	required
<code>show-widget</code>	This event displays the widget on demand.	required
<code>hide-widget</code>	This event hides the widget if built-in mechanics are not enough.	optional

## Code samples

Add a function wherever you want to display the widget on your site, like this:

```
const openAbWidget = () => {
 window._archbee.push({
 eventType: "show-widget",
 // optional, only for loading a specific doc
 // and scroll to section
 // docId: `PUBLISHED-${docId}`,
 // blockId: "TBm9"
 });
}
```

This will load the widget, with the desired Space docs and users will be able to see everything straight from your app.

If you want to load a specific doc only, just pass `docId: `${docId}`` to our initial object as in the example above.

You don't need the `closeWidget` function, since the widget will automatically close if you press `Esc` or click outside of it.

However, if you want to close the widget programatically and not rely on the built-in close mechanics, you can use `hide-widget` event type this way:

```
const closeAbWidgetAfterSeconds = (milliseconds) => {
 setTimeout(() => {
 // setTimeout is for demo purposes and it is not required...
 window._archbee.push({eventType: "hide-widget"});
 }, milliseconds);
}

closeAbWidgetAfterSeconds(5000);
```

## 5.12. App documentation widget - React

---

We have already explained some of the [benefits on Contextual documentation](#) in the previous chapter. This guide serves as an alternative for `React` and `NextJS` apps to integrate the Archbee app widget in a more elegant way.

### Integrate app widget

- 1 Install our [npm package](#):

```
with npm
$ npm install --save @archbee/app-widget

or with yarn
$ yarn add @archbee/app-widget
```

- 2 When the package is installed, go to your `jsx/tsx` file and instantiate the component:

```

import React from 'react';
import { ArchbeeAppWidget, AbWidgetRef } from '@archbee/app-widget'

function App() {
const widgetRef = useRef<AbWidgetRef>(null);

return (
 <div>
 <ArchbeeAppWidget
 ref={widgetRef}
 spaceId={ /** published space id **/ }
 onWidgetOpen={() => { /** ... **/ }} // callback function called after
 onWidgetClose={() => { /** ... **/ }} // callback function called after
 >
 <button type='button' onClick={() => {
 <!-- Opens widget -->
 widgetRef.current?.open();
 }}>
 Open
 </button>

 <button type='button' onClick={() => {
 <!-- Closes widget -->
 widgetRef.current?.close();
 }}>
 Close
 </button>

 <button type='button' onClick={() => {
 <!-- Gets the instance of the widget if needed for various event manipulat
 widgetRef.current?.instance();
 }}>
 Get widget instance
 </button>
 </ArchbeeAppWidget>
 </div>
);
}

```

3 You can also reference the info from **Space settings**:

1. Select your **Space** inside the editor.

2. Click on the gear icon (⚙️) to get into **Settings**.
3. Go to **Widget integration**.
4. Click the `React` tab and then on the copy button, and paste the code into your `.tsx/.jsx` file

Now, the widget will handle everything behind the scenes. Don't worry, everything is bundled and minified. It's a mere 56Kb download and it loads asynchronously, so your users won't feel a difference.

## Component props

Property	Type	Required	Description
spaceId	string	required	Pass the desired id to load your docs.
docId	string	optional	The doc where you want to open the widget docs. If <code>docId</code> is passed, <code>widgetType</code> is ignored, it will open in <code>docs</code> mode regardless of the prop passed.
shareableToken	string	optional	Pass the shareableToken from your private links to protect your docs.
className	string	optional	Pass CSS classes to the <code>div</code> wrapper.
widgetType	'docs'   'search'	optional	Default value is <code>docs</code> . This opens the widget with the desired behaviour. <code>docs</code> type will open the widget with the default behaviour, <code>search</code> will open a search widget bar that shows a search bar with AI support (if included in your subscription).
hideNavbar	boolean	optional	It shows or hides the top navbar from the widget modal. By default the navbar is visible. If you don't want to see the navbar, pass it with <code>true</code> value, otherwise just skip it.
loadingStrategy	'eager'   'lazy'	optional	Default value is <code>lazy</code> . Loading strategy method for widget loading.

Property	Type	Required	Description
<code>bubble</code>	<code>invisible   ask</code>	<code>optional</code>	The default value is <code>invisible</code> . If set to <code>ask</code> , it will display a bubble in the bottom-right of your screen. Whenever someone clicks on it, the search widget will open.
<code>bubblePlaceholder</code>	<code>string</code>	<code>optional</code>	The placeholder that will be displayed in the bubble section. If not passed, a default value of <code>Ask a question</code> will be displayed.
<code>anchor</code>	<code>string</code>	<code>optional</code>	You can provide your <code>class</code> , <code>id</code> or <code>path</code> to a DOM element where you would like the widget to anchor and instantiate. It will anchor to the first element found in the DOM, if multiple elements with the same path are present. The container provided should have <code>position: relative</code> as the widget will be displayed based on the first <b>relative parent</b> found. e.g.: <code>anchor: "#my-container"</code> / <code>anchor: ".container-class"</code>
<code>widgetOpened</code>	<code>void</code>	<code>optional</code>	Callback that is called after the widget opens.
<code>widgetClosed</code>	<code>void</code>	<code>optional</code>	Callback that is called after the widget closes.

Shareable tokens are available in the [Scaling plan](#). Read more about [Public Access Controls](#).

## Ref methods


If `ref` is not passed to `ArchbeeAppWidget`, children will automatically open the modal pop-up upon after being clicked.

Property	Type	Description
<code>open</code>	<code>method</code>	Opens widget programmatically.
<code>close</code>	<code>method</code>	Closes widget programmatically.
<code>instance</code>	<code>method</code>	Returns the instance of the widget.



## 5.13. Suggest Changes

Collect feedback and improve your documentation easily with reader suggestions.




The **Suggest Changes** feature allows readers to propose edits or improvements directly within your published documentation. This makes it easy to keep content accurate, up to date, and engaging for your audience.

### Enabling Suggest Changes

To turn on this feature in your portal:

- 1 Open your **Space Dashboard**.
- 2 Navigate to **Appearance** tab and scroll all the way down to **Portal Interaction**.
- 3 Click on **Suggest Changes** to enable it.

Don't forget to **Publish** your documentation to make the feature available to readers.




# How Readers can Suggest Changes

Once enabled, on each document will be displayed a **Suggest Changes** button. Readers can follow these steps to submit a suggestion:


## 1 Suggest Changes Button

Click the **Suggest Changes** button on the document.




## 2 Edit the Content

Write new text, update existing content, or remove anything unnecessary.




### 3 Email and Message

Enter your email address for confirmation and add a brief note explaining your suggestion.




### 4 Send and Confirm

Click **Send for Review** and...





... confirm your submission via the email link.



## Managing Suggestions (for portal owners)


### 1 Notification of Suggested Document Changes

When a suggestion is submitted, you will receive a **notification** and an **email** to inform you.



### 2 Navigate to Suggestion

A **comment** appears inside the document with the proposed changes.




### 3 Manage the Suggestion

Click **View Suggestion** to see a document with changes on it — **removed text** in **red** and **added text** in **green**.

Then, you can:

- ✓ **Accept suggestion** and to apply the changes immediately.
- ✗ **Drop Suggestion** if you prefer to keep the current version.



⚠ When you accept the suggestion, the document will be updated with the new one. For more complicated or multiple suggestions, we recommend to just update the file yourself.

## Benefits of using Suggest Changes


The **Suggest Changes** feature promotes collaboration between readers and authors. It provides a simple, structured way to collect feedback, implement improvements, and maintain accurate, evolving documentation.

## Tell Us What You Think

We're trying to build something great, but **we need your unique perspective** to make it even better. Don't hold back and let us know what's on your mind.


### Feedback Form

Need to share your thoughts directly? Use the feedback form to leave a quick text feedback.




### Ask a Question (Q&A Section)

Have a specific problem or need a solution? Post it here! Below is a **public section** where **our community, our team,** or our AI can respond and offer help.



### Support Chat

Need personalized support right now? Use the **blue chat bubble** in the bottom-right corner. This connects you immediately with our support team.



## 5.14. Subscribe to changes


*Stay in the loop — get notified whenever this documentation is updated.*

The **Subscribe to Changes** feature allows viewers to receive notifications about updates made to a documentation page. Whether you're a team member or a public visitor, you can subscribe and stay informed in real time.

### How to Enable It

- 1 Go to your **Space Dashboard**.
- 2 Click on the **Appearance** tab.
- 3 Scroll down and toggle on the **Subscribe Button**.

Once enabled, a bell icon will appear on the top bar of the documentation portal.




**For Public Users**

1 Click the  bell icon in the top bar of the documentation page.

2 Enter your email address.

3 Click on the **Subscribe** button.





You'll receive an **email notification** each time the page is updated.



Hey!

We've just released an updated version of our portal. — it's live now!

Feel free to check it out and let us know if you have any questions.

Here's what changed:

[\[Added\] www.archbee.com/docs -](#)

[\[Added\] www.archbee.com/docs - SOCIAL LINKS](#)

[\[Changed\] www.archbee.com/docs - Space Dashboard](#)

[\[Changed\] www.archbee.com/docs - Welcome to Archbee. ❤️](#)

[\[Changed\] www.archbee.com/docs - Subscribe to changes](#)

To unsubscribe to these emails, click [here](#).


[archbee.com](#)

## 5.15. RSS Feed

---

Use RSS to passively notify readers about documentation updates without emails or manual check-ins.

---



### Overview

The **RSS Feed** feature lets readers subscribe to updates from your published portal using any standard RSS reader (such as Feedly or Inoreader). When enabled, Archbee generates an RSS feed for the portal and displays an RSS icon directly on the published site.

This is ideal when you want customers or internal readers to stay informed about newly published content or updates to existing documentation, without relying on email notifications or manual visits.

### How It Works

When RSS is enabled for a space, Archbee:

- Generates an RSS feed for that space's published portal
- Displays an RSS icon in the portal UI

- Allows readers to subscribe using any compatible RSS app

Only published content is included in the feed.

## Enable RSS Feed (Space Settings)

This step is typically performed by space owners during initial portal setup, before sharing the portal with readers.

To enable RSS for a space:

1 Open the relevant **Space Dashboard**.

2 Click on the **Appearance** tab.

3 Turn on **RSS Feed**.

Scroll to the bottom of the page to see "**Portral Interaction**" section

4 **Publish Space** to enable it on your portal.

RSS is enabled **per space** from the **Appearance** settings. If the space belongs to a **Space Group**, this setting can also be synchronized through the group's settings.

### Publish Docs (So They Appear in the Feed)

The RSS feed includes only content that is published to the portal. Drafts or unpublished updates will not appear until they are published.

## Subscribe to the Portal RSS Feed

Once RSS is enabled and the portal is published, readers will see an RSS icon on the published portal.

To subscribe:

1 Open the **published portal** in a browser.

2 Click on the **RSS icon**

- 3 Subscribe using your preferred RSS reader.

Depending on the browser, the RSS URL may open directly or require copying the feed URL into an RSS app manually.

## Recommended Use Cases

RSS works best for portals where updates matter. Common examples include:



Release notes or product changelogs



API documentation



Announcements or policy updates

## Best Practices

To make RSS subscriptions valuable for readers:

- Maintain a clear **What's New** or **Changelog** section.
- Publish updates consistently.
- Let readers know RSS is available (for example, on the portal homepage or during onboarding).
- Test the feed in at least one popular RSS reader to ensure updates appear correctly.

## FAQ

### ✓ Does RSS include drafts or private documents?

No. Only content that is published to the portal is included in the RSS feed.

---

### ✓ Is RSS enabled per space or globally?


RSS is enabled per space. It can be managed individually from **Appearance** settings or synchronized through **Space Group settings** when applicable.

---

✓ **Can readers subscribe from mobile devices?**

Yes. Any RSS reader that supports adding a feed URL can subscribe on mobile.

## 5.16. Insights



The Insights tab provides detailed Analytics data for your published sites, helping you track user engagement and optimize content. This guide will walk you through each of the features in the Insights tab so you can fully interpret and analyze the data.

### Insights Tab components

#### Traffic

The **Traffic** section offers a summary of how users are interacting with your site. Key metrics include:

- **Total Views** : Identify trends in total views
- **Average Time** : Assess user engagement
- **Unique Visits** : Monitor unique visits
- **Bounce Rate** : Understand the Bounce Rate

These metrics help you evaluate your site's performance and user engagement and compare data over time.

[Get more info about Traffic tab](#)

#### Document feedback

The **Document feedback** tab is designed to help you gather and track input from visitors who read your public documentation. This feature allows users to provide feedback in the form of votes(Thumbs Up/Thumbs Down) and, optionally comments on each document. It enables you to understand how well your content is meeting user needs and where improvements may be needed.

**How Document Feedback works** [@document f](#)

## Search

The **Search** section tracks search queries enter by users on your published site. This feature gives insight into the types of information users are actively seeking, helping you understand their needs and behaviors.

**Get more info about Search analytics**

## Ask Ai

The **Ask AI** tab tracks all historical queries made through the **Ask AI** feature. This provides an overview of common or recurring questions users ask when they interact with the AI, helping you fine-tune the system's responses.

AI addon is required for this feature

**Get more info about Ask AI analytics**


## Questions & answers

The **Questions & Answers** tab tracks all historical conversations made through the **Questions & Answers Section** feature. This provides an overview of the questions being asked by users(internal/external) on your docs.

QnA addon is required for this feature

**Get more details about Questions & Answers analytics**

## 5.16.1. Traffic



The **Traffic** component in the **Insights** tab gives you a snapshot of your site's visitor activity, helping you monitor user behavior and trends over time.

### Portal key metrics

- **Total Views:** This shows the number of times your site was viewed within the selected period. It helps assess overall interest and traffic volume.
- **Average Time:** The metrics reflect the average time users spend on site during a visit offering insights into user engagement and traffic volume.
- **Unique Visits:** Display the number of distinct users visiting your site, helping identify how many individual visitors you are reaching
- **Bounce Rate:** Indicates the percentage of users who leave your site after viewing a single page. A higher bounce rate suggests content or navigational improvements may be needed to retain visitors.


**Tip:** Want to search Traffic data for a specific page in your space? use the "*Search path*" button to quickly filter and view detailed metrics for that page.

## 5.16.2. Document Feedback

To track the feedback from the visitors who read the published documentation, you will be using **Document Feedback** (old Feedback Analytics) to receive votes and comments anonymously for each document.

At the end of the public page, in the bottom right corner, there's a question:

Did this page help?  Yes /  No




Once the reader clicks on any of the votes, a comment pop-up will show where they can provide feedback about the document.

After clicking submit, you will see the votes and comments for the respective Space where the document was created.

### How to Enable Feedback Form

- 1 Go to the Space and click the **Settings** icon ( ⚙ )
- 2 Click on the **Appearance** tab under the Public Docs Settings section
- 3 Scroll down to **Public View Configuration**
- 4 Enable **Doc Feedback** (by default is hidden)




## How to Access the Document Feedback Panel

With Insights addon

Without Insights addon

- 1 Open the document menu from 3 dots button ( ⋮ )
- 2 Click on "Document feedback"




## Document Feedback Timeframe

Like all other metrics, the document feedback presented here provides a snapshot of user opinion within **the past 30 days**. For a more extensive analysis, we recommend reviewing data over longer periods.

The Document Feedback page will show the data with an overview of:

- Number of **all responses**
- Number of **upvotes**
- Number of **downvotes**



Want to dive deeper into the feedback for a specific doc? Just click the **chevron button (>)** at the end of the row, and you'll see exactly what your users had to say. Did they give it a thumbs up or a thumbs down? Find out!

And hey, don't forget to check in on this feedback regularly. It's a great way to stay in the loop on what your users are thinking.

## 5.16.3. Search

---

The **Search Tab** tracks search queries entered by users on your published sites. This feature provides valuable insights into user behavior, allowing you to understand what types of information visitors are actively seeking. The data collected helps you tailor your content and optimize the user experience to better meet their needs.

### Data Visualization:

The search data is presented visually in a chart, making it easier to spot trends over time. This chart helps in tracking the frequency and types of queries users are searching for, aiding in understanding overall user behavior.

### Search history table:

The Search tab offers a detailed table view of historical search queries. This table contains the following key columns

- **Search Query** Displays the specific words or phrases users entered in the search bar.
- **Searches:** Shows the number of times each query has been searched for on the site.
- **Docs Found:** Indicates the number of documents or results returned for each search query



Search Query	Searches	Docs Found
language icon	1	4
customer query on docs.archbee.com (docs.archbee.com)		

## 5.16.4. Ask AI

---

AI add-on is required for this feature

### Data Visualization:

The Ask AI historical conversations are displayed visually in the chart allowing you to observe the trends over time. This chart helps track the frequency and types of questions users are asking the AI, understanding user needs and common topics in interest.

### Search query history table:

The Ask AI tab provides a detailed table view of historical AI interactions. This table includes the following key columns:

- **Search Query** - Display the specific question the user entered when interacting with the AI
- **Replies** - Shows the AI-generated responses provided to each user query
- **Up Votes** - Indicates the number of times users positively rated the AI's response,
- **Down Votes** - Indicates the number of times users negatively rated the AI's response

# Insights

ESC X

Q Search space


 docs.archbee.com  
https://docs.archbee.com/

Download CSV

Last 7 days

### PUBLISHED SPACES

- Technical Writing M...
- docs.archbee.com/c...
- Lead magnets / Tem...
- Support Flows
- docs.archbee.com/d...
- docs.archbee.com/g...
- docs.archbee.com**
- Traffic
- Document Feedback
- Search
- Ask AI**
- Questions & answers



AI Chats	Replies	Up Votes	Down Votes
<b>multi-language support</b> customer query on docs.archbee.com (docs.archbee.com)	2	0	0
<b>how accessible is this platform to neurodivergent needs</b> customer query on docs.archbee.com (docs.archbee.com)	2	0	0
<b>what is archbee</b> customer query on docs.archbee.com (docs.archbee.com)	2	0	0

# Insights









ESC X

Q Search space

← Back

### PUBLISHED SPACES

- Technical Writing M...
- docs.archbee.com/c...
- Lead magnets / Tem...
- Support Flows
- docs.archbee.com/d...
- docs.archbee.com/g...
- docs.archbee.com**
- Traffic
- Document Feedback
- Search
- Ask AI**
- Questions & answers

-  who uses your ai 
-  Hmm, I'm not sure. 
-  who uses archbees ai documentation 
-  Archbee's AI documentation features are utilized by a wide range of organizations, including over 3,000 companies of all sizes, from startups to Fortune 500 companies. These users include developers, technical writers, product managers, and teams that require efficient and accessible documentation solutions. The AI-powered instant answers feature helps these users quickly find information from their documentation, enhancing productivity and collaboration. 

## 5.16.5. Questions & Answers

---

QnA addon is required for this feature

- [Enabling Question & Answer feature](#)

### How It Works

#### Tracking QnA Conversations:

1. Every question posed by users through the Q&A section is automatically logged.
2. Answers provided by team members or automated systems are also recorded, creating a comprehensive conversation history.

Curious about the historical conversations within the Q&A feature? Simply click the **chevron button (>)** at the end of the row to explore the details of each conversation. Want to know if the thread has been resolved? Discover the answers now!

## 5.17. Custom Landing Page

---

You can set up a **custom HTML** page to load instead of the first document - which is the default option when the docs site loads.

**To change the landing page option follow the next steps:**

- 1 Click on the **Space** you want to add a custom HTML landing page
- 2 Select the **Appearance** tab
- 3 Scroll down to **Landing Page**
- 4 Select **Custom HTML**
- 5 **Add** your **HTML code** in **Landing page HTML** field and hit **Save**.  
Keep in mind that this is your `index.html` file.

The Custom HTML supports [Handlebars](#) and [Tailwind](#). You can interpolate some variables in the HTML template.

Here is the object that we pass to the template; you can render any of these variables:

```
export interface PublicDocTreeResponse {
 id: string
 name: string
 icon: string
 urlKey: string
 expanded?: boolean
 isCategory?: boolean
 categoryName?: string
 isLink?: boolean
 linkTitle?: string
 linkHref?: string
 linkOpensInNewTab?: boolean
 parentDocId?: string

 rightDoc?: PublicDocTreeResponse
 leftDoc?: PublicDocTreeResponse
 children: PublicDocTreeResponse[]
}

export type PublicSpaceLink = {
 label: string
 docSpaceId: string
 icon?: string
 versionLinks?: PublicVersionLink[]
 hasVersionsWithoutLinks?: boolean
}

export type PublicVersionLink = {
 label: string
 docSpaceId: string
 forkedFrom: string
 language: string
 versionLinks?: PublicVersionLink[]
}

export type PublicExternalLink = {
 label: string
 url: string
}
```

This is an example html for rendering custom html in the landing page:



```

<div class="flex flex-col justify-center items-center p-20">
 <div class="flex">
 <div class="font-semibold">publicLogoURL:</div>

 </div>
 <div class="w-1/3">
 <h1 class="font-bold text-2xl">Props example</h1>

 <div class="flex">
 <div class="font-semibold">Id:</div>
 <div>{{ id }}</div>
 </div>

 <div class="flex">
 <div class="font-semibold">Name:</div>
 <div>{{ name }}</div>
 </div>

 <div class="flex">
 <div class="font-semibold">Icon:</div>
 <div>{{ renderIcon icon }}</div>
 </div>

 <div class="py-3">
 <p>Public Docs Tree:</p>

 {{#each publicDocsTree}}
 <li class="text-green-500">

 Name:
 {{name}}

 {{#if children}}
 <ul class="pl-4">
 {{#each children}}
 <li class="text-gray-500">

 Name:
 {{name}}

 </each>

 </if>

 </each>

 </div>
 </div>


```

```
 {{/if}}

 {{/each}}

</div>
</div>
</div>
```

For a structure like this and an uploaded logo:



You should see something like this, with the above code:

publicLogoURL:



### Props example

Id:PUBLISHED-tTOvCR91bil7yaZ5NIh5y

Name:Landing page space

Icon: 😊

Public Docs Tree:

Name: Doc 1

Name: Doc 1 child 1

Name: Doc 1 child 2

Name: Doc 2

Name: Doc 3

## Custom functions for activating search

On a custom landing page you can build your own search input, but you'll also need a way to show the search modal — we've got you covered.

On the `window`` object of the browser there are 2 methods you can call to control the search modal.

```
// shows the search modal
window.showSearch()
// hides the search modal
window.hideSearch()
```

These functions are also available for usage in your custom scripts.



## 5.17.1. Landing page templates

---

Archbee provides white label Landing Page templates so you can easily create a branded landing page for your doc portal

### How to get the Custom Code

- 1 From our GIT repo (coming soon)
- 2 Copy-paste the custom code from our documentation to Space Settings

[Template 1](#)

[Template 2](#)

### How to use

To set up your Custom Landing Page you must copy our custom code to Space Settings → Custom Code and Landing Page sections.

For each Template you will have 3 files: `index.html`, `script.js` and `style.css`

The 3 files can be found below for each Template:

- [Template 1](#)
- [Template 2](#)


#### 1 Include Headers tab

Copy the `Include Headers` section from `index.html`

```
Files
 index.html
 package.json
 sandbox.config.json
 script.js
 style.css

@ style.css
index.html x script.js
1 <!-- START Include headers -->
2 <head>
3 <link
4 rel="stylesheet"
5 href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
6 />
7 <link
8 rel="stylesheet"
9 id=""
10 href="https://fonts.googleapis.com/css?family=Roboto%3A300%2C300%2C400%2C400%2C500%2C500%2C700%2C700%2C900"
11 type="text/css"
12 media="all"
13 />
14 <script
15 src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.min.js"
16 integrity="sha384-00mDIVzN+pFdexxHEHFBQH3/9/vQ9uori45z4JjnFsRydbmQbml5t1tQ0culUzyk"
17 crossorigin="anonymous"
18 ></script>
19 <script
20 src="https://cdnjs.cloudflare.com/ajax/libs/jquery/1.12.4/jquery.min.js"
21 crossorigin="anonymous"
22 ></script>
23 </head>
24 <!-- END Include headers -->
```

Paste it in the **Include Headers** section of **Space Settings** → **Custom Code**



Make sure it includes the `<head>` tags and press **Save**

## 2 Custom CSS tab

Copy the content of the `style.css` file

```
1 :root {
2 --accent-text: #2166ae;
3 --secondary-text: #0a4563;
4 --primary-text: #24292e;
5 --background-color: #fff;
6 --primary-link: #999;
7 --accent-link: var(--accent-text);
8 --header-title-color: #fff;
9 --header-subtitle-color: #fff;
10 }
11 /*
12 Theme Name: jsv2doctHEME
13 Theme URI:
14 Author:
15 Author URI:
16 Description:
17 Version: 3.3.2
18 License: GNU General Public License v2 or later
19 License URI: LICENSE
20 Text Domain: wp-bootstrap-starter
21 Tags: blog, custom-menu, featurized-images, threaded-comments, translation-ready, right-sidebar, custom-background,
22 */
23 /*-----
24 >>> TABLE OF CONTENTS:
25 -----
26 # Normalize
27 # Typography
28 # Elements
29 # Forms
30 # Navigation
31 ## Links
32 ## Menus
33 # Accessibility
34 # Alignments
35 # Clearings
36 # Widgets
37 # Content
```

And add it to the `Custom CSS` section from Space Settings → Custom Code. Ensure they are enclosed in `<style></style>` tags.

**Space settings** [ESC] [X]

General  
Team Access Control [Save]

**SITE SETTINGS**

Appearance  
Landing Page  
Public Access Control  
Custom Domain  
Widget Integration  
**Custom Code**  
API Keys  
Export PDF

**SITE LINKS**

Space Links  
Version Links  
External Links

**Custom CSS**  
Define a style tag with classes that you can use in the other HTML templates.

```
<style>
:root {
 --accent-text: #2166ae;
 --secondary-text: #0a4563;
 --primary-text: #24292e;
 --background-color: #fff;
 --primary-link: #999;
}
</style>
```

[Save]

**Footer HTML**  
Add your custom footer HTML to show at the bottom of each page.


[Save]

The style code starts with a few variable declarations, which can be used to easily change the theme of the page:

```
:root {
 --accent-text: #2166ae;
 --secondary-text: #0a4563;
 --primary-text: #24292e;
 --background-color: #fff;
 --primary-link: #999;
 --accent-link: var(--accent-text);
 --header-title-color: #fff;
 --header-subtitle-color: #fff;
}
```


### 3 Custom JavaScript

Copy the code from `script.js`



Add it to the `Custom Javascript` section from Space Settings → Custom Code

Make sure they are enclosed in `<script></script>` tags.



## 4 Landing page HTML

Copy the HTML code from `index.html` starting from the `<!-- START Landing page`  
`-- >` comment.

```
Files
style.css
index.html x
script.js
<!-- END NOT NEEDED -->
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
<!-- START Landing page -->
<div id="page" class="site">
 Skip to content
 <header
 id="masthead"
 class="site-header navbar-static-top navbar-light"
 role="banner"
 >
 <div class="container-fluid">
 <nav class="navbar navbar-expand-xl p-0">
 <div class="navbar-brand">

 </div>
 <button
 class="navbar-toggler"
 type="button"
 data-toggle="collapse"
 data-target="#main-nav"
 aria-controls=""
 aria-expanded="false"
 aria-label="Toggle navigation"
 >

 </button>
 <div id="main-nav" class="collapse navbar-collapse justify-content-end">
 <ul id="menu-primary-menu" class="navbar-nav">
 <li
 itemscope="itemscope"
 id="menu-item-65"
 >
```

Select the **Custom HTML** landing page type and then add the html code in the container that appears below.

### Space settings

ESC X

General  
Team Access Control

**SITE SETTINGS**

Appearance  
**Landing Page**  
Public Access Control  
Custom Domain  
Widget Integration  
Custom Code  
API Keys  
Export PDF

**SITE LINKS**

Space Links  
Version Links  
External Links

**Landing page**

First document  Provided Template  Custom HTML

**INFO**  
For security reasons, landing page code is only included on a custom domain.

**Landing page HTML**  
Add your custom HTML to define your landing page. A good place to start prototyping is CodeSandbox with the static template and paste the content of the body here.

```
<div id="page" class="site">
 Skip to
 content
 <header
 id="masthead"
 class="site-header navbar-static-top navbar-light"
 role="banner"
 >
 <div class="container-fluid">
 <nav class="navbar navbar-expand-xl p-0">
 <div class="navbar-brand">

 ` as exemplified below:

```
<div class="navbar-brand">
  <a href="">
    
  </a>
</div>
```

Navbar links

Navbar contains a few of links that can be used to navigate inside or outside the doc. At the end of the list there is also a commented link that can be used to add other links if need.

```
60 <div id="main-nav" class="collapse navbar-collapse justify-content-end">
61   <ul id="menu-primary-menu" class="navbar-nav">
62     <li
63       itemscope="itemscope"
64       id="menu-item-65"
65       class="menu-item menu-item-type-custom menu-item-object-custom nav-item"
66     >
67       <a title="Link" href="" class="nav-link">Link</a>
68     </li>
69     <li
70       itemscope="itemscope"
71       id="menu-item-219"
72       class="menu-item menu-item-type-custom menu-item-object-custom nav-item"
73     >
74       <a title="Link" href="" class="nav-link">Link</a>
75     </li>
76     <li
77       itemscope="itemscope"
78       id="menu-item-221"
79       class="menu-item menu-item-type-custom menu-item-object-custom nav-item"
80     >
81       <a title="Link" href="" class="nav-link">Link</a>
82     </li>
83     <li
84       itemscope="itemscope"
85       id="menu-item-220"
86       class="menu-item menu-item-type-custom menu-item-object-custom menu-item-220 nav-item"
87     >
88       <a title="Link" href="" class="nav-link" target="_blank">Link</a>
89     </li>
90     <!--<li itemscope="itemscope" id="menu-item-220" class="menu-item menu-item-type-custom menu-item-obje
91       <a title="Link" href="" class="nav-link">Link</a>
92     </li-->
93   </ul>
94 </div>
```

Hero section

Contains a background image and a title and subtitle (the colors of these can be changed in the style [Styles](#) section)

```
101 ▢ <div
102     id="page-sub-header"
103     style="background: url(https://placeholder.co/1920x425/2166ae/2166ae);"
104 >
105 ▢   <div class="container">
106 ▢     <div class="row">
107 ▢       <div class="col-md-10 offset-md-1 col-lg-8 offset-lg-2">
108         <h1>Title</h1>
109         <p>Subtitle.</p>
110       </div>
111     </div>
112   </div>
113 </div>
```

Document blocks

A list of blocks containing an icon, a title, a description and a button, generally used to navigate to your docs. An example is commented out at the end of list.

```
<div class="col-xs-12 col-sm-6 col-lg-4">
  <div class="iconBlock px-4 py-2">
    <a href="" class="iconBlockWrap">
      <div class="iconImgWrap">
        
      </div>
      <div class="iconBlock-detail">
        <h3 class="title">Doc Title</h3>
        <p class="iconBlock-brief">Small doc description.</p>
        <div class="more">
          <span class="btn btn-bordered" title="View Community Forum">
            View Doc
          </span>
        </div>
      </div>
    </a>
  </div>
  <!-- ends iconBlock -->
</div>
<!-- ends col -->
```

5.17.1.1. Template 1


This is a white-label template. To make it match your brand and style you need to do further customisations on the provided template

How it looks:

Use the below link to see what the white-label template looks like. Keep in mind that every color/logo/placeholder can be customized to match your style & branding.

<https://vpft1m.csb.app/>

Custom code files:

Tip: Use the  Copy button on the top-right of the code editor to copy all code

We added the custom code for you to use in the code editor below. See how to use it [here](#)


```

<!-- START Include headers -->
<link
  rel="stylesheet"
  href="https://fonts.googleapis.com/css2?family=Work+Sans:ital,wght@0,100;0,200;0,300;0,
/>
<link
  rel="stylesheet"
  href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL
/>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/jquery/1.12.4/jquery.min.js"
  crossorigin="anonymous"
></script>
<!-- END Include headers-->

<!-- START NOT NEEDED -->
<link rel="stylesheet" href="/style.css" />
<script src="/script.js"></script>
<!-- END NOT NEEDED -->

<!-- START Landing page -->
<div class="body">
  <header class="header">
    <div class="search-bar">
      <div class="search-form">
        <input class="form-control" type="text" placeholder="Search..." />
        <button class="search-button">
          <span class="material-symbols-outlined"> search </span>
        </button>
      </div>
      <button class="close-icon">
        <span class="material-symbols-outlined"> close </span>
      </button>
    </div>
    <div class="logo-bar">
      <div class="container">
        <div class="logo-bar-inner">
          <a class="logo" href=""
            ></a>
          <div class="search-wrape mobile">

```

```
        <button class="search-btn">
            <span class="material-symbols-outlined"> search </span>
        </button>
    </div>
    <div class="toggle-icon">&nbsp;</div>
</div>
</div>
</div>
<div class="navigation-menu">
    <div class="container">
        <div class="nav-menu">
            <nav>
                <ul>
                    <li><a href="">LINK</a></li>
                    <li><a href="">LINK</a></li>
                    <li><a href="">LINK</a></li>
                </ul>
            </nav>
        </div>
    </div>
</div>
</header>
<section class="home-banner">
    <div class="banner-width container">
        <div class="banner-wrape">
            <div class="banner-row">
                <div class="banner-col-sm">
                    <div class="banner-wrape">
                        <div class="banner-text">
                            <h1>Title <strong>Subtitle</strong></h1>
                        </div>
                    </div>
                </div>
                <div class="banner-col-lg">
                    <div class="banner-image">
                        <figure>
                            
                        </figure>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
```

```
</section>
<section class="intro-section">
  <div class="container">
    <div class="intro-width">
      <div class="intro-text">
        <h2>Intro title</h2>
        <h5>Intro subtitle</h5>
        <p>
          Some intro description. Lorem ipsum dolor, sit amet consectetur
          adipisicing elit. Doloremque id mollitia dolorum quam. Aspernatur
          omnis vitae debitis consequatur aliquam exercitationem facilis? Vero
          maiores aut dignissimos aspernatur quod pariatur odit quasi!
        </p>
      </div>
    </div>
  </div>
</section>
<section class="info-section">
  <div class="container">
    <div class="info-parent">
      <div class="overview-data">
        <div class="overview-row">
          <div class="overview-col">
            <div class="overview-wrape">
              <div class="overview-box">
                <h3>Title</h3>
                <p>Subtitle</p>
                <a class="btn-default" href="">Browse</a>
              </div>
            </div>
          </div>
          <div class="overview-col">
            <div class="overview-wrape">
              <div class="overview-box">
                <h3>Title</h3>
                <p>Subtitle</p>
                <a class="btn-default" href="">Explore</a>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="framework-data">
    <div class="framework-row">
      <div class="framework-col">
        <div class="framework-wrape">
```

```
<div class="framework-box">
  <figure>
    
  </figure>
  <div class="framework-text">
    <h4>Title</h4>
    <p>Description</p>
    <a class="start-btn" href="">Start &gt;</a>
  </div>
</div>
</div>
</div>
<div class="framework-col">
  <div class="framework-wrape">
    <div class="framework-box">
      <figure>
        
      </figure>
      <div class="framework-text">
        <h4>Title</h4>
        <p>Description</p>
        <a class="start-btn" href="">Start &gt;</a>
      </div>
    </div>
  </div>
</div>
</div>
<div class="framework-col">
  <div class="framework-wrape">
    <div class="framework-box">
      <figure>
        
      </figure>
      <div class="framework-text">
        <h4>Title</h4>
        <p>Description</p>
        <a class="start-btn" href="">Start &gt;</a>
      </div>
    </div>
  </div>
</div>
```



```
    <li>
      <a href=""
        ><span class="material-symbols-outlined"> grid_guides </span>
      </a>
    </li>
    <!-- Your social links -->
  </ul>
</div>
</div>
</div>
</div>
</div>
</div>
```

5.171.2. Template 2


This is a white-label template. To make it match your brand and style you need to do further customisations on the provided template

How it looks:

Use the below link to see what the white-label template looks like. Keep in mind that every color/logo/placeholder can be customized to match your style & branding.

<https://r1yfc9.csb.app/>

Custom code files:

Tip: Use the  Copy button on the top-right of the code editor to copy all code

We added the custom code for you to use in the code editor below. See how to use it [here](#)


```
:root {
  --accent-text: #2166ae;
  --secondary-text: #0a4563;
  --primary-text: #24292e;
  --background-color: #fff;
  --primary-link: #999;
  --accent-link: var(--accent-text);
  --header-title-color: #fff;
  --header-subtitle-color: #fff;
}
/*
Theme Name: jsv2doctHEME
Theme URI:
Author:
Author URI:
Description:
Version: 3.3.2
License: GNU General Public License v2 or later
License URI: LICENSE
Text Domain: wp-bootstrap-starter
Tags: blog, custom-menu, featured-images, threaded-comments, translation-ready, right-side
*/
/*-----
>>> TABLE OF CONTENTS:
-----
# Normalize
# Typography
# Elements
# Forms
# Navigation
  ## Links
  ## Menus
# Accessibility
# Alignments
# Clearings
# Widgets
# Content
  ## Posts and pages
  ## Comments
# Infinite scroll
# Media
  ## Captions
  ## Galleries
```

```
# Woocommerce
# Footer
-----*/
/*-----
# Normalize
-----*/

body {
  margin: 0;
  -webkit-font-smoothing: auto;
  font-size: 14px;
  font-weight: normal;
  line-height: 1.6;
}

article,
aside,
details,
figcaption,
figure,
footer,
header,
main,
menu,
nav,
section,
summary {
  display: block;
}

audio,
canvas,
progress,
video {
  display: inline-block;
  vertical-align: baseline;
}

audio:not([controls]) {
  display: none;
  height: 0;
}

[hidden],
template {
  display: none;
}
```

```
a {
  background-color: transparent;
}

a:active,
a:hover {
  outline: 0;
}

dfn {
  font-style: italic;
}

mark {
  background: #ff0;
  color: #000;
}

small {
  font-size: 80%;
}

sub,
sup {
  font-size: 75%;
  line-height: 0;
  position: relative;
  vertical-align: baseline;
}

sup {
  top: -0.5em;
}

sub {
  bottom: -0.25em;
}

img {
  border: 0;
}

svg:not(:root) {
  overflow: hidden;
}
```

```
figure {
  margin: 1em 2.5rem;
}

hr {
  box-sizing: content-box;
  height: 0;
}

button {
  overflow: visible;
}

button,
select {
  text-transform: none;
}

button,
html input[type="button"],
input[type="reset"],
input[type="submit"] {
  -webkit-appearance: button;
  cursor: pointer;
}

button[disabled],
html input[disabled] {
  cursor: default;
}

button::-moz-focus-inner,
input::-moz-focus-inner {
  border: 0;
  padding: 0;
}

input {
  line-height: normal;
}

input[type="checkbox"],
input[type="radio"] {
  box-sizing: border-box;
  padding: 0;
}
```

```
}

input[type="number"]::-webkit-inner-spin-button,
input[type="number"]::-webkit-outer-spin-button {
  height: auto;
}

input[type="search"]::-webkit-search-cancel-button,
input[type="search"]::-webkit-search-decoration {
  -webkit-appearance: none;
}

fieldset {
  border: 1px solid #c0c0c0;
  margin: 0 2px;
  padding: 0.35em 0.625em 0.75em;
}

legend {
  border: 0;
  padding: 0;
}

textarea {
  overflow: auto;
}

optgroup {
  font-weight: bold;
}

table {
  border-collapse: collapse;
  border-spacing: 0;
}

td,
th {
  padding: 0;
}

/*-----
# Typography
-----*/

h1,
h2,
```

```
h3,  
h4,  
h5,  
h6 {  
  clear: both;  
  color: var(--primary-text);  
  font-weight: 600;  
  margin-top: 20px;  
  margin-bottom: 15px;  
}  
h1,  
h2,  
h3 {  
  font-weight: 500;  
}  
h1,  
.h1 {  
  font-size: 2rem;  
  padding-bottom: 20px;  
  color: var(--secondary-text);  
}  
h2,  
.h2 {  
  font-size: 1.55rem;  
  padding-bottom: 0.3em;  
  line-height: 130%;  
}  
h3,  
.h3 {  
  font-size: 1.45rem;  
  line-height: 130%;  
}  
h4,  
.h4 {  
  font-size: 1.45rem;  
  line-height: 130%;  
}  
h5,  
.h5 {  
  font-size: 1.1rem;  
  line-height: 130%;  
}  
  
p {  
  margin-bottom: 1.5em;  
}
```

```

h1.entry-title {
  font-size: 1.85rem;
  /* border-bottom: 4px solid #f2f2f2; */
  /* padding-bottom: 10px !important; */
  color: var(--secondary-text);
}

h2.entry-title {
  border-bottom: 1px solid #eaecef;
  color: var(--secondary-text);
}

h3.widget-title {
  font-size: 1rem;
  margin-bottom: 5px;
  color: var(--secondary-text);
  border-bottom: 1px solid #ddd;
  padding-bottom: 5px;
}

/*-----
# Elements
-----*/

body {
  background: var(--background-color);
  /* Fallback for when there is no custom background color defined. */
}

img {
  height: auto;
  /* Make sure images are scaled correctly. */
  max-width: 100%;
  /* Adhere to container width. */
}

figure {
  margin: 1em 0;
  /* Extra wide images within figure tags don't overflow the content area. */
}

table {
  margin: 0 0 1.5em;
  width: 100%;
}

/*-----
# Forms
-----*/

```

```

/*-----
# Navigation
-----*/

header#masthead {
  margin-bottom: 0;
  padding: 0.85rem 0px;
  border-bottom: 1px solid #f3f3f3;
  background: var(--background-color) none repeat scroll 0 0;
  border-bottom: 1px solid #eee;
  box-shadow: 0 3px 5px 0 rgba(0, 0, 0, 0.1);
}

.navbar-brand > a {
  color: rgba(0, 0, 0, 0.9);
  font-size: 1.1rem;
  outline: medium none;
  text-decoration: none;
  color: #fff;
  font-weight: 700;
  display: block;
  width: 270px;
}

.navbar-brand > a:visited,
.navbar-brand > a:hover {
  text-decoration: none;
}

#page-sub-header {
  position: relative;
  padding-top: 6.5rem;
  padding-bottom: 6.5rem;
  text-align: center;
  background-size: cover !important;
  background-position: center !important;
}

.site-header .container-fluid,
.site-footer .container-fluid {
  max-width: 100%;
  padding-left: 5%;
  padding-right: 5%;
}

div#page-sub-header h1 {
  margin-bottom: 20px;
  text-transform: none;
}

```

```

padding-top: 0;
color: var(--header-title-color);
}
#page-sub-header p {
margin-bottom: 0;
font-weight: 300;
color: var(--header-subtitle-color);
font-size: 1.15rem;
}

a.page-scroller {
color: #333;
font-size: 2.6rem;
display: inline-block;
margin-top: 2rem;
}
/*aside#secondary {
height: Calc(100vh - 140px);
overflow: hidden;
}
aside#secondary:hover {
overflow:auto;
}*/

/*-----
## Links
-----*/
/*-----
## Menus
-----*/

#masthead nav {
padding-left: 0;
padding-right: 0;
}

body:not(.theme-preset-active) #masthead .navbar-nav > li > a {
/* color: var(--secondary-text);
padding: 0.5rem;
font-weight: 500;
font-size: 0.875rem;*/
padding: 0.2rem 0.2rem;
font-weight: normal;
font-size: 14px;
margin: 0px 0.74rem;
transition: all 0.3s ease;
color: var(--primary-link);

```

```

}

body:not(.theme-preset-active) #masthead .navbar-nav > li > a:hover,
body:not(.theme-preset-active)
  #masthead
  .navbar-nav
  > li.current_page_item
  > a {
  color: var(--accent-link);
}
body:not(.theme-preset-active) #masthead .navbar-nav > li.active > a {
  color: var(--accent-link);
}
.navbar-brand {
  height: auto;
}

.navbar-toggle .icon-bar {
  background: #000 none repeat scroll 0 0;
}

.dropdown-menu .dropdown-toggle::after {
  border-bottom: 0.3em solid transparent;
  border-left: 0.3em solid;
  border-top: 0.3em solid transparent;
}

.dropdown.menu-item-has-children .dropdown.menu-item-has-children {
  position: relative;
}

.dropdown.menu-item-has-children
  .dropdown.menu-item-has-children
  > .dropdown-menu {
  top: 0;
  left: 100%;
  margin-top: -6px;
  margin-left: -1px;
  -webkit-border-radius: 0 6px 6px 6px;
  -moz-border-radius: 0 6px 6px;
  border-radius: 0 6px 6px 6px;
}

.dropdown.menu-item-has-children
  .dropdown.menu-item-has-children:hover
  > .dropdown-menu {
  display: block;
}

```

```
}

.dropdown.menu-item-has-children .dropdown.menu-item-has-children > a:after {
  display: block;
  content: " ";
  float: right;
  width: 0;
  height: 0;
  border-color: transparent;
  border-style: solid;
  border-width: 5px 0 5px 5px;
  border-left-color: #ccc;
  margin-top: 5px;
  margin-right: -10px;
}

.dropdown.menu-item-has-children
  .dropdown.menu-item-has-children:hover
  > a:after {
  border-left-color: #fff;
}

.dropdown.menu-item-has-children .dropdown.menu-item-has-children.pull-left {
  float: none;
}

.dropdown.menu-item-has-children
  .dropdown.menu-item-has-children.pull-left
  > .dropdown-menu {
  left: -100%;
  margin-left: 10px;
  -webkit-border-radius: 6px 0 6px 6px;
  -moz-border-radius: 6px 0 6px 6px;
  border-radius: 6px 0 6px 6px;
}

/* Small menu. */
.menu-toggle,
.main-navigation.toggled ul {
  display: block;
}

.dropdown-item {
  line-height: 1.2;
  padding-bottom: 0.313rem;
  padding-top: 0.313rem;
}
```

```
}

.dropdown-menu {
  min-width: 12.5rem;
}

.dropdown .open .dropdown-menu {
  display: block;
  left: 12.25em;
  top: 0;
}

.dropdown-menu .dropdown-item {
  white-space: normal;
  background: transparent;
  line-height: 1.6;
}

.dropdown-menu .dropdown-item:hover {
  background: transparent;
}

@media screen and (min-width: 37.5em) {
  .menu-toggle {
    display: none;
  }
}

@media screen and (min-width: 769px) {
  .dropdown-menu li > .dropdown-menu {
    right: -9.875rem;
    top: 1.375rem;
  }
}

@media screen and (max-width: 991px) {
  .navbar-nav .dropdown-menu {
    border: medium none;
    margin-left: 1.25rem;
    padding: 0;
  }

  .dropdown-menu li a {
    padding: 0;
  }

  #masthead .navbar-nav > li > a {
    padding-bottom: 0.625rem;
    padding-top: 0.313rem;
  }
}
```

```
}

.navbar-light .navbar-toggler {
  border: medium none;
  outline: none;
}
}

.site-main .comment-navigation,
.site-main .posts-navigation,
.site-main .post-navigation {
  margin: 0 0 1.5em;
  overflow: hidden;
}

.comment-navigation .nav-previous,
.posts-navigation .nav-previous,
.post-navigation .nav-previous {
  float: left;
  width: 50%;
}

.comment-navigation .nav-next,
.posts-navigation .nav-next,
.post-navigation .nav-next {
  float: right;
  text-align: right;
  width: 50%;
}

.comment-content .card-block {
  padding: 20px;
}

.navigation .post-navigation {
  padding-top: 1.875rem;
}

.post-navigation .nav-previous a,
.post-navigation .nav-next a {
  border: 1px solid #ddd;
  border-radius: 0.938rem;
  display: inline-block;
  padding: 0.313rem 0.875rem;
  text-decoration: none;
}

.post-navigation .nav-next a::after {
```

```

    content: " \2192";
}

.post-navigation .nav-previous a::before {
    content: "\2190 ";
}

.post-navigation .nav-previous a:hover,
.post-navigation .nav-next a:hover {
    background: #eee none repeat scroll 0 0;
}

/*-----
# Accessibility
-----*/
/* Text meant only for screen readers. */
.screen-reader-text {
    clip: rect(1px, 1px, 1px, 1px);
    position: absolute !important;
    height: 1px;
    width: 1px;
    overflow: hidden;
    word-wrap: normal !important;
    /* Many screen reader and browser combinations announce broken words as they would appear */
}
.screen-reader-text:focus {
    background-color: #f1f1f1;
    border-radius: 3px;
    box-shadow: 0 0 2px 2px rgba(0, 0, 0, 0.6);
    clip: auto !important;
    color: #21759b;
    display: block;
    font-size: 14px;
    font-size: 0.875rem;
    font-weight: bold;
    height: auto;
    left: 0.313rem;
    line-height: normal;
    padding: 0.938rem 1.438rem 0.875rem;
    text-decoration: none;
    top: 0.313rem;
    width: auto;
    z-index: 100000;
    /* Above WP toolbar. */
}

```

```
/* Do not show the outline on the skip link target. */
#content[tabindex="-1"]:focus {
  outline: 0;
}

/*-----
# Alignments
-----*/

.alignleft {
  display: inline;
  float: left;
  margin-right: 1.5em;
}

.alignright {
  display: inline;
  float: right;
  margin-left: 1.5em;
}

.aligncenter {
  clear: both;
  display: block;
  margin-left: auto;
  margin-right: auto;
}

a img.alignright {
  float: right;
  margin: 0.313rem 0 1.25rem 1.25rem;
}

a img.alignnone {
  margin: 0.313rem 1.25rem 1.25rem 0;
}

a img.alignleft {
  float: left;
  margin: 0.313rem 1.25rem 1.25rem 0;
}

a img.aligncenter {
  display: block;
  margin-left: auto;
  margin-right: auto;
}
```

```

.wp-caption.alignnone {
  margin: 0.313rem 1.25rem 1.25rem 0;
}

.wp-caption.alignleft {
  margin: 0.313rem 1.25rem 1.25rem 0;
}

.wp-caption.alignright {
  margin: 0.313rem 0 1.25rem 1.25rem;
}

/*-----
# Clearings
-----*/

.clear:before,
.clear:after,
.entry-content:before,
.entry-content:after,
.comment-content:before,
.comment-content:after,
.site-header:before,
.site-header:after,
.site-content:before,
.site-content:after,
.site-footer:before,
.site-footer:after {
  content: "";
  display: table;
  table-layout: fixed;
}

.clear:after,
.entry-content:after,
.comment-content:after,
.site-header:after,
.site-content:after,
.site-footer:after {
  clear: both;
}

/*-----
# Widgets
-----*/

.widget {

```

```
margin: 0 0 1.5em;
/*font-size: 1rem;*/
/* Make sure select elements fit in widgets. */
}
.widget select {
  max-width: 100%;
}

.widget_search .search-form input[type="submit"] {
  display: none;
}

.nav > li > a:focus,
.nav > li > a:hover {
  background-color: #eee;
  text-decoration: none;
}

.half-rule {
  width: 6rem;
  margin: 2.5rem 0;
}

.widget_categories .nav-link {
  display: inline-block;
}

/*-----
# Content
-----*/
/*-----
## Posts and pages
-----*/
#content.site-content {
  padding-bottom: 0px;
  padding-top: 0px;
}

.sticky .entry-title::before {
  content: "\f08d";
  font-family: "Font Awesome\ 5 Free";
  font-size: 1.563rem;
  left: -2.5rem;
  position: absolute;
  top: 0.375rem;
  font-weight: 900;
}
```

```
.sticky .entry-title {
  position: relative;
}

.single .byline,
.group-blog .byline {
  display: inline;
}

.page-content,
.entry-content,
.entry-summary {
  margin: 1.5em 0 0;
}

.page-links {
  clear: both;
  margin: 0 0 1.5em;
}

.page-template-blank-page .entry-content,
.blank-page-with-container .entry-content {
  margin-top: 0;
}

.post.hentry {
  margin-bottom: 2rem;
}

.posted-on,
.byline,
.comments-link {
  color: #9a9a9a;
}

.entry-title > a {
  color: inherit;
}

/*-----
## Comments
-----*/

.comment-content a {
  word-wrap: break-word;
}
```

```
.bypostauthor {
  display: block;
}

.comment-body .pull-left {
  padding-right: 0.625rem;
}

.comment-list .comment {
  display: block;
}

.comment-list {
  padding-left: 0;
}

.comments-title {
  font-size: 1.125rem;
}

.comment-list .pingback {
  border-top: 1px solid rgba(0, 0, 0, 0.125);
  padding: 0.563rem 0;
}

.comment-list .pingback:first-child {
  border: medium none;
}

/*-----
# Infinite scroll
-----*/
/* Globally hidden elements when Infinite Scroll is supported and in use. */
.infinite-scroll .posts-navigation,
.infinite-scroll.neverending .site-footer {
  /* Theme Footer (when set to scrolling) */
  display: none;
}

/* When Infinite Scroll has reached its end we need to re-display elements that were hid
.infinity-end.neverending .site-footer {
  display: block;
}

/*-----
# Media
```

```
----- */
.page-content .wp-smiley,
.entry-content .wp-smiley,
.comment-content .wp-smiley {
    border: none;
    margin-bottom: 0;
    margin-top: 0;
    padding: 0;
}

/* Make sure embeds and iframes fit their containers. */
embed,
iframe,
object {
    max-width: 100%;
}

/*-----
## Captions
----- */

.wp-caption {
    background: #f1f1f1 none repeat scroll 0 0;
    border: 1px solid #f0f0f0;
    max-width: 96%;
    padding: 0.313rem 0.313rem 0;
    text-align: center;
}

.wp-caption img[class*="wp-image-"] {
    border: 0 none;
    height: auto;
    margin: 0;
    max-width: 100%;
    padding: 0;
    width: auto;
}

.wp-caption .wp-caption-text {
    font-size: 0.688rem;
    line-height: 1.063rem;
    margin: 0;
    padding: 0.625rem;
}

.wp-caption-text {
    text-align: center;
}
```

```
/*-----  
## Galleries  
-----*/  
  
.gallery {  
  margin-bottom: 1.5em;  
}  
  
.gallery-item {  
  display: inline-block;  
  text-align: center;  
  vertical-align: top;  
  width: 100%;  
}  
  
.gallery-item .gallery-columns-2 {  
  max-width: 50%;  
}  
  
.gallery-item .gallery-columns-3 {  
  max-width: 33.33333%;  
}  
  
.gallery-item .gallery-columns-4 {  
  max-width: 25%;  
}  
  
.gallery-item .gallery-columns-5 {  
  max-width: 20%;  
}  
  
.gallery-item .gallery-columns-6 {  
  max-width: 16.66667%;  
}  
  
.gallery-item .gallery-columns-7 {  
  max-width: 14.28571%;  
}  
  
.gallery-item .gallery-columns-8 {  
  max-width: 12.5%;  
}  
  
.gallery-item .gallery-columns-9 {  
  max-width: 11.11111%;  
}  
  
  
.gallery-caption {  
  display: block;  
}  
  
/*-----  
# Plugin Compatibility  
-----*/  
/*-----
```

```

## Woocommerce
-----*/
.woocommerce-cart-form .shop_table .coupon .input-text {
  width: 8.313rem !important;
}

.variations_form .variations .value > select {
  margin-bottom: 0.625rem;
}

.woocommerce-MyAccount-content .col-1,
.woocommerce-MyAccount-content .col-2 {
  max-width: 100%;
}

/*-----
## Elementor
-----*/
.elementor-page article .entry-footer {
  display: none;
}

.elementor-page.page-template-fullwidth #content.site-content {
  padding-bottom: 0;
  padding-top: 0;
}

.elementor-page .entry-content {
  margin-top: 0;
}

/*-----
## Visual Composer
-----*/
.vc_desktop article .entry-footer {
  display: none;
}

.vc_desktop #content.site-content {
  padding-bottom: 0;
  padding-top: 0;
}

.vc_desktop .entry-content {
  margin-top: 0;
}

```

```
/*-----  
# Footer  
-----*/  
footer#colophon {  
  font-size: 85%;  
  bottom: 0;  
  position: relative;  
  width: 100%;  
}  
body:not(.theme-preset-active) footer#colophon {  
  color: #666;  
  font-weight: 300;  
  background: var(--background-color);  
  border-top: 1px solid #eee;  
}  
.navbar-dark .site-info {  
  color: #fff;  
}  
.copyright {  
  font-size: 0.875rem;  
  margin-bottom: 0;  
  text-align: center;  
}  
  
.copyright a,  
footer#colophon a {  
  color: inherit;  
}  
  
@media screen and (max-width: 767px) {  
  #masthead .navbar-nav > li > a {  
    padding-bottom: 0.938rem;  
    padding-top: 0.938rem;  
  }  
  .navbar-brand > a {  
    width: 200px;  
  }  
  body:not(.theme-preset-active) #masthead .navbar-nav > li > a {  
    padding: 0.75rem 0.2rem;  
    font-size: 1.1rem;  
    border-bottom: 1px solid #eee;  
  }  
  .site-header .container-fluid,  
  .site-footer .container-fluid {  
    width: 100%;  
  }  
}
```

```
    }  
  }  
  /*-----  
# Media Query  
-----*/  
/*-----  
## Notebook  
-----*/  
@media only screen and (max-width: 1280px) {  
  html {  
    font-size: 95%;  
  }  
}  
  
@media screen and (max-width: 1199px) {  
  .navbar-dark .dropdown-item {  
    color: #fff;  
  }  
  .navbar-nav .dropdown-menu {  
    background: transparent;  
    box-shadow: none;  
    border: none;  
  }  
}  
/*-----  
## Netbook  
-----*/  
@media only screen and (max-width: 1024px) {  
  html {  
    font-size: 90%;  
  }  
}  
/*-----  
## iPad  
-----*/  
@media only screen and (max-width: 960px) {  
  html {  
    font-size: 85%;  
  }  
}  
/*-----  
## iPad  
-----*/  
@media only screen and (max-width: 768px) {  
  html {  
    font-size: 80%;  
  }  
}
```

```

    }
}
/*-----
## iPad
-----*/

@media only screen and (max-width: 480px) {
    html {
        font-size: 75%;
    }
}

/* Custom CSS code by h */
ul.children.nav {
    margin-left: 1rem;
    margin-top: 5px;
}
aside#secondary {
    min-height: calc(100vh - 120px);
}
.sidebarBlock {
    background: #e7ecef;
    /* border-radius: 0px; */
    padding: 1.5rem 2em;
    border: 1px solid #e7ecef;
    /*margin-bottom: 2rem;*/
    padding-bottom: 2.5rem;
    min-height: 100%;
    outline: none;
}
.site-main {
    padding-left: 30px;
    padding-right: 30px;
    padding-bottom: 60px;
}
aside .nav li {
    padding: 0px 0 0px 0px;
    list-style-type: none;
    /* background: url(../jsv2doctHEME/inc/assets/images/list-icon.png) no-repeat 0 12px; */
    text-shadow: none;
    margin-bottom: 0px;
    margin-top: 0px;
    position: relative;
}
aside .nav > li {
    font-size: 14px;
}

```

```
ul.children.nav > li {
}
/*aside .nav li a:before {
  content:'';
  height:6px;
  width:6px;
  background: var(--primary-link);
  display:inline-block;
  border-radius:100%;
  margin-right: 6px;
  vertical-align: middle;
}*/
aside .nav li > a {
  padding: 5px 0px;
  transition: all 0.2s ease;
}
aside .nav > li > a:focus,
aside .nav > li > a:hover {
  /*background: none;
  background-color:transparent;
  text-decoration: none;
  color:var(--accent-link);
  margin-left: 2px;*/
  background: none;
  background-color: transparent;
  text-decoration: none;
  color: var(--secondary-text);
  margin-left: 0px;
}
h2.entry-title {
  border-bottom: 2px solid #f0f1f2;
  padding-bottom: 5px !important;
}
.search-results h2.entry-title {
  font-size: 1.35rem;
}
#comments {
  display: none !important;
}
.entry-footer {
  font-size: 0.85rem;
  opacity: 0.85;
}
.entry-footer .cat-links {
  font-weight: bold;
}
```

```
.entry-footer .cat-links a {
  font-weight: 400;
}
.home .post.type-post,
.category .post.type-post {
  background: #fff;
  padding: 20px;
  box-shadow: 0 0.2rem 0.5rem rgba(0, 0, 0, 0.05);
  border-radius: 3px;
  border: 1px solid #f3f3f3;
}
.post-thumbnail {
  margin-bottom: 0px !important;
}
.entry-title > a:hover,
.entry-title > a:focus {
  text-decoration: none;
  outline: none;
  opacity: 0.85;
}
.navigation.post-navigation {
  display: none;
}
.title,
.block,
.box {
  padding: 10px 15px;
}
.title-blueBg {
  background: var(--secondary-text);
  padding: 10px 15px;
  color: #fff;
}
.title-rightText,
.title-rightText a {
  display: inline-block;
  float: right;
  font-size: 0.85rem;
}
.title-rightText a {
  color: var(--accent-link);
  transition: all 0.2s ease;
}
.title-rightText,
.title-rightText a:hover,
.title-rightText,
```

```
.title-rightText a:focus {
  opacity: 0.7;
}
.title-rightLabel {
  margin-right: 5px;
  display: inline-block;
}
.card.customCard {
  margin-bottom: 20px;
  margin-top: 20px;
  margin-left: 20px;
}
.card.customCard .card-title {
  margin-bottom: 1rem;
  border-bottom: 1px solid #d8d8d8;
  padding-bottom: 10px;
}
.single .entry-footer span.cat-links {
  display: none !important;
}
/* code on 15-11-2019*/
.box {
  padding: 20px;
}
.box-greyBg {
  padding: 20px;
  background: #f8f8f8;
}
.box-greenBg {
  padding: 20px;
  background: var(--accent-link);
  color: #fff;
}
.box-blueBg {
  padding: 20px;
  background: var(--secondary-text);
  color: #fff;
}
.box-bordered {
  padding: 20px;
  border: 1px solid #ddd;
  border-radius: 0px;
}
.mergeBottom {
  margin-bottom: 0px;
  padding-bottom: 10px;
}
```

```
}
.mergeTop {
  margin-top: 0px;
  padding-top: 10px;
}
.title-blueBg {
  background: var(--secondary-text);
  padding: 10px 15px;
  color: #fff;
  border-radius: 0px;
  box-sizing: border-box;
}
.title-greyBg {
  background: #f8f8f8;
  padding: 10px 15px;
  color: var(--secondary-text);
  border-radius: 0px;
  box-sizing: border-box;
}
.title-bottomBordered {
  background: none;
  padding: 10px 15px;
  color: var(--secondary-text);
  border-radius: 0px;
  border-bottom: 2px solid #eee;
  box-sizing: border-box;
}

.arrow-list li {
  list-style: none;
  text-indent: -22px;
}
.arrow-list > li::before {
  -moz-border-bottom-colors: none;
  -moz-border-left-colors: none;
  -moz-border-right-colors: none;
  -moz-border-top-colors: none;
  border-color: #000;
  border-image: none;
  border-style: solid;
  border-width: 0 1px 1px 0;
  content: "";
  display: inline-block;
  margin: 2px 5px;
  padding: 3px;
  transform: rotate(-45deg);
}
```

```
    margin-right: 10px;
}
.entry-content ul,
.entry-content ol {
    padding: 10px 20px !important;
}
.entry-content p {
    /* padding-left:15px; */
    /* padding-right:15px; */
}
.entry-content p a {
    color: var(--accent-link);
    transition: all 0.2s ease;
    text-decoration: none;
}
.entry-content p a:hover {
    text-decoration: underline !important;
    opacity: 0.8;
}
.mb-0 {
    margin-bottom: 0px !important;
}
.pb-0 {
    padding-bottom: 0px !important;
}

.contentSecondary,
.boxSecondary {
    margin-left: 5%;
}
.block {
    padding: 20px !important;
}
.tGreen,
.tGreen li,
.tGreen li a {
    color: var(--accent-link) !important;
}
.tBlue,
.tBlue li,
.tBlue li a {
    color: var(--secondary-text) !important;
}
.tWhite {
    color: #ffffff !important;
}
```

```

.tBlack {
  color: #000000 !important;
}
.bgGreen {
  background-color: var(--accent-link) !important;
}
.bgBlue {
  background-color: var(--secondary-text) !important;
}
.bgGrey {
  background-color: #f8f8f8 !important;
}
.bgWhite {
  background-color: #ffffff !important;
}
.bgBlack {
  background-color: #000000 !important;
}
.text-small {
  font-size: 75% !important;
}
.syntaxhighlighter .line table tr td {
  padding: 4px !important;
}
.entry-content a {
  color: var(--accent-link);
  transition: all 0.2s ease;
  font-style: italic;
  font-weight: 400;
}
/*#masthead .navbar-nav > li > a:after {content: '';height: 2px;width: 0%;display: block
#masthead .navbar-nav > li > a:hover:after { width:100%; }*/

/* header widget area, mainly for searchbar*/
.headerWidgetBlock {
  position: absolute;
  top: 52px;
  right: 0;
  width: 310px;
}
.widget-area .hw-widget {
  background: #eee;
  text-align: center;
  padding: 12px 20px;
}
.hw-widget .search-form {

```

```

    position: relative;
    margin: 0px;
}
.hw-widget .search-form label {
    display: block;
    margin: 0px;
    padding: 0px;
}
.hw-widget .search-form .search-submit.btn.btn-default {
    position: absolute;
    background: var(--secondary-text);
    color: #fff;
    border-radius: 0px;
    top: 0;
    right: 0;
    border-color: transparent;
    font-size: 14px;
}
.hw-widget input.search-field.form-control {
    border-radius: 0px;
    width: 100%;
    font-size: 14px;
}
.hw-widget input.search-field.form-control:focus {
    box-shadow: none;
}

li.cat-item.current-cat.nav-item > a,
li.page_item.current_page_item.nav-item > a,
.current_page_parent.nav-item > a {
    font-weight: bold;
}
li.cat-item.current-cat.nav-item > a:before,
li.page_item.current_page_item.nav-item > a:before {
    background: var(--secondary-text);
}

/* sidebar block search widget */

.sidebarBlock input.search-field.form-control,
.search-form input.search-field.form-control {
    width: 98%;
    height: calc(2.2rem + 0.75rem + 2px);
    padding-left: 45px;
    background-color: #fff;
    background-image: url("https://cdn1.iconfinder.com/data/icons/hawcons/32/698956-icon-1:

```

```
background-position: 5px center;
background-size: 34px;
background-repeat: no-repeat;
background-color: transparent;
}

.search-form label {
width: 100%;
}

.search-form .search-submit {
display: none;
}

.sidebarBlock .widget_search {
margin-top: 15px;
margin-bottom: 30px;
}

.content-area.pt-5 {
padding-top: 2.35rem !important;
}

body.header-fixed .site-header {
position: fixed;
width: 100%;
top: 0px;
z-index: 99;
}

body.header-fixed .sidebarBlock {
padding: 80px 2em 50px 2em;
}

/* code for Static Home page */
.modulesRow {
padding-top: 6rem;
padding-bottom: 6rem;
}

.iconBlock {
text-align: center;
padding: 0px;
box-sizing: border-box;
margin-bottom: 30px;
}

.iconBlock .iconImgWrap img {
width: 64px;
height: 64px;
margin: 0 auto;
}

.iconBlock h3 {
```

```

font-size: 1.15rem;
color: var(--secondary-text);
margin-top: 2rem;
margin-bottom: 1rem;
}
.iconBlock a.btn.btn-bordered,
.iconBlock .btn.btn-bordered {
border: 1px solid #666;
display: inline-block;
margin-top: 5px;
margin-bottom: 5px;
width: 100%;
padding: 8px 10px;
transition: all 0.3s ease;
}
.iconBlock a.btn.btn-bordered:hover {
background-color: #f2f2f2;
text-decoration: none;
border-color: #eee;
}
.syntaxhighlighter.preCode {
width: 90% !important;
margin: 2rem auto !important;
}
p.iconBlock-brief {
min-height: 95px;
}
a.iconBlockWrap {
display: block;
border: 1px solid transparent;
padding: 1rem;
border-radius: 4px;
text-decoration: none;
color: #333;
transition: all 0.3s ease;
}
a.iconBlockWrap:hover {
background: #fff;
border-color: #eee;
-webkit-box-shadow: 0 0.35rem 0.75rem rgba(0, 0, 0, 0.1) !important;
-moz-box-shadow: 0 0.35rem 0.75rem rgba(0, 0, 0, 0.1) !important;
box-shadow: 0 0.35rem 0.75rem rgba(0, 0, 0, 0.1) !important;
}
a.iconBlockWrap:hover .btn.btn-bordered {
background: #eee;
border-color: #ddd;
}

```

```
}

/* sidebar nav changes */

/*aside .nav li > a::before {
  -moz-border-bottom-colors: none;
  -moz-border-left-colors: none;
  -moz-border-right-colors: none;
  -moz-border-top-colors: none;
  border-color: var(--secondary-text);
  border-image: none;
  border-style: solid;
  border-width: 0 1px 1px 0;
  content: "";
  display: inline-block;
  margin: 2px 3px;
  padding: 3px;
  transform: rotate(-45deg);
  margin-right: 8px;
  background: none;
  border-radius:0px;
  margin-left:0px;
}*/

/*aside .nav li.page_item_has_children > a::after {
  -moz-border-bottom-colors: none;
  -moz-border-left-colors: none;
  -moz-border-right-colors: none;
  -moz-border-top-colors: none;
  border-color: var(--secondary-text);
  border-image: none;
  border-style: solid;
  border-width: 0 1px 1px 0;
  content: "";
  display: inline-block;
  margin: 2px 3px;
  padding: 3px;
  transform: rotate(45deg);
  margin-right: 5px;
  background: none;
  border-radius:0px;
  margin-left: 5px;
  transition:all 0.2s ease;
}

aside .nav li.page_item_has_children.activeLink > a::after {
  transform: rotate(-135deg);
```

```

    margin-top:0px;
    margin-bottom:-2px;
}*/
li.cat-item.current-cat.nav-item > a:before,
li.page_item.current_page_item.nav-item > a:before {
    background: none;
}

ul.children.nav.flex-column {
    display: none;
}

aside .nav.children li > a {
    padding-top: 2px;
    padding-bottom: 2px;
}
header.page-header {
    padding-top: 30px;
}
/* changes added by h for leftbar page link issue */
/*li.cat-item.current-cat.nav-item > a, li.page_item.current_page_item.nav-item > a, .cu
    font-weight: bold;
} */

a[aria-current="page"],
.current_page_item.nav-item > a,
.active.menu-item menu-item-type-custom > a {
    color: var(--accent-link) !important;
}
/*aside .nav li.page_item_has_children.activeLink, .current_page_parent.activeLink, .page
    display:block !important;
}*/

aside .nav li.page_item_has_children.activeLink,
.current_page_parent.activeLink,
.page_item_has_children.current_page_ancestor > ul {
    display: block !important;
}
aside .nav li.page_item_has_children > span.customNavIcon::after {
    -moz-border-bottom-colors: none;
    -moz-border-left-colors: none;
    -moz-border-right-colors: none;
    -moz-border-top-colors: none;
    border-color: #000203;
    border-image: none;
    border-style: solid;

```

```

border-width: 0 1px 1px 0;
content: "";
display: inline-block;
margin: 2px 3px;
padding: 3px;
transform: rotate(45deg);
margin-right: 5px;
background: none;
border-radius: 0px;
margin-left: 5px;
transition: all 0.2s ease;
}
aside .nav li.page_item_has_children.activeLink > span.customNavIcon::after {
  transform: rotate(-135deg);
  margin-top: 0px;
  margin-bottom: -3px;
}
aside .nav li > a {
  padding: 4px 0px;
  transition: none;
  display: inline-block;
  width: auto;
  /*min-width: 230px;
  max-width: calc(100% - 22px);*/
}
span.customNavIcon {
  cursor: pointer;
  display: inline-block;
  font-weight: normal;
  text-align: center;
  background: none;
  margin-left: 3px;
}
.page_item_has_children.current_page_ancestor.current_page_parent.nav-item
> span.customNavIcon {
  pointer-events: none;
  cursor: auto;
}
.qe-faq-toggle.active .qe-toggle-content {
  background-color: #f5f5f5;
  padding-top: 20px;
  border: 1px solid #eee;
}
.qe-faq-toggle {
  margin-bottom: 8px;
  transition: all 0.5s;
}

```

```
}
@media (min-width: 992px) {
  aside#secondary.col-lg-3 {
    max-width: 370px;
  }
}

.toolbar .item.about,
.toolbar .item.copyToClipboard,
.syntaxhighlighter .toolbar a.item.about,
.syntaxhighlighter
  .toolbar
  a.item.copyToClipboard
  .syntaxhighlighter
  .toolbar
  .item.about,
.syntaxhighlighter .toolbar .item.copyToClipboard,
.syntaxhighlighter .toolbar .item.printSource {
  display: none !important;
  opacity: 0;
  visibility: hidden;
}
/*@import url('https://fonts.googleapis.com/css2?family=Roboto:ital,wght@0,300;0,400;0,500;0,700;1,300;1,400;1,500;1,700&display=block');

body {
  font-family: "Roboto", sans-serif !important;
  margin: 0;
  -webkit-font-smoothing: auto;
  font-size: 14px;
```

5.18. SEO Meta Controls


To improve SEO performance, you can control the SEO meta attributes of each document.

Each document has specific inputs for the meta URL Key, Title, Description, and Image.

The new controls are not required. If you don't set them, we'll generate what we can from the document name.

Permalinks and SEO settings


These options are at the document level. So you need to click on the three dots (⋮) on the top right side and pick SEO Meta Controls.



Add a relevant title, change the URL, write a meta description or upload an image for previews.

- **URL KEY** - the URL path
- **Title** - The title can be different than the title of the document. This is where you can optimize for SEO keywords.

- **Description** - the Meta Description is usually shown on the search engine results page.
- **Preview Image** - the image used for preview when sharing the links.




Archbee SEO meta controls

Indexable by search engine

In the Space settings → General tab, you will see the option to turn off the `noindex` attribute.

By default, the `Indexable by search engines (if public)` is turned on, but you can disable it and restrict search engine crawlers from indexing your website.




Indexable by search engines

5.19. Custom Code

Adding custom code to a hosted Space.

The code that you add to a Space will only work on your domain, so you need to check the production website to see changes.

- 1 Choose a space and click on the **Settings** icon (⚙) to open the **Space Settings**
- 2 Look for the **Custom Code** tab



- 3 Add your **JavaScript**, **CSS** code, include headers or add a footer.

Here is an example of [How to change the font](#)

5.20. Custom CSS

Hosted and published Spaces can be customized using CSS.


Your CSS changes will only be included on your custom domain. When you preview your published Space, it will not be visible, so you need to publish it to Production.

- 1 Choose a space and click on the **Settings** icon (⚙) to open the **Space Settings**
- 2 Look for the **Custom Code** tab on the Space Settings window
- 3 Go to the **Custom CSS** field
- 4 Type the **HTML <style>** tags
- 5 **Save** your changes in the Custom CSS field.

```
<style>
```

```
/* add the CSS clases and the properties you want to change */
```


```
</style>
```



Custom CSS

For security reasons, custom code is only included on a custom domain.

Across the DOM, you will find HTML elements with a CSS class that starts with `ab-`. You can target these classes to style the portal. **These classes are guaranteed never to change so that we don't break your styling when we update the system.**



ArchbeeDOM

If the element you are trying to style does not have a class starting with `ab-`, we don't allow customization, and it's mostly to protect you from yourself. For example, if we change the structure, it might impact your styling.

Every element and block in the content section also has a similar class. Below you can find a list of the classes. If you want to check them, please open DevTools in your browser by right-clicking → Inspect.

This is a list of the current **available CSS classes**:

```
.ab-callout { }
.ab-changeloc { }
.ab-code-editor { }
.ab-minitasker { }
.ab-graphiql { }
.ab-horizontal-divider { }
.ab-jira { }
.ab-map { }
.ab-mermaid { }
.ab-vertical-split { }
.ab-vertical-split-item { }
.ab-video { }
.ab-checklist { }
.ab-blockquote { }
.ab-diagram { }
.ab-embed { }
```

```
.ab-file { }
.ab-iframe { }
.ab-html { }
.ab-image { }
.ab-ul-list { }
.ab-ol-list { }
.ab-list-item { }
.ab-list-item-child { }
.ab-table { }
.ab-space { }
.ab-collection { }
.ab-space-container { }
.ab-collection-container { }
.ab-top-navbar { }
.ab-search-input { }
.ab-public-search { }
.ab-space-content { }
.ab-collection-content { }
.ab-tree-navigation { }
.ab-tree-navigation-link { }
.ab-left-nav-chevron { }
.ab-tree-navigation-link-inactive { }
.ab-space-navigation { }
.ab-doc-name { }
.ab-h1 { }
.ab-h2 { }
.ab-h3 { }
.ab-expandable-heading { }
.ab-link { }
.ab-link-dynamic { }
.ab-nav-right { }
.ab-nav-right-text { }
.ab-bold { }
.ab-code { }
.ab-paragraph { }
.ab-footer-container { }
.ab-search-modal-header { }
.ab-search-modal-content { }
.ab-auth-jwt-button { }
.ab-auth-saml-button { }
.ab-windy-template { }
.ab-color-nav-template { }
.ab-booklet-template { }
```

OpenAPI CSS classes

```
.ab-openapi { }
.ab-open-api-param-name { }
```

```
.ab-open-api-param-expand-icon { }
.ab-open-api-param-type { }
.ab-open-api-param-description-wrap { }
.ab-open-api-param-example-wrap { }
.ab-open-api-param-custom-type { }
.ab-open-api-required-star { }
.ab-open-api-param-example-title { }
.ab-open-api-param-example { }
.ab-open-api-param-description-title { }
.ab-open-api-param-description { }
.ab-open-api-input-wrap { }
.ab-open-api-array-input-wrap { }
.ab-open-api-schema-wrap { }
```

BreadCrumbs classes

```
.ab-breadcrumb-item { } Each breadcrumb label
.ab-breadcrumb-item-clickable { } Breadcrumb that can be clicked to navigate
.ab-breadcrumb-item-highlight { } The currently active/highlighted breadcrumb
.ab-breadcrumb-separator { } The chevron icon between breadcrumbs
.ab-breadcrumbs-wrapper { } The container around the entire breadcrumb bar
.ab-breadcrumb-ellipsis { } The "... " shown when there are too many breadcrumbs
```

The dark mode adds a dark class at the top of the HTML tree, and you can use that to target dark mode styles.

For example, this is how you change the text to red in dark mode:

```
<style>
  .dark .ab-paragraph {
    color: red !important ;
  }
</style>
```

5.21. Sitemaps

A sitemap is a file where you provide information about your site's pages, videos, and other files and the relationships between them.

Search engines like Google read this file to crawl your site more efficiently.

A sitemap tells Google which pages and files you think are important to your site and provides valuable information about these files.

Archbee exposes a sitemap with all URLs at `/sitemap.xml`.


Google uses the file to index your content.

Each published Space has its own sitemap. for example

<https://docs.archbee.com/sitemap.xml>

5.22. Redirects - URL alias

In the SEO Meta Controls, you can set an URL alias to redirect the traffic to the new URL key.



- 1 Click on the **three dots** in the top right corner to open **Doc Options**.
- 2 Click on **SEO Meta Controls**
- 3 Add the **URL ALIAS** field to the old URL from which you want to redirect the traffic to the new URL.
- 4 Change the **URL Key** if you want a different URL path for the existing document.
- 5 The title can be different than the title of the document. This is where you can optimize for SEO keywords.

6 **Description** - The Meta Description is usually shown on the search engine results page.

7 **Preview Image** - the image used for preview when sharing the links.

Each document has specific inputs for the meta URL Key, Title, Description, and Image.

Example of how to configure a redirect:

1. Old link: <https://www.archbee.com/docs/template-1>
2. New link: <https://www.archbee.com/docs/url-redirect>
3. URL ALIAS box will contain only the text after ".com/": "docs/template-1"

6. **PUBLIC API**

6.1. **Open Api**

6.1.1. Sync Open Api document

POST

https://api.archbee.com/api/public-api/sync-api-reference

Try it ▶

Archbee API Server

Sync Open Api document with a new or existing Open Api tree

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

multipart/form-data

Form Parameters

> **docTreeld** `string`

21-character__string0

> **file** `file` *

Choose file

> **type** `string<openapi | postman>`

Select... ▼

> **openApiTryIt** `string<true | false>`

Select... ▼

> **openApiUseOwnBackend** `string<true | false>`

Select... ▼

> **showDownloadOpenApiFile** `string<true | false>`

Select... ▼

> **shouldCreateSchemaCategory** `string<true | fals...`

Select... ▼

> **shouldCreateIntro** `string<true | false>`

Select... ▼

> **openApiLanguageExamples** `list`

Responses

▼ ● 200 Import OK status

▼ object

Description

Import OK status

> **status** string<OK>

> **data** object

▼ ● 400 Invalid request

▼ Response400

> **status** string<OK | Not OK>

> **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/sync-api-reference \  
  --header 'accept: application/json' \  
  --header 'content-type: multipart/form-data' \  
  --form 'docTreeId="21-character__string0"' \  
  --form 'file=@"/path/to/file"' \  
  --form 'type="openapi"' \  
  --form 'openApiTryIt="true"' \  
  --form 'openApiUseOwnBackend="true"' \  
  --form 'showDownloadOpenApiFile="true"' \  
  --form 'shouldCreateSchemaCategory="true"' \  
  --form 'shouldCreateIntro="true"'
```

```
// Import OK status  
{  
  "status": "OK",  
  "data": {  
    "docTreeId": "21-character__string0"  
  }  
}
```

6.1.2. Info Open Api document

GET

https://api.archbee.com/api/public-api/info-api-reference

Try it ▶

Archbee API Server

Get info of an existing Open Api tree

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Form Parameters

> **docTreeld** `string`

Responses

▼ ● **200** Status

▼ `object`

Description

Status

> **status** `string<OK>`

> **data** `object`

▼ ● **400** Invalid request

▼ `Response400`

> **status** `string<OK | Not OK>`

> **messages** `string[]`

```
curl --request GET \  
  --url https://api.archbee.com/api/public-api/info-api-reference \  
  --header 'accept: application/json'
```

```
// Status  
{  
  "status": "OK",  
  "data": {  
    "result": "",  
    "importedContent": ""  
  }  
}
```

6.2. Doc

6.2.1. Get document

GET

https://api.archbee.com/api/public-api/doc

Try it 

Archbee API Server

Retrieve a document in `markdown`, `html`, `json`, or `source` format.

Credentials

HTTP Bearer `bearerAuth`

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> `Content-Type` `string` *

Body Parameters

▼ `body` `object` *

> `docId` `string` *

> `format` `string`<markdown | html | json | so...

Select...



Responses

▼ ● **200** Successful response containing the document content.

▼ object

> content string

> format string

▼ ● 400 Invalid request parameters.

▼ Response400

> status string<OK | Not OK>

> messages string[]

```
curl --request GET \  
  --url https://api.archbee.com/api/public-api/doc \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "docId": "21-character__string0"  
  }'
```

```
// Successful response containing the document content.  
{  
  "content": "",  
  "format": ""  
}
```

6.2.2. Update / Create document

POST

https://api.archbee.com/api/public-api/doc

Try it 

Archbee API Server

Create / Update Doc by `docId`

Credentials

HTTP Bearer `bearerAuth`

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> Content-Type `string` *

Body Parameters

▼ body object *

- > content string *
- > format string<markdown | json>
- > title string
- > description string
- > previewImgURL string
- > slug string
- > alias string
- > conditionalRuleId string
- > sorting string<alphabetical | chronologica...
- > hidden boolean
- > docId string
- > parentDocId string

Responses

▼ ● 200 Process status

▼ object

Description

Process status

- > status string<OK>
- > data object

▼ ● 400 Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/doc \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "content": "# this is a h1 title\nAnd this is a paragraph\n- list item 1\n- list item 2\n}'
```

```
// Process status  
{  
  "status": "",  
  "data": {  
    "docId": "",  
    "newRecord": false  
  }  
}
```

6.2.3. Delete document

DELETE

https://api.archbee.com/api/public-api/doc

Try it ▶

Archbee API Server

Delete document by `docId`

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> `Content-Type` `string` *

Body Parameters

∨ `body` `object` *

> `docId` `string` *

Responses

∨ ● **200** Delete status

∨ `object`

Description

Delete status

> `status` `string<OK>`

> `data` `object`

∨ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request DELETE \  
  --url https://api.archbee.com/api/public-api/doc \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "docId": "21-character__string0"  
  }'
```

```
// Delete status  
{  
  "status": "",  
  "data": {  
    "status": false  
  }  
}
```

6.2.4. Search document

POST

https://api.archbee.com/api/public-api/docs/search

Try it ▶

Archbee API Server

Search Archbee documents in docSpace. Can perform one of the 3 types of search:

- **ai-chat** to return ai generative answer accompanied by source docs;
- **ai-retrieval** to return just similar docs with the query;
- **words** to perform normal search aka. "word-based"; use empty query to return all docs
- **single-doc** to return document info by id

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

▼ body object *

- > query string *
- > searchOnlyTitle boolean
- > persistSearch boolean
- > searchSessionId string
- > docId string
- > dataTextFormat string<markdown | html>
- > parentDocId string
- > type string<words | ai-chat | ai-retrieva...

Responses

▼ ● 200 Process status

▼ object

Description

Process status

- > status string<OK>
- > data object

▼ ● 400 Invalid request

▼ Response400

- > status string<OK | Not OK>
- > messages string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/docs/search \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "query": ""  
  }'
```

```
// Process status  
{  
  "status": "",  
  "data": {  
    "searchSessionId": "",  
    "docs": [  
      {  
        "id": "",  
        "name": "",  
        "urlKey": "",  
        "urlAlias": "",  
        "hidden": false,  
        "privacy": "",  
        "highlight": {}  
      }  
    ]  
  }  
}
```

6.2.5. Import Content

POST

https://api.archbee.com/api/public-api/import-content

Try it ▶

Archbee API Server

Create new Doc from imported markdown file. In case of zip file, create a new docTree and keeps archived tree structure.

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

multipart/form-data

Form Parameters

> **file** `file` *

Choose file

> **type** `string<markdown>`

Select... ▼

Responses

▼ ● **200** Import OK status

▼ **object**

Description

Import OK status

> **status** `string<OK>`

> **data** `object`

▼ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/import-content \  
  --header 'accept: application/json' \  
  --header 'content-type: multipart/form-data' \  
  --form 'file=@"/path/to/file"' \  
  --form 'type="markdown"'
```

```
// Import OK status  
{  
  "status": "OK",  
  "data": {  
    "docId": "21-character__string0"  
  }  
}
```

6.3. DocSpace

6.3.1. Create Space

POST

https://api.archbee.com/api/public-api/space/create

Try it 

Archbee API Server

Create a new space with desired fields, return its id. New space will inherit apiKey.

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value


Header Parameters

> Content-Type `string` *

Body Parameters

▼ body object *

- > name string
- > isLlmEnabled boolean
- > isReviewSystemEnabled boolean
- > isBranchingSystemEnabled boolean
- > docSpaceGroupId string



Responses

▼ ● 200 Process status

▼ object

Description

Process status

- > status string<OK>
- > data object

▼ ● 400 Invalid request

▼ Response400

- > status string<OK | Not OK>
- > messages string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/space/create \  
  --header 'accept: application/json'
```

```
// Process status
{
  "status": "",
  "data": {
    "newDocSpaceId": ""
  }
}
```


6.3.2. Update Space

POST

https://api.archbee.com/api/public-api/space/update

Try it 

Archbee API Server

Update space fields.

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

∨ **body** `object` *

> **publicAccessControlPart** `object`

> **hostnamePart** `object`

> **spaceLinks** `object[]`

Responses

∨ ● **200** Process status

∨ `object`

Description

Process status

> **status** `string<OK>`

> **data** `object`

∨ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/space/update \  
  --header 'accept: application/json'
```

```
// Process status  
{  
  "status": "",  
  "data": {  
    "id": ""  
  }  
}
```

6.3.3. Publish Space

POST

https://api.archbee.com/api/public-api/space/publish

Try it ▶

Archbee API Server

Publish Archbee documents from given `docSpaceId`

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> `Content-Type` `string` *

Body Parameters

∨ `body` `object` *

> `environment` `string` *

Responses

∨ ● **200** Process status

∨ `object`

Description

Process status

> `status` `string<OK>`

> `data` `object`

∨ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/space/publish \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "environment": ""  
  }'
```

```
// Process status  
{  
  "status": "",  
  "data": {  
    "id": ""  
  }  
}
```

6.3.4. Clone Space

POST

https://api.archbee.com/api/public-api/space/clone

Try it ▶

Archbee API Server

Clone Archbee space from given `docSpaceId`

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

∨ **body** `object` *

> **targetSpaceGroupId** `string`

Responses

∨ ● **200** Process status

∨ **object**

Description

Process status

> **status** `string<OK>`

> **data** `object`

∨ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/space/clone \  
  --header 'accept: application/json'
```

```
// Process status  
{  
  "status": "",  
  "data": {  
    "id": ""  
  }  
}
```

6.3.5. Delete Space

DELETE

https://api.archbee.com/api/public-api/space/delete

Try it ▶

Archbee API Server

Delete Archbee space with given `docSpaceId`

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

∨ **body** `object` *

> **targetSpaceId** `string`

Responses

∨ ● **200** Process status

∨ **object**

Description

Process status

> **status** `string<OK>`

> **data** `object`

∨ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request DELETE \  
  --url https://api.archbee.com/api/public-api/space/delete \  
  --header 'accept: application/json'
```

```
// Process status  
{  
  "status": "",  
  "data": {  
    "id": ""  
  }  
}
```

6.3.6. Create Space Group

POST

https://api.archbee.com/api/public-api/space-group/create

Try it ▶

Archbee API Server

Create a new space group with desired fields, return the space group.

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

∨ **body** `object` *

> **name** `string` *

> **isLLmEnabled** `boolean`

> **isReviewSystemEnabled** `boolean`

> **isBranchingSystemEnabled** `boolean`

Responses

∨ ● **200** Process status

∨ **object**

Description

Process status

> **status** `string<OK>`

∨ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/space-group/create \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "name": ""  
  }'
```

```
// Process status  
{  
  "status": ""  
}
```

6.3.7. Delete Space Group

DELETE

https://api.archbee.com/api/public-api/space-group/delete

Try it ▶

Archbee API Server

Delete Archbee space group with given `spaceGroupId` .

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

∨ **body** `object` *

> **spaceGroupId** `string`

Responses

∨ ● **200** Process status

∨ `object`

Description

Process status

> **status** `string<OK>`

∨ ● **400** Invalid request

∨ `Response400`

> **status** `string<OK | Not OK>`

> **messages** `string[]`

```
curl --request DELETE \  
  --url https://api.archbee.com/api/public-api/space-group/delete \  
  --header 'accept: application/json'
```

```
// Process status  
{  
  "status": ""  
}
```

6.4. Organization

6.4.1. Organization Export

GET **Try it** ▶

Archbee API Server

Export assets, spaces with documents, team and user data from Archbee given `teamId`.
Use `--output <export_file_path>`

Credentials

HTTP Bearer `bearerAuth`

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Header Parameters

> `accept` `string`

 ▼

> `Content-Type` `string` *

Body Parameters

▼ body object *

- > teamId string *
- > exportThisSpaceOnly boolean
- > exportAsLink boolean

A diagram illustrating the structure of a body object. It consists of a large rounded rectangle at the top, representing the object. Below it, three smaller rounded rectangles are stacked vertically, representing the fields: teamId, exportThisSpaceOnly, and exportAsLink.

Responses

● 200 Successful export

▼ ● 400 Invalid request

▼ Response400

- > status string<OK | Not OK>
- > messages string[]

```
curl --request GET \  
  --url https://api.archbee.com/api/public-api/team/export \  
  --header 'accept: application/zip' \  
  --header 'content-type: application/json' \  
  --data '{  
    "teamId": "21-character__string0"  
  }'
```

```
// Successful export
```

6.4.2. Organization Display Rules

GET

https://api.archbee.com/api/public-api/team/display-rules

Try it ▶

Archbee API Server

Export a list of display rules.

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

∨ **body** `object` *

> **teamId** `string` *

Responses

∨ ● **200** Successful export todo

∨ `object`

> **displayRules** `object[]`

∨ ● **400** Invalid request

∨ `Response400`

> **status** `string`<OK | Not OK>

> **messages** `string[]`

```
curl --request GET \  
  --url https://api.archbee.com/api/public-api/team/display-rules \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "teamId": "21-character__string0"  
  }'
```

```
// Successful export todo  
{  
  "displayRules": [  
    {  
      "id": "WRJ104ChAK_lioQj39bHK",  
      "title": "are gmail2",  
      "combinator": "AND",  
      "rules": [  
        {  
          "field": "email",  
          "operator": "CONTAINS",  
          "value": "gmail.com"  
        }  
      ]  
    }  
  ]  
}
```

6.5. Upload

6.5.1. Upload single file

POST

https://api.archbee.com/api/public-api/upload/file

Try it ▶

Archbee API Server

Upload a single file to the File Manager

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

multipart/form-data

Form Parameters

> **file** `file` *

Choose file

> **isPublic** `string<true | false>`

Select... ▼

Responses

▼ ● **200** Upload OK status

▼ `object`

Description

Upload OK status

> **status** `string<OK>`

> **data** `object`

▼ ● **400** Invalid request

▼ Response400

- > **status** string<OK | Not OK>
- > **messages** string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/upload/file \  
  --header 'accept: application/json' \  
  --header 'content-type: multipart/form-data' \  
  --form 'file=@"/path/to/file"' \  
  --form 'isPublic="true"'
```

```
// Upload OK status  
{  
  "status": "OK",  
  "data": {  
    "src": ""  
  }  
}
```

6.6. Suggest Change

6.6.1. Merge suggestion into main document

POST

https://api.archbee.com/api/public-api/suggest-change/merge

Try it ▶

Archbee API Server

Merge a suggestion document into the base document. The suggestion document must have a docId starting with 'SUGGEST-'.

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> Content-Type `string` *

Body Parameters

∨ body `object` *

> docId `string` *

Responses

∨ ● 200 Suggestion successfully merged

▼ object

> status string

▼ ● 400 Bad Request

▼ Response400

> status string<OK | Not OK>

> messages string[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/suggest-change/merge \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "docId": "SUGGEST-21character_string"  
  }'
```

```
// Suggestion successfully merged  
{  
  "status": "OK"  
}
```

6.6.2. Discard suggestion document

POST

https://api.archbee.com/api/public-api/suggest-change/discard

Try it ▶

Archbee API Server

Discard and delete a suggestion document without merging it into the base document. The suggestion document must have a docId starting with 'SUGGEST-'.

Credentials

HTTP Bearer bearerAuth

Requires the `Authorization` header in the form `Authorization: Bearer {base64(docSpaceId~apiKey)}` Where the token is base64 encoding of docSpaceId, tilde, and apiKey.

Enter http bearer value

Header Parameters

> **Content-Type** `string` *

Body Parameters

∨ **body** `object` *

> **docId** `string` *

Responses

∨ ● **200** Suggestion successfully discarded

∨ `object`

> **status** `string`

∨ ● **400** Bad Request

∨ `Response400`

> **status** `string`<OK | Not OK>

> **messages** `string`[]

```
curl --request POST \  
  --url https://api.archbee.com/api/public-api/suggest-change/discard \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '{  
    "docId": "SUGGEST-21character_string"  
  }'
```

```
// Suggestion successfully discarded  
{  
  "status": "OK"  
}
```

6.7. Download OpenAPI file

7. ORGANIZATIONS

7.1. Organizations

An account can be in multiple Organization at the same time.

For example, if you:

- work for a company;
- do freelancing;
- and build your own company at the same time;

You can be **in all 3 Organization at the same time**, saving you lots of time from logging in for each of them repeatedly.

Whenever you create a new organization, you will be assigned as the super admin for that space.

Payment information is also assigned to Organizations, not individual users.

7.2. Manage the Organization

To manage an Organization, you need to go to User Preferences → Organizations and maintain the following user groups.

Superadmin, Administrators, and Team members are default groups. In addition, you can define Custom groups.

Use the groups to control the access to each Space along with read/write permissions -

Team Access Control

- **Superadmin** is a group for a single person and has permission to assign other administrators.
 - The superadmin role is given to the user that created the Organization (signed up for Archbee).
 - A superadmin can change the role to Administrator for any user.
 - The superadmin role can be transferred to any other user.
- **Administrators** (and superadmins) can:
 - invite and/or remove other team members;
 - create user groups and assign them to users;
 - setup permissions to Spaces for user groups or individual users;
 - setup subscription and payment information.
- **Team members** can contribute to all shared spaces.
 - When you invite a new user to Archbee, the default permission is set to Team members, and they will have access to all the Spaces.
 - To change the role to a team member to Administrator, go to Account Settings → Organizations → Identify the team member → Click the green plus sign + under the GROUPS column and add them to Administrators.
- **Custom groups** can be created, which can be used to assign permissions in the Spaces settings area.
 - A Superadmin or Administrator can create Custom Groups.

How to transfer the superadmin role

A superadmin can swap the role with any other team member.

Go to Account Settings → Organizations → Identify the team member → Click on the green up arrow ↑ to swap the role under the ACTIONS column.

The screenshot displays a user management interface titled "Members of Archbee Demo Account". It features a search bar for "Email address" and an "Invite Member" button. Below is a table with four columns: "Team member", "Status", "Groups", and "Actions".

Team member	Status	Groups	Actions
Dragos ↗ dragos@archbee.io	Active	Team Members × Administrators × +	↑ ↓
Claudiu Dascalescu ↗ claudiu@archbee.io	Active	Administrators × Super Admin +	
Claudiu ↗ claudiu+10@archbee.io	Active	Team Members × +	↑ ↓
Fortis Team ↗ support@fortis.agency	Active	Administrators × Team Members × +	↑ ↓
Vlad Gireada ↗ vlad@archbee.io	Active	Team Members × Administrators × Client 20 × +	↑ ↓

Once the role is transferred, the action cannot be reverted.

7.3. Subscriptions & Payment

There's a couple of things to know when you decide to purchase a subscription to Archbee.

- Subscriptions are assigned to Organizations, not users. That means:
 - You can have multiple subscriptions at the same time: started and charged at different times;
 - You can be in Organization you do not pay for, others do;
 - You cannot transfer a subscription to another Organization in the user interface, but by contacting our support to do it manually for you;
- We charge your card in advance for each month;
- Users are added automatically to your invoice and our payment gateway (Stripe) will prorate your invoices: for example, if you add a user in the middle of a month, the next invoice you will see a charge for 1 month and a half (this current half of month + the next month);
- You can update your card anytime in the payment section;
- Annual subscriptions are available at 20% discount.

8. **IMPORT & EXPORT**

8.1. Importing OpenAPI / Swagger

Why use OpenAPI import?

If your product is built for developers or your product has an API, you need great product documentation — otherwise, you can't cut through to developers.

Once you import your OpenAPI file, Archbee will read it and convert it to a beautiful UI and make it ready to be:

- **Shared publicly** (on a custom domain)
- **Internally** with your colleagues and teams

Once imported, you can sync, update and test your OpenAPI. See more details in the sections below.

Rules and default settings

Imported OpenAPI files can not be manually modified in Archbee.

To update and maintain your OpenAPI, check our [sync options](#)

Supported OpenAPI versions:

Archbee currently supports the following OpenAPI versions to be imported:

1. Version 2.0 and 2.0.XX
2. Version 3.0 and 3.0.XX
3. Version 3.1 and 3.1.XX

Supported Auth methods

Archbee currently supports the following Auth methods:

1. [Basic Authentication](#)
2. [API Keys](#)
3. [Bearer Authentication](#)

If you import OpenAPI files with other Auth methods, they will import correctly, and the Auth method will be ignored.

This means that you will get the whole Archbee OpenAPI experience, **except** the Try It! feature, if your endpoint requires an Auth that is not in the list above.


Others

1. If you define a "**default**" parameters in your OpenAPI and you give it a value, the code sample and the parameter box will be automatically pre-populated with that value.

This makes it easy for your users or customers to test your API with **Try It!** without having to update all the required parameters.


2. If you define an "**example**" parameter in your OpenAPI, the example value will be displayed on the left side just below the API parameter.

This makes it easy for your users to identify what type of input is needed for that specific parameter.




How does it work?

- 1 Import your OpenAPI file using the **Import Content:**




Or use **Import** option from each space:



Or sync your OpenAPI files directly from your **GitHub** repository.

With Archbee's **GitHub Integration** you can add&sync your openAPI files directly from your repo.

2 Preview and **test** your imported OpenAPI



Preview and test your newly imported OpenAPI with Archbee's [API TRY IT!](#) feature.

3 **Publish** or **share it** with your colleagues or customers!

Publish it to Preview or on a Custom Domain and make it available to your colleagues, teams, or users.

If you would like to protect the content and only share it with a selected few, check out our [Public Access Controls](#) options for published portals.

4 Maintain, sync and configure it:

1. [Sync it manually](#)
2. [Sync automatically via API](#)
3. [Change sample code language](#)

Here's a video of how it works

8.1.1. API Try It!

The **TRY IT!** feature allows you to test your API directly in your browser. It works both on a published doc portal or directly inside the editor.


How to configure

The **Try It!** feature uses the [fetch API](#), so in order for it to work, your API imports need to have the following:


- an absolute path URL to your API (not just a path)
 - add in your .yml file an URL as follows
- servers:
 - url example: `https://petstore3.swagger.io/api/v3` (your actual URL)
- authorization methods will be read from your api file and included in each API page
- CORS disabled or enabled for the documentation domain, so the users can actually test your API

How it works

- 1 Import your API files ([direct import](#) or [github sync](#))
- 2 [Optional] Define **"default"** values in your OpenAPI file. This way, when you import your API all "default" values will be added to the code sample, and you can test your API immediately without the need to manually add values to params.
- 3 Configure the API method with the test params



- 4 After you update the parameters, the code sample on the right(or below, depending on how you set your view) will also update with the test params you added, providing you the code snippet of the request in several languages



- 5 Hit the **Try it!** button and check out the response area, below the sample code

],

Responses


● 200


```
{
  "id": 1234,
  "category": {
    "id": 2,
    "name": "test"
  },
  "name": "Rex",
  "photoUrls": [
    "http://example.com/IMG-7-01-Y
```

8.1.2. OpenAPI Settings

The OpenAPI Settings is the place where you can configure your imported OpenAPI file.

How to get to the OpenAPI Settings

- 1 Go to the Space and click the **3 dots** 
- 2 Now click on **Open API Settings**



General


The General tab of the OpenAPI Settings will allow you to:

- Enable/disable the **API Try It!** feature (by default, this feature is **enabled**)
 - **Show download Open API link**
 - Create **Models Category**
 - Write **API Intro**
-

Sync Manually

The Sync Manually tab allows you to manually update your API file.


You can either add it from your local storage, or you can provide an URL to your file and Archbee will update it.



Sync Through API


The Sync Through API allows you to use our public API to sync the OpenAPI file.

This is a powerful tool since it allows you to integrate it with your **CI/CD and make automatic updates** depending on your dev/deployment process.



Language Examples

From the language change you can change the programming language the code sample is shown in.




Each imported OpenAPI file has either on the right side or below a **code drawer** that contains the sample code of the API request.

By default this sample code is displayed in 4 programming languages:

- **cURL**
- **JS**
- **Python**
- **Ruby**

In the Language Change menu, you can update this settings and this is how:

- 1 Open the **Language Example** tab
- 2 To **add a new language** just select it from the drop-down menu or to **remove a language** just click the "X" button near it;



- 3 Close the menu and check out the updated code drawer & code samples



Curl



Go

Java




```
curl --location --request GET 'https://app  
--header 'Accept: application/json' \
```

8.2. Import documents

If you are not starting from scratch and you already have a knowledge base of sorts, you can import multiple types of documents to start adding content.


How to import your files into Archbee

- 1 Click on the **↑ Import Content** button located on the left-side navigation panel:



Import content button


Alternatively, use the **Import** button from your **Space** menu:



Import button fr

2 Go ahead and pick what type of content you want to upload, and choose between:

- **Markdown** files
- **OpenAPI**
- **Postman**
- **GitBook**
- **ReadMe**
- **Notion**
- **Microsoft Word** (.docx)



Select document type for import

3 Upload your files and you are ready to continue working on your content in Archbee!

NEW STUFF ✨

We are working on adding similar functionality from tools like: Confluence, Quip, Slite, Google Docs, LucidChart, Draw.io, and more.

In the meantime, **we can import your content manually** if needed. **Feel free** to contact us at support@archbee.io or click the **chat head** in the bottom right corner!

Import OpenAPI files

To import OpenAPI files, please refer to the [Importing OpenAPI / Swagger](#) section.

Import GitHub files


If you prefer to add content from a Github repository, please refer to our integration with [GitHub](#) guide.


8.3. Exporting documents

Here, you'll find few ways to export your stuff. Whether you want to save individual documents, or even export an entire space or your entire organization's content, we've got you covered!

Export single document


Our system allows you to export individual documents in Markdown format, or rendered PDF files.

- 1 Go to the Document Options menu 
- 2 Select **Export to Markdown file** or **Export to PDF** options.



Export a Space to Markdown


Go to the space dropdown option menu, near the settings icon and select **Export Space** option.




Export Organisation

We also allow you to export the whole Organisation's content.

- 1 Open your organization menu
- 2 Click on **Organization Settings**



3 Press on **Download** icon on your workspace (only admins can do this).



You (and all admins in your workspace) will receive an email with a link to a .zip file containing everything in your workspace (content + users).



Hi Adrian,

An admin in your team requested an export of your organisation.
Here's the download link, it is available for 7 days.

[Download](#)



Copyright © 2024 AuriLabs, Inc. All rights reserved.

169 Madison Ave #2781 New York, NY 10016, US

support@archbee.com


8.4. Export to PDF

The Export to PDF feature allows to generate a PDF for a Space or Document.

Export a Document to PDF

To export a single Document to PDF you need to:

- 1 Go to the **Document Options** menu (⋮)
- 2 Select **Export > Export to PDF** options



This will generate a PDF with the contents of your document.


Export a Portal to PDF

To export an entire Portal Space as a PDF you need to:

- 1 Go to the Space and click the **Settings** icon (⚙)

2 In the **Appearance** tab, all the way down, you'll find the "**PDF Download button on portals**" toggle.

3 Click on the **PDF Download button on portals** card to enable it.



Now, each time you **publish** a Space, a PDF will be generated with the contents of the documents in that Space.

□

This process will take a **few minutes** to generate the PDF, after which the button will be visible on the published portal.

If you want to see the PDF export for this Space, you can find the download button on the top navigation bar highlighted below.

- User & Dev Guide
- Careers
- Demo
- GitHub Example

GETTING STARTED

Welcome to Archbee 🐝

How to get started

Learn the basics

EDITOR

How to use the Editor

Editor Blocks

Headings

Expandable Headings

Lists

Table

Button

Callout

Horizontal Divider

Vertical Split

Miniloaders

Link Blocks

Docs powered by Archbee

GETTING STARTED

Welcome to Archbee 🐝

2 min



Welcome to the **Archbee Documentation Center**, your go-to resource for all documentation features, setup guides, and lots more.

See why we truly love what we do and how we show it through our platform.

Learn how to use Archbee

Leverage enterprise-wide product expertise, seamlessly integrate your tools, and centralize product documentation, API references, and developer guides — all within a single comprehensive platform.



TABLE OF CONTENTS

Learn how to use Archbee

- Check out our product features
- Start building with our guides
- Integrations, API access, and more
- Need help? 📄
- Archbee changelog



9. INTEGRATIONS

9.1. Webhook-endpoint

```

// Webhook endpoint
app.post('/webhook', (req, res) => {
  const payload = req.body; // Extract the payload
  const receivedSignature = req.headers['x-signature']; // Extract the signature from headers
  const timestamp = req.headers['x-timestamp']; // Extract the timestamp from headers (if present)

  if (!receivedSignature || !timestamp) {
    return res.status(400).send('Missing signature or timestamp');
  }

  // Recreate the string to sign
  const payloadString = JSON.stringify(payload);
  const stringToSign = `${timestamp}.${payloadString}`;

  // Recreate the signature
  const calculatedSignature = crypto
    .createHmac('sha256', signingKey)
    .update(stringToSign)
    .digest('hex');

  // Compare the received signature with the calculated signature
  if (receivedSignature === calculatedSignature) {
    console.log('Signature verified! Decoded payload:', payload);

    // Process the payload (e.g., log it, store it, etc.)
    res.status(200).send('Payload received and verified!');
  } else {
    console.error('Signature mismatch. Potential tampering detected!');
    res.status(403).send('Invalid signature');
  }
});

```

9.2. Archbee integrations: enhance your team's workflow

Archbee offers a wide range of integrations that connect our powerful documentation platform with your favorite tools and services. We aim to help you create a seamless workflow, improve collaboration, and boost your team's productivity.

By integrating our platform with your existing tools, you can create a more streamlined and efficient workspace. With Archbee integrations, you can:

- **Optimize communication**
Connect with communication platforms like Slack, ensuring your team stays updated with the latest documentation changes and discussions.
- **Streamline project management**
Integrate with project management tools like Jira and Trello, enabling your team to track progress and manage tasks effectively.
- **Enhance design collaboration**
Work closely with designers by integrating Archbee with Figma and Lucidchart, making sharing and discussing design assets easier.
- **Automate workflows**
Use Archbee with automation tools like Zapier to create powerful, customized workflows that save time and reduce manual effort.
- And many others. Check the [full list of integrations](#).

As you explore the integrations, you'll find step-by-step instructions, best practices, and examples to help you successfully connect and use each integration.

Start by browsing our integration guides and learn how to supercharge your experience with us today!



See how to set up
[GitHub](#)



See how to set up [Zapier](#)




See how to set up
[Intercom](#)



See how to set up
[Zendesk Federated Search](#)



See how to set up
[Integration to Slack](#)



Read more about [Embed Examples](#)


9.3. GitHub

An alternative to our modern block-based editor with inline comments and markdown shortcuts is to write the content directly in GitHub, and then sync it with Archbee.

For folks that use git as a versioning system and write the content in Github, you can set it up when you add a new **Space** with the GitHub integration.


Integrate GitHub

- 1 In your Archbee account, in the top left corner, click on **Organization settings** > **Configurations** page.




Find GitHub configuration tile

- 2 Click on the **Connect GitHub** button to open the login page and authorize Archbee.




Connect GitHub

- 3 Choose what you want to sync: *All repositories* or *Only select repositories*. After you've made your selection, click **Install**.




Install Ar

- 4 After the setup is done, you will be redirected to the Configurations page and you should see the ✔ connected status.




GitHub "Connected" status

- 5 Now when you create a new Space, you can choose between your repositories from the *Write in GitHub* option.



Write in GitHub

6 After you click **Add Space**, the content from the selected GitHub repository should be synced.



Content from GitHub synced

Next steps

- See how to [Set up the repository](#).
- Auto-sync your [Custom Code](#) from GitHub to Space Settings/Custom Code.
- Add [Code snippets](#) to your GitHub documentation and sync them with Archbee.
- Check out the Markdown syntax for Archbee block in [Use Markdown shortcuts](#).

9.3.1. Set up the repository

Set up the repository

Assuming you've already [completed the integration](#), next step is to set up a repository.

You need to successfully set up and configure your repo so that Archbee can fetch the content in there and set it up nicely on our end.

You can [fork this repository](#).

If the system finds a `.archbee.yaml` file in the root of your repository or other folders (in case you are using multipath) like this [.yaml file](#), then we use that to organize the content.

Pay close attention to the [.yaml file](#) here if you want to configure the folder where the markdown content is rendered from (or a summary document tree hierarchy).

Create .yaml file

Create a `.archbee.yaml` file with the following variable structure:

You must place the file in the root folder of your repository(ies). Make sure that the file stays there as this is your default path for other folders - in case you have multiple folders, you must copy the file to those folders.

How, you ask? Check how to [sync multiple folders](#).

What do all these keys mean?

- `root: ./docs` : this property defines where's the directory containing the docs (can be replaced with `docsPath: ./docs`)
- `structure:`
 - `summary: summary.md` : reconstructs the document tree in the left navigation panel in Archbee. If there is none, we consider the folders to be the categories and mimic the file structure inside.

- `assets: assets` : the assets folder is relative to `docsPath` . Archbee will upload all files found in that folder (code files and images).
- `shadowDocs` : you need to define the code files/folders to be included as *Shadow docs*
- `publishSpace` : boolean, set to `true` if you want to publish the space to production portal after each commit

Example of an `archbee.yaml` config file:

```
root: doc-api
structure:
  summary: summary.md
  assets: assets
publishSpace: true
headerIncludes: |
<script>
document.getElementById("demo").innerHTML = "Hello JavaScript!";
</script>
```

Example of an `archbee.json` config file:

```
{
  "root": "docfolderwithsummary",
  "structure": {
    "summary": "summary.md",
    "assets": ".archbee/assets"
  },
  "customJS": "",
  "customCSS": "* \n { font-family: \"Comic Sans MS\", cursive, sans-serif; }",
  "footerTemplate": "",
  "headerIncludes": ""
}
```

Create summary.md file

We also recommend that you create a `summary.md` file. The `summary.md` reconstructs the document tree in the left navigation panel in Archbee. And it can help you organize your content nicely.

See an example of a `summary.md` file below:

```
- [Introduction](1.md)

## Table of contents

- [Init](init.md)
- [Configure App](config.md)
- [Config Database](config-database.md)
- [Config Redis](config-redis.md)
- [Config Elastic Search](config-es.md)
- [Swagger](swagger-v2.json)
```

Use Markdown syntax with GitHub

Some content blocks can be rendered if you are using specific syntax.


Check the [Editor Markdown shortcuts](#) to use these shortcuts.

Add multiple repositories

Follow these simple steps to add multiple repositories and sync them with Archbee:


- 1 Go to your [GitHub](#) account connected with Archbee, and then navigate to the **Settings** page.

On the left sidebar, look for **Applications**.



GitHub applications page

- 2 Click the **Configure** button and when the new page opens, provide access to:
 1. *All repositories* (this means that you can select any repo from your Archbee account)
 2. *Only select repositories* (select any new repository you want to sync with Archbee)
 3. Click Save



Select repositories

- 3 Go back to your Archbee account.

From the left navigation panel, create a new **Space** → choose **Write in GitHub** and select the newly added repositories.

Import Open Api files

You can actually import Open Api files via GitHub. This feature works exactly like [Importing OpenAPI / Swagger](#) feature, including its settings. There are 2 important things to set up:

- paths to Open Api files (.json, .yaml, .yml) to be written in `summary.md` config file
- settings to be written in main config file under `docTreeOptions` :

```
docsPath: ./myapp-docs
structure:
  summary: toc.md
  assets: assets
  docTreeOptions:
    openApiTryIt: false
    showDownloadOpenApiFile: true
    shouldCreateSchemaCategory: true
    shouldCreateIntro: true
    openApiLanguageExamples:
      - value: python
        label: py
      - value: javascript
        label: js
  footerTemplate: ""
  headerIncludes: ""
```

9.3.2. GitHub 2-way sync

Overview

GitHub's 2-way sync feature allows for a bidirectional synchronization between GitHub repositories and Archbee. Unlike a traditional one-way sync, which only updates changes from a source to destination (Github to Archbee), 2-way sync ensures that changes made in both GitHub and Archbee are reflected on each platform.

Even though this is a 2-way sync system, we still consider GitHub as the absolute source of truth. We will open a PR, and whether you merge that request is up to you. Note that if you do merge it, the documents in Archbee will get updated.

Whether you're a developer, project manager, or collaborator, this feature allows you to seamlessly synchronize your GitHub repositories with Archbee, ensuring consistency across your workflows.


Get started ▢

To enable the 2-way sync on your Archbee account, follow these steps:

1. **Integrate with Github**
2. After the setup is done, you will be redirected to the Configurations page, and you should see the `GitHub is connected` status.


Create a new space and write in GitHub

When you create a new Space, you can select a repository from the **Write in GitHub** option.




Write in GitHub

Select your Git repository and the branch you want to import and click **Add Space** at the bottom of the modal:



Select GitHub repo


Once completed, you should receive a notification that your GitHub content has been imported.



Successful GitHub import


Edit in GitHub ▢

- 1 In the Archbee Editor, click on the **Edit in GitHub** button and you will be redirected to your GitHub account.




Edit in GitHub button

- 2 Make your edits.
- 3 Click on **Commit changes** when ready.



Commit changes button


- 4 Go back to Archbee. After you receive the notification in the lower right corner, the content should update in real-time.



Updating content notification


Create a PR

- 1 In the Archbee editor, click on the **Edit** button and the review system will be activated for your space.




Edit button

- 2 Write/replace your content in Draft mode.
- 3 Once you've completed this, go to **Publish Space** in the top right corner. Select **Push to Github Pull Request**, and then **Review & Push to Github PRs** to review.




Review&Push to GitHub PR button

- 4 Review your changes and if it's all good, hit the **Push to GitHub PR** button.




Push to GitHub PR button

- 5 Use the **Push to GitHub Pull Request** button to open the pull request in your GitHub repository:




Push to GitHub PR link

- 6 Review the changes in the GitHub repository.
- 7 Click on **Merge Pull request** → Confirm Merge.



Merge pull request button

- 8 Go back to Archbee. Content will be updated in GitHub as soon as you receive this successful notification:




Content updated successful notification

Select GitHub branch □

To initiate the sync process, you need to select the specific branch in your GitHub repository that Archbee will monitor for changes. Subsequently, you need to open pull requests in this designated branch to trigger the sync mechanism.

If that doesn't work automatically, you can force sync by navigating to **Space settings** > **GitHub integration** > click the **Sync with repo** button.



Select GitHub branch

9.3.3. Sync multiple GitHub folders

If you have multiple folders in your repo that you use for your docs, now you can sync them all with Archbee.

Reminder on how to integrate Archbee and GitHub:

In case you need to jog your memory on how to [integrate the two](#), here's a full guide on that.

Up until now, you could only use the `.archbee.yaml` file in a single folder and for a single docs project. Now, you can do so with multiple folders.

If Archbee finds a `.archbee.yaml` file in the repository's root or any other folder, we use that to organize the content. It's the same file in all folders where you have docs stored.

Here's an example of how to set up and configure your Git repo so that Archbee can fetch the content in there and set it up nicely into our software > [Archbee git repo](#)

Set up the repo

Refer to our abovementioned Archbee repo.

If the system finds a `.archbee.yaml` file in the root of the repo like [this one](#), then we use that to organize the content. If not, we'll just set some defaults.


Create .yaml file for multiple folders

Create a `.archbee.yaml` file with the following variable structure.

You must place the file in the root folder of your repository(ies). Make sure that the file stays there as this is your default path for all other folders.

- `root: ./docs` property defines where's the directory containing the docs (can be replaced with `docsPath: ./docs`)

- `structure:`
 - `summary: summary.md` reconstructs the document tree in the left navigation panel in Archbee. If there is none, we consider the folders to be the categories and mimic the file structure inside.
 - `assets: assets` the assets folder is relative to docsPath. Archbee will upload all files found from that folder.
- `#` This will include all code files from your repo
- `shadowDocs` define the code files/folders to be included as Shadow Docs
- `publishSpace` boolean, set `true` to publish the space to production portal after each commit




Below is an example of an `archbee.yaml` config file with the **default** path(folder).

```
root: ./docs
structure:
  summary: summary.md
  assets: assets
publishSpace: true
headerIncludes: |
  <script>
  document.getElementById("demo").innerHTML = "Hello JavaScript!";
  </script>
```

Example of `archbee.yaml` config file with **subpaths**:

```
root: folderx
structure:
  summary: summary.md
  assets: assets
publishSpace: true
headerIncludes: |
  <script>
  document.getElementById("demo").innerHTML = "Hello JavaScript!";
  </script>
```

Once you're done, go back to Archbee and check if you're able to select multiple folders in the drop-down menu:



Select GitHub repo

We also recommend that you create a `summary.md` file. This file reconstructs the document tree in the left navigation panel in Archbee. And it can help you organise your content nicely.

See an example of a `summary.md` file below:

```
- [Introduction](1.md)


## Table of contents

- [Init](init.md)
- [Configure App](config.md)
- [Config Database](config-database.md)
- [Config Redis](config-redis.md)
- [Config Elastic Search](config-es.md)
- [Swagger](swagger-v2.json)
```

Sync in Archbee

When you create a new space, select your repo, changes are automatically synced in Archbee.

If that doesn't work automatically, you can force sync by navigating to **Space settings** > **GitHub integration** > click the **Sync with repo** button.



Sync with repo

9.3.4. Code base as Shadow docs

What is Code Base as Shadow Docs

When you sync a GitHub repo to a Space in Archbee, you have the possibility of importing your Code base into that Space as Shadow Docs. Visit [Shadow docs](#) to learn more.

This means that our [AI system](#) will index all the Code you configured to be synched and will train the [Ask AI assistant](#) with the provided code base.

Every document added to the Shadow Docs folder will **not be visible** on your published portal, neither for your customers or for your internal users. The code provided via Shadow Docs will just be there to train your AI and be able to answer questions about your code for your users.

How can I use it?

Here are 2 of the most common use cases:

1. Sync your app code base to an Archbee Space. Publish an internal(protected, not public) portal for your tech& non-tech teams. This portal, powered by our AI, will now be able to answer questions and even suggest how to perform different improvements, integrations, optimizations, etc. based on your code-base.
2. Sync your app code base to an Archbee Space. Publish a public portal for your users. Here your users will be able to get direct answers on how to use your App, APIs, SDK, Libraries, etc

How to configure

1 First you need to configure the GitHub integration [as explained here](#).

Then you need to [setup the repository](#)

2 In the archbee.yaml file you need to configure the `shadowDocs` parameter with the path of your code base that you want to sync with Archbee.

```
# This will include all code files from your repo
```

```
shadowDocs:
```

```
- "*"
```

```
# This will include only the index.ts code file
```


```
shadowDocs:
```

```
- "init/index.ts"
```

```
# To also include documentation files from docs folder
```

```
root: docs
```

3 This is how it will look after import



4 Make sure you have your **AI Addon** enabled in Organisation Settings

Sum-up

- All code files sync through Shadow Docs will not be made public at any time
- The whole purpose is to provide context to our AI so it can answer technical questions and make technical suggestions to your internal or public users


9.3.5. Custom code & code snippets with GitHub

Integration with GitHub allows you to sync the **Custom Code**: **customCSS**, **customJS**, **footerTemplate**, **headerTemplate**, directly from the GitHub repository. These variables can be raw text or link to a file from the `root` folder.

You just need to define the `archbee.json` file in your repo and add your custom code or custom CSS, like in this example:

```
{
  "root": "docfolderwithsummary",
  "structure": {
    "summary": "summary.md",
    "assets": ".archbee/assets"
  },
  "customJS": "custom.js",
  "customCSS": "* \n { font-family: \"Comic Sans MS\", cursive, sans-serif; }",
  "footerTemplate": "",
  "headerIncludes": ""
}
```

If you push the code to GitHub, Archbee will read the configuration from the `archbee.json` file and automatically update the **Space Settings** → **Custom Code** section with your new code.



Custom code in Space settings

Code snippets

You can add code snippets in your GitHub repo, you just need to configure them in the `config.md` file.

The `config.md` file must be placed in the same folder as the `summary.md` file.

Below is an example of a `config.md` file:

```
## use a file relative to docsPath folder
::use{file="swagger-v2.json#L2"}

## relative path to repo structure
::use{file="/app/package.json#L1-L5"}

## relative path to docsPath folder
::use{file="../app/package.json#L1-L5"}

## one single line
::use{file="../app/package.json#L5"}

## specify syntax, from and to parameters explicitly
::use{file="swagger-v2.json" from="L6" to="L10" syntax="javascript"}
```

Example

Assuming that you have the below `package.json` file (from the above example):

```
5  "main": "src/main.js",
6  "scripts": {
7    "test": "echo \"Error: no test specified\" & exit 1",
8    "runall": "mocha -u tdd -/*test.js",
9    "start": "src/main.js"
10 },
11 "author": ""
12 "license": "ISC",
13 "dependencies": {
14   "axios": "^0.21.1",
15   "chai": "^4.3.4",
16   "crypto-js": "^4.0.0",
17   "delay": "5.0.0",
```

Code snippet example

And also the `config.md` file:

```
## specify syntax, from and to parameters explicitly
```


```
::use{file="swagger-v2.json" from="90" to="127" syntax="javascript"}
```

You will see the following in the Archbee doc after the import:


```
"post": {
  "tags": ["pet"],
  "summary": "Add a new pet to the store",
  "description": "",
  "operationId": "addPet",
  "consumes": ["application/json", "application/xml"],
  "produces": ["application/json", "application/xml"],
  "parameters": [
    {
      "in": "body",
      "name": "body",
      "description": "Pet object that needs to be added to the store",
      "required": true,
      "schema": {
        "$ref": "#/definitions/Pet"
      }
    }
  ],
  "responses": {
    "200": {
      "description": "Success!"
    },
    "405": {
      "description": "Invalid input"
    }
  },
  "security": [
    {
      "api_key": []
    },
    {
      "petstore_auth": ["write:pets", "read:pets"]
    }
  ]
},
```

9.4. Zapier


Create a new Archbee Zap and select an event




Click "Connect a new account" or select an existing account




Zapier will open a pop-up where you will need to add `apiKey` and `docSpaceId`



To get an `apiKey`, you need to go to Archbee, select your docSpace, click settings, select api keys tab and click **Generate api key**.




To get a `docSpaceId` you can go to document info and copy doc space id







Now you can go back to zapier, to Archbee Zap and add a Zap action, in this example I will use Slack, to send a channel message.



Now click and select Archbee doc fields what you would like to add to your slack message notification



Now each time a document is added in Archbee, I will receive a Slack notification from Zapier in the selected Slack channel. One last step, in your case, do not forget to publish the Archbee Zap.





Zapier APP 2:14 PM

New document triggered LrJjYZ4rZge7HlbcSwuo tttt noice (cloned)

Sent via zapier.com/app/editor/181159602#slack



Zapier APP 2:31 PM

New document triggered HDDxCxAgKyvxPL31Y0uX7

Sent via zapier.com/app/editor/181159602#slack

9.5. Intercom

Archbee offers an Intercom integration. With the Intercom integration, you are able to search your public docs published with Archbee directly from an Intercom widget.

In a nutshell, any Intercom user that interacts with customers will have the ability to quickly search through the Archbee public doc portal/knowledge base and send a relevant article to your customer in just a few clicks.

How it works


First, you need to integrate Intercom with Archbee (see [below](#) how to do it)

After the successful integration and configuration, the Archbee app will allow you to:


1. Search the content of your published Archbee docs portal/knowledge base and send your customer an article directly inside the Intercom chat
2. Send your customer a Search box so he can search topics of interests from your Archbee docs portal/knowledge base directly inside the Intercom chat

How to configure Intercom integration


- 1 Go to the [Integrations](#) page and click the Connect Intercom button




- 2 Authorise access for Archbee - Intercom integration



And if everything goes OK, you should see in the [integrations](#) page that Intercom is connected




3 Go to Intercom App Store and search for Archbee App



Check if the Archbee App is already installed (it should be installed by default after step 1 and step 2):


1. Click the Archbee app
2. A popup will open with Archbee app details - check on the lower right side for the Install/Uninstall button




4 Now that you have the Archbee Search app installed, there are 2 ways to access it from your Intercom **Inbox** view

Archbee from the chat bar

1. Open **Shortcuts** menu and select **Use Archbee** from the list




2. Search by keywords and share the results with your customer by clicking the **Add to Chat** button




Access Archbee from the right panel

1. Open **Edit Apps** on the bottom right and **PIN** Archbee to your bar




2. Open the newly added Archbee App, type your keywords and hit Search button




3. Click on any of the results to open them in a new tab and verify before you

3. Click on any of the results to open send them in a new tab and verify before you send

5 This is how the articles you send will look like to your customer



6 With the Archbee Search App you can also send blank search boxes and the user can search by himself directly in the Intercom app




9.6. Zendesk Federated Search

1. Create an API key for Archbee Integration

Go to your Zendesk admin control panel

<https://{zendeskSubdomain}.zendesk.com/admin/apps-integrations/targets/targets> and add an API key for Zendesk - Archbee integration.




Zendesk API key - Archbee integration

2. Archbee Zendesk integration

Go to your Archbee Account > [Integrations](#) <https://app.archbee.com/settings/team-integrations>


Scroll to Zendesk Integration and fill the form.



Archbee Zendesk Integration

3. Sync Archbee Space with Zendesk


Go to a space that is or will published and activate Zendesk sync.




After space publish, go Zendesk Help

Center `https://{zendeskSubdomain}.zendesk.com/hc/admin/general_settings` and


activate Search Settings:



Click **Manage** from Search Sources



Click **Add Search Sources**



And activate your **Archbee Docs External content**.

If an Archbee Space Zend Federated Sync Status is disabled, after space publish, Archbee will automatically unpublish Zendesk Source.

4. Using Zendesk Help Center Search

And now you can go to your Zendesk HelpCenter Domain and use zend desk Search:

https://{zendeskSubdomain}.zendesk.com/hc/en_us

Archbee > Search results

pet

Type

All types (10)

document (10)

10 results for "pet"

Deletes a pet

Archbee Docs Main

Yesterday at 17:34

--location -g --request DELETE 'https://petstore.swagger.io/v2/pet/{petId}' || --header 'Accept: application/json' || --header

Update an existing pet

Archbee Docs Main

Yesterday at 17:34

--location --request PUT 'https://petstore.swagger.io/v2/pet' || --header 'Accept: application/json' || --data-raw '{

Finds Pets by status

Archbee Docs Main

Yesterday at 17:34

--location --request GET 'https://petstore.swagger.io/v2/pet/findByStatus?status=array' || --header 'Accept: application/json'

Finds Pets by tags

Archbee Docs Main

Yesterday at 17:34


--location --request GET 'https://petstore.swagger.io/v2/pet/findByTags?tags=array' || --header 'Accept: application/json'

9.7. Integration to Slack

Install our integration for Slack to get notified of your team's activity, and get your questions answered easily using commands.

1. Installing integration to Slack in Archbee

At this step you have installed Archbee App in Slack (2.) but you didn't connect your account in Archbee:




Here is what you can do:

1. Create your Archbee account here [Signup](#);
2. Invite teammates here [Teams](#);
3. On the [Integrations](#) page, click on **Connect Slack Account**;
4. Click Authorize. Now Archbee is integrated to Slack!

2. Add Archbee Slack App


1. Go to Slack app directory and Search Archbee App - <https://slack.com/apps/search?q=archbee>
2. Go to Slack Archbee App and click **Add to Slack**



3. Click Authorize. Now Slack is integrated to Archbee!

3. Test integration

1. Go to any slack channel and type `/archbee help` command and you will receive following message from Archbee Bot.




`/archbee [keywords]`
We will search deep within Archbee documents for your keywords.

`/archbee ai [question]`
Our Generative AI will answer your question based on the knowledge in your Archbee documents.

`/archbee subscribe`
We will send team events from within Archbee on the current channel.
You need to invite the Archbee Bot to your channel to be able to receive team events.
(ex: `/invite @Archbee`)

`/archbee unsubscribe`
We will stop sending team events from within Archbee.

2. By default Archbee Bot will post events in Archbee Bot Messages TAB



But if you want to change a slack channel you can use in the selected channel `/archbee subscribe` or `/archbee unsubscribe`

You need to invite the Archbee Bot to your subscribed slack channel to receive events. (ex: `/invite @Archbee`)

How it works?


In the Slack channel you will get a feed with the following team events:

- invited new members
- when a document is shared via a Public Link
- a document is moved between Spaces or archived
- when a Space is made public.

You can also use the `/archbee` command to run a deep search on your Organization documents directly from Slack.

An example: `/archbee integrations`

Now you will receive a list of documents you can open directly from Slack.



If you configured the integration between Archbee and Open AI:



✓ OpenAI is is connected

You can also use the `/archbee ai` or `/archbee ask` command to run a ML search on your Organization documents directly from Slack.

An example: `/archbee ask What is Docker?` or `/archbee ask What is Archbee?`



Archbee APP 3:28 PM

Here's what we found 😊

Docker is a platform that enables developers to easily package and distribute their applications and their dependencies as lightweight, portable containers. These containers are designed to run consistently across different environments, making it easier to deploy and scale applications quickly and reliably.

9.8. Embed Examples

Enhance Your Documentation with Rich Content

Archbee offers a powerful suite of embed integrations that allow you to seamlessly incorporate content from various tools and platforms directly into your documents.

These integrations enable you to create richer, more dynamic documentation that enhances collaboration and communication within your team.

How Embed Integrations Work

Embed integrations work by allowing you to insert content from external tools directly into your Archbee documents. To use an embed integration, you simply need to paste the embed link or code provided by the external tool into your Archbee document. Archbee will then automatically display the content within the document, making it easily accessible and interactive for your team members.

Embed Integrations

Here are some popular software tools that you can embed into your Archbee documents:

G-Suite (Sheets / Docs / Slides)

Discover how G-Suite embeds in Archbee enhance collaboration with Google Docs, Sheets, and Slides, enabling seamless real-time editing and productivity boosts.

Airtable

Discover how Airtable enhances data management and collaboration in Archbee, allowing users to create relational databases for efficient organization and sharing.

Loom

Discover how Loom's integrated video messaging in Archbee enhances communication with shareable videos, allowing users to create engaging presentations effortlessly.

Figma

Discover how Figma enhances UI design and collaboration with Archbee, enabling effective wireframing, prototyping, and client documentation integration for improved workflows.

Miro

Discover how Miro, a digital whiteboard, enhances collaboration and productivity in Archbee documentation with integrated video calls, templates, and remote workshops.

Typeform

Discover how to integrate Typeform into Archbee for creating engaging surveys, enabling architects to efficiently gather feedback and enhance collaboration.

Trello

Discover how Trello, a visual project management tool, integrates with Archbee for seamless task management, enhancing team

Codepen

Discover how CodePen, integrated with Archbee, enhances coding efficiency by allowing real-time edits to HTML, CSS, and JS, perfect

Mode Analytics

Discover Mode Analytics, a user-friendly web platform for data visualization and reporting, perfect for collaboration with Archbee,

collaboration and efficiency
in one platform.

Github Gist

Explore how GitHub enhances developer collaboration with Archbee, featuring Gists for easy sharing of code snippets and improved team communication.

for style guides and
educational use.

Lucidchart


Discover LucideChart, the ultimate diagramming tool for Archbee that enhances collaboration with real-time editing, intuitive design, and seamless integration for effective workflows.

enhancing documentation
with interactive visuals.

Jira

Enhance collaboration and productivity with Archbee's Jira integration, enabling seamless embedding of Jira issues into documentation for improved project tracking and visibility.

9.8.1. G-Suite (Sheets / Docs / Slides)



What is Google Suite?

G-Suite embeds helps the clients to have integrated docs within the documentation page.

It is an important embed, as they can also collaborate and make changes on the docs directly from the embed on Archbee, without the need to get on multiple tabs.

Google Sheets

Is an online spreadsheet app that lets you create and format spreadsheets and work with other people.

You can add, edit, or format text, numbers, or formulas in a spreadsheet and you can also share files and folders with people and choose whether they can view, edit, or comment on them.

Google Docs

Is a free Web-based application in which documents and spreadsheets can be created, edited and stored online. Files can be accessed from any computer with an Internet connection and a full-featured Web browser.


Users of Google Docs can import, create, edit and update documents and spreadsheets in various fonts and file formats, combining text with formulas, lists, tables and images.

Google Slides


Is a free presentation web application. It includes nearly all the capabilities of a traditional presentation program, such as Microsoft PowerPoint.

Google Slides offers the benefit of cloud storage. Google Slides features include: the ability to insert images, formatted text, animations, other media; the use of a variety of templates; the ability to edit transitions between slides; collaborative editing for sharing between computers, devices and other users.

G-Suites embed example



9.8.2. Airtable



What is Airtable?

Airtable is a user-friendly online platform designed for the creation and sharing of relational databases. By integrating **Airtable** with **Archbee**, you can leverage its ease of use to enhance your data management and collaboration efforts.

You can store, organize, and collaborate on information about anything—like employee directories, product inventories, and even apartment hunting.

Basic components of Airtable

- **Bases**

Single databases with all the information you need for your project. Your base might be called "Employee Directory" or "New Car Shopping." (Ours is called "Editorial Calendar and Resources.") A base contains all the data you need for one project.

- **Tables**

Used to hold a list of data about one particular type of item. Each base can have one or more tables, similar to worksheets in a spreadsheet. In the Employee Directory base, each table hosts a particular type of information, like name, birthdate, and department.

- **Fields**

The equivalent of spreadsheet columns, though fields are designed to bring consistency to your data. Each field has a name and can be customized to hold a wide

variety of content, like photos, attachments, phone numbers, dates, checkboxes, and more.

- **Records**

The database equivalent of spreadsheet rows and cells. Each record is an item in your list. In a table of employees, each record is a different employee, with data in each field to detail their name, department, address, and more.


- **Views**

A different lens through which you can see the same underlying table data. These customized views can be useful when you only want to see records fitting certain criteria—perhaps to see all employees in the engineering department.

Use Cases


A client can embed an Airtable URL on Archbee, in order to have an overview of the Airtable component that are relevant to their documentation.

Here is an example of how we integrate with Airtable and how the Airtable embed looks on public docs:





9.8.3. Loom



What is Loom?


Loom is an effective video messaging tool that enhances communication in Archbee by enabling users to create instantly shareable videos.


You can easily record your camera, microphone, and desktop simultaneously, ensuring clear and engaging presentations. Leverage Loom to improve content delivery and collaboration within Archbee.

By inserting the Loom URL in the Archbee embed, the recording will be rendered on the Archbee page.


Use cases

Loom embeds help the clients bring their own demos, how-to or onboarding videos, etc., that they can share with the users.





9.8.4. Figma



What is Figma?

Figma is a powerful web-based graphics editing and user interface design tool that integrates seamlessly with Archbee. It enhances your workflow by allowing you to create wireframes, design mobile app interfaces, and prototype solutions collaboratively. This integration streamlines communication and optimizes project outcomes.

At its core, Figma is a tool made for user interface design and prototyping. Before moving forward, it's best that you get a basic understanding of UI design. It'll help you make the most of the free app.


Use cases

1. Clients could use Figma embed, to reinforce their documentation
2. Figma embed could also be used as an user guide with multiple steps, along with documentation, and the client can make multiple embeds, to cover all the steps they need





9.8.5. Miro



What is Miro?

Miro is a digital whiteboard that improves collaboration. When used within Archbee documentation, Miro makes it easy to create notes and designs, rearrange items, and communicate effectively through embedded video calls and online chats.

This integration helps teams work better together and enhances overall productivity.


The tool also comes with a series of pre-built templates that can inspire or serve as a starting place for your own project work. We like to use the online whiteboarding tool and applying Miro when leading real-time remote design thinking workshops.

What can Miro be used for?


- Creating a list of ideas or topics to focus on for an important project
- Developing a user story or customer journey map
- Wireframing a new product concept or idea
- Laying out a roadmap or strategy for an innovation workshop or program
- Running a more engaging or innovative meeting for your team in an agile culture

Use Cases

Miro embed can be used by the clients, to bring visual aspects to the documentation they have, without the need to import an image.



9.8.6. Typeform



What is Typeform?

Typeform is a powerful tool for creating engaging forms, and its integration into Archbee as an embedded block offers several benefits. Architects can easily gather feedback through interactive surveys, making it simple for users to respond.


This streamlined process enhances collaboration and improves project insights, ensuring that valuable input is readily available for informed decision-making.


Use cases

1. Typeform can be embedded within Archbee, to create an interaction or an action needed from the docs consumers;
2. Typeform embed can serve as a feedback tool for the clients documentatio;


Typeform example

Below is an exemple of a Typeform embed:





9.8.7. Trello



What is Trello?


Trello is a valuable collaboration tool that enhances project management by organizing tasks into visual boards. With Trello, you can quickly see project status, team responsibilities, and task progress, which boosts teamwork and efficiency. When integrated with Archbee, it further streamlines documentation and project tracking, making your workflow even smoother.


Imagine a white board, filled with lists of sticky notes, with each note as a task for you and your team. Now imagine that each of those sticky notes has photos, attachments from other data sources like BitBucket or Salesforce, documents, and a place to comment and collaborate with your teammates.

Use Cases


Trello can be embedded on Archbee, to have an in-page To-Do list, in order for the writers to keep up with their tasks and if needed add new steps.

This enables users to collaborate in page, without the need to use multiple tabs or communication apps.





9.8.8. Codepen



What is CodePen?

CodePen enables users to easily edit **HTML**, **CSS**, and **JavaScript** in **their browser**, and with **Archbee**, this process is even more streamlined, requiring no software installation. This integration enhances development efficiency and convenience.


The best part is that results can be seen in real-time, allowing for quicker debugging. Developers and designers can also create and share code snippets (called pens) with the rest of the world.

What is CodePen used for?

- 1. Style-Guide your project** - you can always use CodePen's online code editor to create the style for your project components. This way, you can ensure yours are not influenced by code intended to style other components. You can think of it as a blank canvas.
- 2. Learn a new framework or library** - You don't need to set up a new environment every time you want to see if your changes work. The editor view simultaneously shows the three editing areas and the preview, updating the final results every time something changes.

Use cases

1. A client can embed an Codepen URL on Archbee, in order to bring an example, that reinforces his documentation
2. Codepen embed can be used as a user guide, if it is a standard use in the customer's organisation



9.8.9. Mode Analytics



What is Mode Analytics?

Mode Analytics is a user-friendly, web-based analytics platform that excels in data visualization and reporting, making it an excellent tool when integrated with Archbee. Its intuitive design and strong collaboration features enhance teamwork and drive better decision-making.

Mode provides a robust reporting and analytics environment for teams to consume data via intuitive visualizations and reports.

What Can Mode Analytics do?


- Provides easy analytics collaboration capabilities and external sharing options
- Helps produce compelling reports, dashboards, and visualizations
- Mode analytics SQL is supported, but no SQL knowledge required
- Self-service, easy to set up and use to explore data across the entire organization
- Combines powerful SQL, Python, and reporting capabilities
- Connects to your “source of truth” data from 15+ major databases, including Amazon Athena, Amazon Redshift, and Google BigQuery
- Provides a wide range of learning resources

Use Cases

1. If a client is using Mode Analytics, he can embed it with Archbee, and add a visual aspect on the documentation he is using
2. The Mode Analytics embed, can also be used, to creat how-to's and guidelines on how to use it, for documentation consumers

It is important to mention that Mode creates interactive embeds. This helps for a better UX/UI.

9.8.10. Github Gist




What is GitHub and Github Gist?

GitHub is a widely used source code hosting platform that enhances collaboration among developers, and when integrated with Archbee, it further streamlines coding projects.

With its various features, GitHub fosters efficient communication and coordination, making teamwork more effective.

Gists are one feature of GitHub, which defines them as "a simple way to share snippets and pastes with others. Gists serve a wide variety of uses, from saving snippets of code, to creating reusable components for web pages.

Here is an exemple of Github Gist embed :



9.8.11. Lucidchart



What is Lucidechart?

LucideChart is a powerful diagramming tool that enhances collaboration and visualization for teams and individuals within Archbee.

Users can easily create various diagrams, such as flowcharts and org charts. By using LucideChart, teams can improve workflows, boost creativity, and have clearer discussions on complex ideas.

Benefits of Using LucideChart

LucideChart is a powerful diagramming tool designed to enhance collaboration and streamline the creation of professional diagrams. Below are key features that highlight its benefits:

- **Enhanced Collaboration:**
Allows multiple users to work simultaneously, boosting real-time collaboration and encouraging team input for more comprehensive diagrams.
- **User-Friendly Interface:**
Intuitive drag-and-drop design simplifies diagram creation for all skill levels, supported by an extensive library of shapes and templates.
- **Integration with Archbee:**
Seamlessly embeds diagrams within Archbee documentation, improving readability and aesthetics while making complex information more accessible.

1. Enhanced Collaboration

LucideChart allows multiple users to work on a document simultaneously, facilitating real-time collaboration. This feature not only speeds up the design process but also encourages input from team members, leading to more robust and comprehensive diagrams.

2. User-Friendly Interface

With an intuitive drag-and-drop interface, LucideChart makes it easy for users of all skill levels to create professional-looking diagrams. The extensive library of shapes and templates further simplifies the creation process.

3. Integration with Archbee

LucideChart seamlessly integrates with Archbee, enabling users to embed diagrams directly within their documentation. This integration enhances the readability and aesthetics of Archbee documents, making complex information more accessible and engaging.

Use Cases

LucideChart is an essential tool for professionals across various fields, enabling the creation of visual representations that enhance clarity and collaboration. Its versatile capabilities cater to multiple use cases:

- **Software Development:**
 - Create UML diagrams and architecture visuals for clear system representation.
 - Enhance communication among teams and stakeholders.
- **Project Management:**
 - Design Gantt charts and workflow diagrams for effective planning and monitoring.
 - Visualize project timelines and task dependencies to streamline workflows.
- **Business Strategy:**
 - Develop organizational charts and marketing funnels for strategic planning.
 - Improve decision-making and performance tracking across initiatives.

Here is a live example:




Sorry!


Our servers experienced an error. We apologize for the inconvenience.

Flow ID: 428f1e840bc22fdb
Time: 2026-05-25T12:03:15.957Z

 [Copy to clipboard](#)



9.8.12. Jira



What is Jira?

Integrate Jira issues directly into your pages for Archbee, allowing for clear visibility of essential information right where you need it.

This integration enhances project tracking, improves collaboration among team members, and ensures that all stakeholders remain aligned on project progress, ultimately leading to increased productivity and more effective decision-making.

To use Jira embeds, you need to be integrated with your Jira account. Use the following steps for integration:

- 1 Go to your **Profile** section in the Archbee account
- 2 Configurations → Connect Jira Account
- 3 Fill up your Jira credentials

Simply paste your Jira ticket into the Archbee editor, and it will be automatically formatted like this:

◆ AT-1: Testing Project


We do not render Jira Iframes or Forms in Archbee editor

9.9. SAML Integration

Setting up the SAML integration involves configuring your identity provider's settings and copying the necessary information to Archbee.


Once set up, your team members can log in or register via the SAML login URL, which can be shared with them.

With SAML integration, you can centralize and simplify authentication, ensuring a seamless and secure user experience for your team.





9.9.1. Google Setup

1. Add a custom SAML app



2. Copy Google app config → Archbee settings

Google Entity id must be copied to Archbee Issuer field



3. Copy Archbee Settings → Google app config

SAML app configuration

Callback URL [Copy Callback URL](#)
Can be found in identity provider settings as "Assertion consumer URL"

Archbee Entity Id [Copy Archbee Entity Id](#)
Can be found in identity provider settings as "App Entity Id"

Service provider details

Settings

SSO configuration
 ACS URL and entity ID are required

ACS URL

Entity ID

Start URL

Signed response

Certificate
 Select a certificate for this app

Certificate [Manage certificates](#)

Name ID
 Defines the naming formats supported by the identity provider. [Learn more](#)

Name ID format

EMAIL

Name ID

Basic Information > Primary email

4. Login using saml

You can click on "SAML Login Url" button and see if it works. Share login url with your team members to login/register via SAML.

Test configuration

Login URL [Copy Login URL](#)
Use following login url

Test login URL [SAML Login Url](#)

9.9.2. Azure setup

Create an app in Azure

Create an app in Azure and set Archbee Callback URL

Register an application

*** Name**
The user-facing display name for this application (this can be changed later).

Supported account types
Who can use this application or access this API?

Accounts in this organizational directory only (Default Directory only - Single tenant)

Accounts in any organizational directory (Any Azure AD directory - Multitenant)

Accounts in any organizational directory (Any Azure AD directory - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)

Personal Microsoft accounts only

[Help me choose...](#)

Redirect URI (optional)
We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.

Web

Register an app you're working on here. Integrate gallery apps and other apps from outside your organization by adding from [Enterprise applications](#).

[By proceeding, you agree to the Microsoft Platform Policies](#)

Register

Azure config → Archbee settings

1 Sign on URL

Copy SAML-P sign-on endpoint to Archbee Sign on URL

2 Issuer Id

Open in a browser: Endpoints >> Federation metadata document url

Copy entityID to issuer ID



```
This XML file does not appear to have any style information associated with it. The document tree is shown below.
<EntityDescriptor xmlns="urn:oasis:names:tc:SAML:2.0:metadata" ID="_6cf94f84-4cb6-47c0-83b6-5992e1fffedf" entityID="https://sts.windows.net/84d[redacted]6/">
  <Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
    <SignedInfo>
      <CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
      <SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256" />
      <Reference URI="#_6cf94f84-4cb6-47c0-83b6-5992e1fffedf">
        <Transform Algorithm="http://www.w3.org/2000/09/xmldsig-envelope-signature" />
        <Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
        </Transforms>
        <SignatureValue>http://www.w3.org/2001/04/xmlenc#sha256</SignatureValue>
        <DigestValue>2hNj6Xftn8kio2Kmt02b2EX0Tn1fwaldk4cksSi#=</DigestValue>
      </Reference>
    </SignedInfo>
    <SignatureValue>NygUfthZDlVsaef8ITL8uJeE2zWkXORMayCRVvFXAKHUFxBLFjskPt2OWGFKYt/P4y5//S5rzIMLQPKvM7adML+slTWBsvU7dk+oR0IR1Ve4F3ywyXp3PdNIRJN7RFPVOJ804rJhpNz87MutiltJ6PeyI6fFKrp9tRf8ByF</SignatureValue>
    </Signature>
  </EntityDescriptor>
  <KeyInfo>
    <X509Data>
      <X509Certificate>MIIDBTCCAe2gAwIBAgIQ[redacted]OVo</X509Certificate>
    </X509Data>
  </KeyInfo>
</EntityDescriptor>
<RoleDescriptor xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:fed="http://docs.oasis-open.org/ws-fed/federation/200706" xsi:type="Fed:SecurityTokenServiceType">
```

3 x509 public Certificate

Check image from step 2.2


4 Application Client ID → set as Entity ID in Archbee

Copy Application client ID to to Application Identifier(Entity Id)




9.9.3. Okta setup

1 Create a SAML 2.0 application



2 Set an application name



3 Copy Archbee settings → SAML App

Click 'Next' and 'Finish' creation app.

4 SAML instructions → Archbee Settings

Go to your created app, click "Sign on" tab >> click on 'View SAML Setup Instructions'

Settings [Edit](#)

Sign on methods

The sign-on method determines how a user signs into and manages their credentials for an application. Some sign-on methods require additional configuration in the 3rd party application.

Application username is determined by the user profile mapping. [Configure profile mapping](#)

SAML 2.0

Default Relay State

Credentials Details

Application username format: Okta username

Update application username on: Create and update [Update Now](#)

Password reveal: Allow users to securely see their password (Recommended)

SAML Signing Certificates

[Generate new certificate](#)



Type	Created	Expires	Status	Actions
SHA-1	Today	May 2032	Inactive ⚠	Actions

SAML Setup

Single Sign On using SAML will not work until you configure the app to trust Okta as an IdP.

[View SAML setup instructions](#)

Copy Identity SSO Url, idp issuer and certificate to archbee.




NOTE i
 Don't forget to create and assign user to this saml app.

5

Login using SAML

You can click on "SAML Login Url" button and see if it works. Share login url with your team members to login/register via SAML.



9.10. Anthropic Claude Connector

1. Login to <https://app.archbee.com> with the credentials we have provided
2. Login to Claude.ai
3. Add a custom connector with URL: <https://api.archbee.com/api/public-mcp-ds/sse>
4. Leave OAuth ClientId and OAuth Client Secret empty
5. You'll be redirected to an Archbee URL to approve the connection to Claude, click yes.
6. That's it. You can now ask questions to Claude and Archbee docs will provide context when selecting the Archbee connector in Claude.

10. GUIDES

10.1. SignUp - Join your organization

Overview


When you go through the registration process to Archbee, and you enter your email domain, our system will recognize if an organization with the same domain already exists and allow you to join your organization.

What we do here is detect if an organization associated with the user's email domain is waiting for their participation. Users can request to join the organization, receive approval from an admin, and start contributing to the team's documentation right away.

Alternatively, you can choose the **I want to test Archbee myself** option to create your own organization and explore Archbee at your own pace.


How it works

- **Email domain detection:** When you sign up using your email address, our system automatically detects your email domain:




Email domain detection

- **Organization detection:** With the email domain, we can identify if an organization associated with said domain already exists in our system. If your email domain matches an existing org/s, they'll appear under **Available organizations**.




Available organizations

- **Request to join:** Once detected, you have the option to request to join the organization. Your organization's administrator will receive a notification to approve your request.



Request to join organization

- **Admin approval:** The organization's administrator will review your request. Once they approve it, you will be a part of the organization.



Admin approval

- **Contribute to your team's documentation:** After joining the organization, you can start contributing to your team's documentation and collaborate effectively with your


colleagues right away.

10.3. How to show the full title in Portal tree

Make your docs easier to navigate by displaying **full article titles** in the left-side navigation (Portal Tree).

▮ Where to Find It

1. Go to **Space Settings**
2. Click on **Appearance**
3. Find the option "**Show Full Title in Portal Tree**"
4. Toggle it **on**



▮ Why Use It?

By default, long titles in the portal tree may be truncated. Enabling this option ensures your readers see the **entire document title**, improving clarity and navigation—especially helpful for technical or detailed documentation.

This will avoid using custom CSS for this configuration, you just need toggle the option on

10.4. Create a docs website

Documentation comes in many shapes and forms. You might already have some resources or need to start from scratch. Let's cover how to add content with Archbee.

Write in Archbee

Once you create a new document, you can start adding content using either **markdown shortcuts** or any of the **30+ custom blocks**.

The custom blocks help you format the content as you need. To open them, type forward slash `/` in the editor and go through the options.

The blocks are grouped under **Basic**, **Media**, **Developer**, **Embed**, and **Content Reuse**.

For example, if you want to dynamically link to other documents, type `@` and the document title. This will connect to the document id. If you change the title or the position of the document, the link will always point to it.

Another example is calling out the block name. Hit `/` and type the block's name, e.g., `/verticalsplit`, which will filter out the block you want to use.

The third option is to use parentheses, and the name of the block - e.g. **(api)** - will add the API endpoint block.

Copy-paste

The old-school copy-paste brothers. But why cover this one? Since Archbee's editor supports Markdown, if you want to paste in this format, you might get the following message:

```
We have detected some Markdown content in your clipboard. Are you trying to paste Markdown?
```

If you click the cancel button, the content will not be rendered, and if you click OK in the dialog box, we will convert the Markdown to Archbee's blocks.

So you have a code example that will be rendered as a code editor block in Archbee.

Import Markdown or Word files

Copy-pasting works just fine, but if you have Markdown or Word files, why not import them into a Space?

Before importing any content, make sure you click on the Space where you want to import the files. You just clicked on the type of file you have and saved minutes of copy-pasting from other sources.

Import OpenAPI/Swagger files or Postman collections

When it comes to documenting APIs, you have multiple options.

Let's say you are using the OpenAPI (previously Swagger) standard. This allows for easy import and sync of the files.


Once imported to Archbee, the content will be rendered in a 3-column layout that allows for easy-to-manage documentation.

Sync a GitHub repo


It happens that the documentation is written in a GitHub repository, and you can continue writing in GitHub and sync the repo with an Archbee Space. The benefit is that you can publish that Space to your custom domain and add other Spaces with additional information like API references.

Set up the custom domain and access control

Before you get started with the content, take a small step that will make a difference later. Set up your subdomain to have access to the preview and production environments. Go to the [documentation page](#) and follow the steps to add your custom domain.



Multiple options are available under the **General** tab - you can switch off the **Indexable by search engines** (if public) from the same Space Settings. You often want this activated so that users find your site on the search engine results page. You can go to the Public access control option and pick any of the nice options for more control.



- **None** - does exactly what the name says, keeps your settings regarding the public Space.
- **Password** - Set a Space password. Everyone with the link and password will be able to read the content.
- **Guest Accounts** - Create guest accounts. Everyone with the link and a guest account can read the content. Guest accounts are not charged as seats in Archbee.
- **Magic link** - You enter specific emails or allowlist entire domain names, and users will authenticate using a link that we send to their email address;
- **JWT authentication** - Check the [**doc page**](#) for how to set it up. It's a perfect option if you don't want the users to log in each time.

Start building pages

Before you write any documentation, consider the main topics you will cover. This time a pen and paper might help you to draw the structure.

Next, create a document, convert it to a category, and give it a name.

Once you have these, you are ready to add documents under each category.

Start with a document introducing the main things a user will find on the documentation site. It doesn't have to be complicated; here is how we did it in our **User & Dev Guide**:

- **Getting Started**
- **Editor**
- **Documents**
- **Spaces**
- **Hosted Spaces**
- **Organizations**
- **Import & Export**
- **Integrations**
- **Guides**
- **Public API**
- **Misc**


When you start to add content, it's essential to have a workflow. Here's a potential one, but you might want to adapt it:

- Start the draft in **Personal docs**. This will help you write anything that you don't want to share with the team yet.
- When ready, **move** it to the public **Space**
- **Ping a teammate** that the doc is ready and needs to review it
- If any, add inline **comments** where input from other users is required.
- After you are comfortable with the changes, **publish to preview** to see the staging site.
- If everything looks good, hit **publish to production** and announce that everything is live.


Working with templates makes it easy for contributors to start writing content. You can save a set of templates to help you kickstart content production. If you need inspiration, when you create a new document, you will see a button called: Start with a template at the bottom of the page. To build your own templates, go to the navigation on the left side, Templates, and start creating docs with the structure your documents need.

You might as well introduce the custom blocks that an author will be using or add examples from other sources.

Permalinks and SEO settings


These options are at the document level. So you need to click on the three dots  on the top right side and pick **SEO Meta Controls**.

Add a relevant **title**, change the **URL**, write a **meta description** or **upload an image** for previews.



Brand and customize your docs website

In the **Appearance** tab, you will find the branding options like **Accent Color**, **Logo**, and **Favicon**, along with other options for the template.



Archbee Appearance Options

Create a navigation menu with multiproduct or product versions


Depending on the type of products or services, you might want to have different Space URL paths.

You can have a Space as the primary docs and create different Spaces for other products or even versions of them.


There's a shortcut! You can create a clone of any Space if the changes are incremental. This will help you keep the structure and make the edits for the new version.

So if versioning and multiproduct is something you need, use a different Spaces and append it with the relevant path or custom domain.


Go to [Space links](#) and start building your navigation.



Space Links view on Stripey template



External Links view on Stripey template




Version Links view on Stripey template

Craft a landing page

The main goal of the homepage is to help the visitor go to the next page.


Building a landing page for your documentation website doesn't have to check the same practices for a presentation website.

The first document page is important to introduce your product or service to the users, so keeping it short and setting expectations goes a long way.



You can use the [Custom landing page](#) feature and add your **HTML** for more control over the first page. There are many options to get inspiration from, and if you want to change the look and feel of the first page, this is your option.

Here is how one of our customers built their starting page for their help page.



Add custom code

Use [Custom CSS](#) if you want to add your own **flavor** to the documentation site. If you are familiar with CSS classes, you will find some starting ab- and you can target them.

Public Docs Settings

- Appearance
- Landing Page
- Public Access Control

PUBLIC DOCS SETTINGS

- Appearance
- Landing Page
- Public Access Control

Custom CSS

Define a style tag with classes that you can use in the other HTML templates.

```
<style>  
body {  
  font-family: 'Inter var', 'Inter', 'sans-serif' !important;  
  font-feature-settings: 'cv11', 'trun', 'cv05', 'cv08', 'cv10';  
}  
  
.text-5xl {
```

Save

Custom Footer

Add your custom footer HTML to show at the bottom of each page.

Save

10.5. How to set up web analytics tracking

This feature allows for integration with many web analytics tools since they work by loading a JS snippet.


If you decide to use Google Analytics, here is what you need to do.

Google Analytics 4 is the next-generation measurement solution, replacing Universal Analytics. On July 1, 2023, standard Universal Analytics properties stopped processing new hits. If you still rely on Universal Analytics, we recommend you use Google Analytics 4 going forward.

- 1 To add the Google Analytics tracking code to your documentation portal, you'll need a piece of code known as the "**Global Site Tag.**"

You can find this in your Google Analytics admin dashboard. Locate the tracking code under **Admin → Data Streams → Web stream details.**

- 2 Copy the global site tag below into the **Custom JavaScript** field under **Space Settings → Custom Code.**



Global site tag code


3 Make sure you replace the `insert measurement ID` with your own ID.

```
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async src="https://www.googletagmanager.com/gtag/js?id=G-80B7MQZ06B"></script>
<script>
  window.dataLayer = window.dataLayer || [];
  function gtag(){dataLayer.push(arguments);}
  gtag('js', new Date());

  gtag('config', '{insert measurement ID}');
</script>
```

4 After the code is added, click **Save** and publish to production.

For security reasons, custom code is only included on a custom domain.



10.6. How to manage URLs for redirects

SEO Meta Controls allows for flexible URL structures. With Archbee, you can control the URL path of each document.

This is helpful when you migrate your documentation from a different platform to Archbee, but you want to keep a similar URL structure to avoid 404 errors.

Instead of using redirects, you can add the same URL path.

For example, if you have the Space hosted on **docs.acme.com**, and you want the final **URL** to be something like `docs.acme.com/category/subcategory/article-title`, you add in the **URL Key** field `category/subcategory/article-title`

Go to document settings by clicking on the 3 dots  at the top right corner.

Next, go to **SEO Meta controls**, and in the new windows, under the **URL KEY**, you can set up any structure you need.

The **URL KEY** of each document should exclude the subdomain you added in the Space Settings.

Realtime Editor with Markdown Shortcuts

SEO Meta Controls

ESC X

URL KEY

rteeditor

URL ALIAS

realtime-editor

TITLE

Realtime Editor with Markdown Shortcuts

DESCRIPTION

100/255

Archbee has a real-time editor with markdown shortcuts that makes it easy to add content on the fly.

[Generate Description](#)

[Use Summary as Description](#)

PREVIEW IMAGE

https://s3.amazonaws.com/archbee-static/blog-photos/ex



Drop a file or click to change the image file.

SAVE CHANGES

What is **AWS**? This was first trying to understand would, I searched

Amazon Web Services offering compute functionality

back when I ne else


and other

AWS - Love Blocks


10.7. How to copy the URL invite link from the team member page

In Archbee, there are two ways of inviting your team member to your Organization:

- **By adding the team member's email address. The users will receive an e-mail with the invitation link to Archbee.**



- **By copying the URL invite link from the team member page**
 1. Add the team member's email address and press "Invite."
 2. Once added, you can copy the invite link and send it to the user.



10.8. Insert copyright, registered, and trademark symbols

You can add ©, ®, and ™ symbols using keyboard shortcuts. It works for both Windows and macOS.

Insert copyright and trademark symbols for **Windows**:


- To insert the **Copyright (©)** symbol, press `Ctrl + Alt + C`
- To insert the **Trademark (™)** symbol, press `Ctrl + Alt + T`
- To insert the **Registered Trademark (®)** symbol, press `Ctrl + Alt + R`

Here's how to type copyright, registered, and trademark symbols in **macOS**:

- **Copyright (©)**: `Option + G`
- **Trademark (™)**: `Option + 2` (or `Option + Shift + 2`)
- **Registered Trademark(®)**: `Option + R`

You can also add inline emojis using the Archbee shortcuts `:` + `copyright` .

This will open a pop-up where you can search for emojis. Next you can type the keywords: **copyright** ©, **registered** ®, and **trademark** ™.



10.9. How to style Archbee templates with CSS


Custom CSS is an option from the **Custom Code** feature that allows users to style their template.

You can style any of the following HTML elements that have a class that starts with `ab-`:

```
.ab-callout { }
.ab-changeloc { }
.ab-code-editor { }
.ab-minitasker { }
.ab-graphiql { }
.ab-horizontal-divider { }
.ab-jira { }
.ab-map { }
.ab-mermaid { }
.ab-openapi { }
.ab-vertical-split { }
.ab-vertical-split-item { }
.ab-video { }
.ab-checklist { }
.ab-blockquote { }
.ab-diagram { }
.ab-embed { }
.ab-file { }
.ab-iframe { }
.ab-html { }
.ab-image { }
.ab-ul-list { }
.ab-ol-list { }
.ab-list-item { }
.ab-list-item-child { }
.ab-table { }
.ab-space { }
.ab-collection { }
.ab-space-container { }
.ab-collection-container { }
.ab-top-navbar { }
.ab-search-input { }
.ab-public-search { }
.ab-space-content { }
.ab-collection-content { }
.ab-tree-navigation { }
```

```
.ab-tree-navigation-link { }
.ab-tree-navigation-link-inactive { }
.ab-doc-name { }
.ab-h1 { }
.ab-h2 { }
.ab-h3 { }
.ab-expandable-heading { }
.ab-link { }
.ab-link-dynamic { }
.ab-nav-right { }
.ab-nav-right-text { }
.ab-bold { }
.ab-code { }
.ab-paragraph { }
.ab-footer-container { }
```

When adding the **CSS**, please use the `<style>` tags in the **Customs CSS** field, like in the example below:



Customm CSS section


10.10. How to change the font

When you publish a collection you can control the way it looks by adding **Custom CSS** in the **Custom Code** section.

When you want to change the font that loads on the production website, you have 2 options:


1. Using Google Fonts

- 1 Click on the gear icon ⚙️ to open the **Space Settings**
- 2 Look for the **Appearance** tab on the Space Settings modal
- 3 Scroll down to **Custom Fonts** and toggle it on
- 4 Choose the desired font and the changes will be automatically saved



2. Use Custom CSS to reference the font


- 1 Click on the gear icon ⚙️ to open the **Space Settings**
- 2 Look for the **Custom Code** tab on the Space Settings modal
- 3 Add the font link in the **Include Headers** box



Include Headers font example:

```
<link href="https://fonts.googleapis.com/css2?family=Hind+Siliguri:wght@300&display=swap" rel="stylesheet">
```

- 4 Add the CSS properties




```
<style>
body {
  font-family: Hind Siliguri, sans-serif !important;
}
</style>
```

10.11. How to manage the card and billing details

Managing your card and billing details in Archbee is a straightforward process.

- 1 First, log in to your account
- 2 Click on your organization name and select **Subscription & Billing**
- 3 From there, you can
 - Update your payment information
 - View past invoices
 - Manage your subscription plan by clicking on the **Purchase Subscription** button



11. MISC

11.1. Document converter

What is Archbee Document Converter

The Document Converter is an efficient tool that allows you to effortlessly convert your documents from any format to any format.

If you are migrating from another platform and need to transform your content into an Archbee-supported format, use our Document Converter.


We recommend converting your content and documents into Markdown format, as this is the easiest and most efficient way to import into Archbee.

The Document Converter is free for everyone as long as it is available on Archbee's website.

How to use it

- 1 Go to: <https://www.archbee.com/free-document-converto>
- 2 Drag and drop the files or use the "Choose files" option.
- 3 Choose the desired format(Hundreds of supported formats), including Docx, HTML, JSON, PDF, and **Markdown**.
- 4 Add your email when requested. We will send your converted docs via email when they are ready.
- 5 Press "Convert files" → The conversion will take some time, so we'll send you an e-mail with the converted files.

11.2. Archbee Chrome extension guide



The extension only works with **Chrome ver. 109** (Jan 10, 2023) or **newer**. Make sure to [update Chrome](#).

How to install

- 1 Install the extension from the [Chrome web store](#) ↗
- 2 Sign up/log in with your Archbee account ↓

The system will recognize if you are logged in and prompt you to use that account to continue.


If you already don't have one, [create an account](#) to proceed.

How to create your step-by-step guide

Find your desired web page ↓

Navigate to the web page where you want to start the capture.


Open the extension and start capturing your workflow - navigate through the website and start doing the actions necessary to complete your guide



Start workflow capture


Capture your guide and review it ↓

For each click, the content on the page will be saved in your capture queue.




Each click equals one step

Once you are done capturing your guide, click the ✓ **Finish** button to save your step-by-step documentation.



Finish button


You will be redirected to the **Workflow captures** page where you can review your content. You can find this page on the left-hand menu (bottom left) of your Archbee account.



Workflow captures page

Pause and restart ☐☐

If you want to pause or restart your guide at any point, click the preferred option at the bottom, next to the ✓ **Finish** button.



Pause and restart buttons


Switch to dark mode, yo!

Use the dark/light mode switcher for the best experience:

Capturing...



- 3 Click on Confluence is all about working together to get the best results for you and your team. Share a page



- 4 Click on Add a reaction to any content




- 5 Go to



- 6 Go to Collaborate on content | Confluence Cloud | Atlassian Support



- 7 Click on Create a network of users



Capture is paused

✓ Finish



Dark mode

Enjoy the Archbee capture tool! 📄

 Got some feedback?



support@archbee.com

Convert to Markdown ✓


With the newest update to our extension, we allow converting any web page (or a selection from a web page) to Markdown.

How to convert


When you add the extension, and log in to your account, you will have 2 options:

1. Capture workflow
2. Convert to Markdown

Hi, [redacted] 🙌



Capture workflow
Document your actions to create how-to-guides and workflows >



Convert to Markdown
Copy content anywhere, convert to markdown in Archbee >

Convert to Markdown

If you want to convert to Markdown, you can choose to **+Add page or selection**. When you are ready, click the **Import all in Archbee** button at the bottom.

Now, check your **Workflow captures** folder and continue working on your content.

← Back



Convert content

Content in clipboard ⓘ

Delete all

+ Add page or selection



app.archbee.com: Archbee Chrome ...
Page



support.atlassian.com: Add a reactio...
Page



Import all in Archbee ↗

Import button

TIP 😊

For large pages, split them into smaller sections for a smoother import process.

11.3. Search Analytics


How to access Search Analytics

1. On the left navigation sidebar, go to the Search option at the top.
2. Under the newly opened window, go to Search Analytics under the search bar.
3. A new window will open, and you will see the list of queries searched by team members or readers.



Search analytics allows you to view metrics on the queries typed in the search bar by readers or users.

1. customer query = search analytics for keywords typed in by readers on the internal Teams
2. team query = the search analytics for internal teams



The left panel includes metrics about the following values.

- How many times was a keyword searched

- How many documents are returned for a keyword

11.4. Search Shortcuts and Operators

Archbee Search supports multiple types of operators and commands.

Accepted operators:

- `+` and `-`
- `AND` and `OR` (`&` and `|`)

You can use combinations of operators in a search.

Ex: `'custom event' & 'data' - handler`

Example list of search using operators:

1 `'supernovae stars' -crab`

Use this type of command to show all documents containing `supernovae stars` and not containing `crab`

2 `'sad cat' or 'fat rat''`

Use this type of command to show all documents containing `sad cat` or `fat rat`

3 `'signal' -'segmentation fault'`

Use this type of command to show all documents containing `signal` and not containing `segmentation fault`

4 `'custom event' & 'data' -handler`

Use this type of command to show all documents containing `custom event` and `data` but not containing `handler`

11.5. Firewall Blocking Document Access

If a company has strict firewall rules, their customers may not be able to access the documentation portal(s).

But if they can go through a process of allow-listing different subdomains or allow-listing a top-level domain, then this should be rectified.

Here is a complete list of all Archbee subdomains that they need to allow for access:


- archbee.com
 - app.archbee.com
 - api.archbee.com
 - email.archbee.com
- archbee.io
 - app.archbee.io
 - api.archbee.io
- archbee.ai
- archbeehosting.com
- archbeemailer.com
- archbeeteam.com
- archbee.net
- archbee.new
- archbee.space
- documentation.new
- kb.new
- knowledgebase.new
- archbeeteam.com
- cdn.archbee.com
- cdn1.archbee.com

- cdn2.archbee.com
- cdn3.archbee.com
- archbee-image-uploads.s3.amazonaws.com
- archbee-image-uploads.s3.amazonaws.com
- archbee-doc-uploads.s3.amazonaws.com
- archbee-assets.s3.amazonaws.com
- archbee-profile-photos.s3.amazonaws.com

11.6. Editor Keyboard Shortcuts

Click the question mark bottom left corner in app and click **Keyboard shortcuts** to see a list of updated shortcuts for the app.

You can also hit **Cmd** + **/** (🍏 Mac) or **Ctrl** + **/** (🪟 Windows) to bring up the same interface.



Windows

Mac (Apple)

Main shorcuts

Action	Shortcut
Undo	⌘ + Z
Redo	⌘ + Shift + Z
Search	⌘ + Shift + F
Knowledge Graph	⌘ + Shift + G
Toggle light/dark theme	⌘ +]
Toggle focus mode	⌘ + \
New document	⌘ + M
Shortcuts	⌘ + /
Toggle Outline	⌘ + 8

Editor shortcuts

Action	Shortcut
New paragraph	Enter
New line, same paragraph	Shift + Enter
Toggle edit mode	⌘ + E
Sharing options	⌘ + H
Toggle H1	⌘ + ⌘ + 1
Toggle H2	⌘ + ⌘ + 2
Toggle H3	⌘ + ⌘ + 3
Heading 1	# + Space
Heading 2	## + Space
Heading 3	### + Space
Expandable Heading 1	>># + Space
Expandable Heading 2	>>## + Space
Expandable Heading 3	>>### + Space
Toggle Bulleted List	⌘ + Shift + 4
Toggle Numbered List	⌘ + Shift + 5
Toggle Checklist	⌘ + Shift + 6 or ⌘ + ⌘ + 6
Toggle Code Block	⌘ + Shift + L
Toggle Bold	⌘ + B
Edit Link	⌘ + K
Toggle Italic	⌘ + I
Toggle Underline	⌘ + U
Toggle Strike	⌘ + O
Mention team mate or document	@
Add reusable variable	{{

Action	Shortcut
Emoji	: + <code>Emoji Code</code>
Pick and add a Font Awesome icon	<code>(fa)</code>
Today's date	<code>(today)</code>

Blocks shortcuts

Block	Shortcut
Heading 1	# + Space
Heading 2	## + Space
Heading 3	### + Space
Expandable Heading 1	>># + Space
Expandable Heading 2	>>## + Space
Expandable Heading 3	>>### + Space
Callout	(callout)
Vertical split	(vs)
Link blocks	(lb)
File	(file)
Image	(image)
Table	(table)
Button	(button)
Video	(video)
Tab	(tab)
Minitasker	(minitasker) or (mt)
Mermaid diagram	(mermaid)
API endpoint	(api)
Swagger UI	(swagger)
GraphiQL	(gql)
Code snippet	(code)
Code drawer	(codeDrawer)
Changelog	(changelog)
iFrame embed	(iframe)

Block	Shortcut
HTML embed	(html)
Map	(map)

Editor markdown shortcuts

Markdown	Syntax
Link Markdown	[label](www.go.com) + space bar
Divider Markdown	--- + space bar
Heading 1	# + space bar
Heading 2	## + space bar
Heading 3	### + space bar
Checklist	[] + space bar
Quote	>
Inline Code Markdown	`text`
Bold Markdown	**text**
Underline Markdown	__text__
Italic Markdown	*text*
Italic Markdown	_text_
Strike Markdown	~~text~~
Numbered List	1. + space bar
Bulleled List	- + space bar
Bulleled List	* + space bar
Add code snippet	```

11.7. Archbee Concepts

Organization

An organization is similar to a company.

Imagine you are a business owner with 2 businesses. Normally you would have to create 2 accounts with different email addresses and login/logout to see the content you want at that moment. With Organizations you have a single account and the ability to switch between your Organizations (companies).

Another scenario

- You are employed by a company and also doing consultancy. Normally you would have to create 2 accounts, and login/logout to see the content you want at the moment. With Organizations you have a single account and the ability to switch between your Organizations (companies).

Another scenario

- You are employed by a company which has a customer who also is present in Archbee with their own company. Normally you would need two accounts, but with Organizations, you can be in both and not have to re-login.

Organizations are also a way for a single account (email address) to be in multiple companies.

User groups

User groups are a way of grouping the users/departments in an Organization.

User groups are similar to departments.

For example you might want an Engineers group, Marketing group, and Management Group. You can do this with **User Groups**.

You can create custom User groups and assign users to them.

You can also use User Groups to assign access on Spaces, so they have different views of your Organizations.

Spaces

Spaces are the main grouping of documents.

Each Space has a document tree that can be arranged in any way you wish, it's very flexible.

Spaces can be private to your Organizations OR public.

When it's public you can share it with

- an Archbee link. Example: https://archbee.io/public/iVK8qEuN_JAsH0aA37yR6
- on your own subdomain. Example: <https://docs.archbee.io>
- **HINT:** the above links are the same space!

Public Spaces can also be protected with a password or with guest accounts (can be created for free, and are not part of your Organizations).

Access control

Access control allows you to define policies that give access (read and/or write) to certain user groups or to certain individual users.


Domain slots

A domain or subdomain slot lets you attach a public space to your subdomain (example: docs.yourcompany.com), and we host it for you generating SSL certificates and providing the same SLA as main app.

11.8. How to setup your account

Organizations contain Spaces, user groups and users.

Organizations are a way for your account to be in multiple contexts, for example if you might have multiple companies. They are not a way for you to group users in 1 company.



Organizations = Companies

User groups are a way to group users in 1 company, e.g. your departments. User groups allow you to assign access policies to certain **Spaces** so that only some users are able to see or edit content.

Do not use Organizations as a way to group members of the same company

This will work against you. Search works at Organization level, thus you will not be able to search for information in all your Organizations.

It's also not possible to mention people & docs from other Organizations as mentions and docs are at the Organizations level as well.

The screenshot shows the Archbee interface for the 'AiurLabs' workspace. The 'Members of AiurLabs' page is displayed, showing a list of team members. A modal window is open over the 'Groups' column, showing options to 'Create new group' or 'select existing group'. A pink arrow points from the text 'User groups = Departments' to the modal window. The existing groups listed are 'Pitchground', 'Knowledge Managers', 'Team Members', and 'Administrators'.

User Groups = Departments

Spaces are a way to group documents. They are similar to projects in your company. They can be assigned access policies so that only certain groups of people.

Users are members of 1 company.

Workspaces










New workspace name [Create new workspace](#)


[AiurLabs](#) | [My 2nd company](#) | [My personal workspace](#)

Users = Employees or

Members of AiurLabs

Email address [Invite Member](#)

Team member	Status	Groups	Actions
 Dragos dragos@archbee.io	Active	+ Team Members Administrators Super Admin	
 Michael Scott dragos1@aiurlabs.com	Active	+ Knowledge Managers Team Members	🗑️
 Jay Rose jay.rose@archbee.io	Active	+ Team Members	🗑️
 Maxine Jameson dragos2@archbee.io	Active	+ Team Members	🗑️
 Sam Conway dragos3@archbee.io	Active	+ Team Members	🗑️
 Sarah Lockheed dragos4@archbee.io	Active	+ Team Members	🗑️
 Hubba Dubba dragos5@archbee.io	Active	+ Team Members	🗑️
 Mihai Sora mihai.sora@archbee.io	Active	+ Team Members	🗑️
 qweqwr dragos6@archbee.io	Active	+ Team Members	🗑️



Users = Employees

11.9. Glossary

Glossary: Under Construction 🚧

Our glossary is a work in progress, but we're adding new definitions all the time. Stay tuned for more!

A

Addon

An additional feature or module that can be integrated into Archbee to enhance its capabilities, such as the AI Addon for advanced AI functionalities.

API endpoints

Document your API endpoints with clarity, providing essential details for developers and users alike.

B

Blocks

Building blocks for your docs. Think of them as Legos for your content. You can use them to create headings, tables, images, code snippets, and more. There are basic, media, developer, and embedded blocks to choose from.

Button

Interactive buttons that link to other internal or external pages, guiding users through your documentation or your content outside the documentation.

C

Callout

Highlight important notes, tips, or warnings with visually distinct callouts to draw attention to key information.

Changelog Block

Keep your users informed with a changelog block that documents updates and changes in your project.

Code Editor

A multi-language code editor for showcasing code snippets, perfect for developers.

Code drawers

Organize your code snippets in drawers and show them side-by-side with your content, keeping your documentation tidy and user-friendly.

Content snippets

Create reusable blocks of content that can be inserted across multiple documents, ensuring consistency and saving time.

D

E

Editor

Your go-to place for creating and editing content. It's like a digital workspace where you can use shortcuts, add different types of content blocks, and format your text using Markdown or the WYSIWYG menu. You can even embed content from other tools and link to other documents. Think of it as your one-stop shop for all things content creation!

Embedded Blocks

Integrate content from popular tools like Loom, Figma, and Miro directly into your documentation for a cohesive experience.

Expandable Headings

Sections that can be expanded or collapsed, making it easy to navigate complex topics.

F

File

Upload and link files directly within your documentation, making resources easily accessible to users.

File Manager

Organize and manage all your files in one central location, making it easy to upload, access, and link resources within your documentation.

G

GraphQL

Document GraphQL APIs effectively, providing users with the information they need to interact with your services.

H

Headings

Used to create titles and subtitles for organizing content hierarchically.

Horizontal Divider

Horizontal dividers helps you to create visual breaks between sections, enhancing the flow of your documentation.

I

Image

Enrich your documentation with images, adding visual context and engagement to your content

J

K

L

Link Grid

Create dynamic links to other documents or external resources, facilitating easy navigation within your content.

Lists

Utilize ordered and unordered lists to break down information into digestible points, improving readability.

M

Map

Integrate maps to display location-based information, enhancing the relevance of your content.

Mermaid diagrams

Create flowcharts and diagrams using the Mermaid syntax, adding visual aids to your documentation.

Minitaskers

Organize tasks into manageable subtasks with Minitaskers, inspired by Trello, to keep your projects on track.

N

O

P

Q

R

Reusables

Create and manage reusable content blocks that can be inserted into multiple documents, ensuring consistency and saving time across your documentation.

S

Spaces

Containers for documents organized by teams or projects. Each account has a personal space, and organizations can create custom ones with access control.

Space group

Think of them as folders for your Spaces. You start with one called "Spaces." Make more folders if you need them. You can add, rename, or delete folders (but only if they're empty). To put a Space in a folder, just drag it there, use the move action, or create it in the folder.

Space Links

Connect multiple published Spaces for easy navigation between docs (e.g., User Guides, API docs). Add links in

Space settings, label them, and publish. Changes to links automatically update across connected Spaces.

Swagger Block

Seamlessly integrate OpenAPI specifications to enhance your API documentation.

T

Table

Use table block to present data in a clear and organized manner, perfect for comparisons and structured information.

Tabs

Organize content into multiple tabs for a clean and efficient navigation experience, allowing users to switch between topics easily.

TeX Equation

Render complex mathematical equations using TeX, making your documentation suitable for technical subjects.

U

User Groups

Are like departments for your users. You can create different groups (like Engineers, Marketing, or Management) and assign users to them. This helps you organize your users and give them different access levels to different parts of your organization.

V

Vertical Split

Showcase content side-by-side with the vertical split block, ideal for comparisons or related information.

Video

Embed videos from [Youtube](#) and [Loom](#) platforms to provide dynamic content and tutorials directly within your documentation.

W

Workflow

Visualize processes and workflows with this block, helping users understand steps and sequences clearly.

WYSIWYG Menu

A user-friendly "What You See Is What You Get" menu that allows you to format your content visually, making document creation intuitive and straightforward.

X

Y

Z

Here's a branded list of additional features available in Archbee, complete with descriptions:

Archbee Reusables

- **Reusables:** Create and manage reusable content blocks that can be inserted into multiple documents, ensuring consistency and saving time across your

documentation.

Archbee File Manager

- **File Manager:** Organize and manage all your files in one central location, making it easy to upload, access, and link resources within your documentation.

Archbee Markdown

- **Markdown:** Utilize Markdown syntax to format your text quickly and efficiently, allowing for a streamlined writing experience while maintaining flexibility in document design.

Archbee WYSIWYG Menu

- **WYSIWYG Menu:** Experience a user-friendly "What You See Is What You Get" editor that allows you to format your content visually, making document creation intuitive and straightforward.

Archbee Emojis

- **Emojis:** Enhance your documentation with emojis to add personality and visual interest, making your content more engaging and relatable to users.

Archbee Drag & Drop

- **Drag & Drop:** Easily rearrange blocks and content within your documents using a simple drag-and-drop interface, allowing for quick adjustments and organization.

Archbee Variables

- **Variables:** Use variables to insert dynamic content that can change based on context, making your documentation adaptable and personalized for different users.

Archbee Space-Specific Variables

- **Space-Specific Variables:** Define variables that are unique to specific spaces, allowing for tailored content that meets the needs of different projects or teams.

Archbee Glossary

- **Glossary:** Create a glossary of terms to provide definitions and explanations for specialized vocabulary, enhancing user understanding and accessibility.

Archbee Docs Tagging

- **Docs Tagging:** Organize your documents with tags for easy categorization and retrieval, improving navigation and searchability within your documentation.

Archbee Display Rules

- **Display Rules:** Set conditions for when specific content should be shown or hidden based on user roles or other criteria, allowing for a customized user experience.

Archbee Find & Replace

- **Find & Replace:** Quickly locate and replace text throughout your documentation, streamlining the editing process and ensuring consistency.

Archbee Notifications

- **Notifications:** Stay informed with real-time notifications about updates, comments, and changes in your documentation, keeping you connected to your team.

Archbee Notification Center

- **Notification Center:** Access a centralized hub for all your notifications, allowing you to manage and review updates efficiently.

Archbee Comments

- **Comments:** Collaborate with your team by adding comments directly within documents, facilitating discussions and feedback on specific content.

Archbee Templates

- **Templates:** Utilize pre-designed templates to kickstart your documentation projects, ensuring a consistent look and feel across your content.

Archbee Category

- **Category:** Organize your documents into categories for better structure and easier navigation, helping users find relevant information quickly.

Archbee Document History

- **Document History:** Track changes and revisions made to your documents over time, allowing you to revert to previous versions if needed.

Archbee Review System

- **Review System:** Implement a structured review process for your documents, ensuring quality and accuracy before publication.

Archbee Verify Documents

- **Verify Documents:** Ensure the integrity and accuracy of your documentation by verifying content against established standards or guidelines.

Archbee Hidden Docs

- **Hidden Docs:** Keep certain documents private or hidden from users while still allowing them to be indexed for search purposes, maintaining confidentiality.

These features empower you to create, manage, and collaborate on documentation effectively, enhancing the overall user experience within Archbee.

11.10. Limits

Archbee has the following limits:

- any doc can have **500** blocks at most;
- any doc can have **1MB** in size at most (does not include images and file uploads);
- any space can have **1000** docs at most.

These limitations might seem too harsh. However, when it comes to documents and document hierarchies, any online documentation platform is as good as its limits. We might gradually increase these limits in the future, but please do not expect any spectacular increase.

- Good limits allow for a **better readability** by enforcing good doc organization patterns;
- Good limits enable **high performance and stability** in your workspace and your generated doc sites;
- Good limits allow for **better protection against bad actors** trying to break the system by overloading it.

Upload limits:

- **8 MB** limit for file upload;
- **8 MB** limit for image upload

Import limits

- **1 MB** for Markdown files
- **2 MB** for Word docx
- **3 MB** for OpenAPI files
- **3 MB** for Postman collections
- **20 MB** for zip files: notion zip file import, gitbook zip file import, markdown zip file import

Download limits

- **100** images for PDF export

11.11. Subprocessors

Working with third-party providers doesn't mean stepping away from accountability. Even when your information is handled by our vendors, we remain fully responsible for its protection. Every vendor is vetted and must sign binding agreements that tightly control how Users' Personal Information is processed, in line with our Privacy Statement (<https://www.archbee.com/privacy-policy>).

Name	Location	Description
Microsoft Azure	US, EU	Hosting & infrastructure
Amazon AWS	US, EU	Hosting & infrastructure
Cloudflare	Global	CDN, Security
Stripe	US	Subscriptions, payments
Google Workspace	US	Internal tools
HubSpot	US, EU	Internal tools
Slack	US	Internal tools
Zoom	US	Internal tools
Churnkey	US	Subscriptions
SendGrid	US	Email infrastructure
Mailgun	US	Email infrastructure
Sentry	US	Error management
Customer.io	US	Email infrastructure
Airtable	US	Internal tools
Iframely	US	Internal tools
Google Analytics	US	Website analytics
PostHog	US	Website and app analytics
Google Fonts	US	Font CDN
Dropbox Sign	US	Signatures

12. Q&A


12.1. How can I add an additional custom domain to my organization

Whenever you need an additional domain for your account, you can request it via our Support channel, and we will make sure to get back to you as soon as possible.

- 1 Click on the "?" mark from the lower right corner.
- 2 Select "Send us a message"
- 3 Open a support ticket
- 4 Give us more details about your additional domain request and our Support team will make the changes for you ☐

12.2. How to transfer super admin privileges to another user

- 1 Go to Account Settings → Organizations
- 2 Find the user name in the User's list and click on the "Swap super admin button" from the Actions grid.



- 3 This operation is only available to the current Super Admin user.

12.3. How can i arrange and group my imported OpenAPI docs

Imported OpenAPI file will be added to a separate folder inside a space. That folder(and the docs below) can not be modified or rearranged

See how to import an OpenAPI file [here](#)



How to organise your methods and docs in an imported OpenAPI file:














Our internal structure keeps track of `tags` from your OpenAPI file and create a folder structure based on them

- 1 Edit your OpenAPI file and tag all your desired folders

```
paths:
  /api/v1/price-lists:
    get:
      tags:
        - Folder 1
      summary: Get Price Lists
      operationId: getPriceLists
```

- 2 Import your OpenAPI file as shown [here](#)
- 3 Check your imported OpenAPI in the editor

Archbee  

-  **API Reference** 
-  **Account Balance** 
 -  Retrieve Transaction Su...
-  **Account Groups** 
 -  Retrieve All Members.
 -  Add Members
 -  Edit License Levels
 -  Retrieve Groups Assigne...
 -  Create Account Group
 -  Unassign Account from S...

12.4. Why the landing page template isn't publishing to production

- The landing page template will not load on the domains with a URL path configured in the Space settings. You should remove Step 5 from your configuration(URL path) and re-publish your changes.
- Review the Custom Code from your space(if applicable) - check if the custom code tags are correct in `Space Settings -> Custom Code.`

12.5. Why is my published space blank?

You created your Space and docs, and you published them to your Custom Domain. You go to your published docs but the page you are viewing is blank.

One reason for this may be that you used custom CSS or included Headers. How to fix:

- confirm if the Custom Code is the issue - delete all custom code and headers from Space Settings / Custom Code tab
- republish and check if your site is visible
- if the site is visible, the issue is in your custom code
- if the site is not visible, contact support@archbee.com

12.6. Why can't i change the domain?

You have a custom domain set for a Space and you want to change it. It will not work just typing a new domain over the old one and press **SET** . First you need to delete the old domain, save the state, and then add a new domain. Follow the steps below to change a custom domain for a Space:

- go to Space Settings / Custom Domain
- remove the old domain (Step 4) and optional URL path (Step 5) and click **SET**
- add the new custom domain + optional URL path (Step 5) and click **SET**

13. **SOCIAL LINKS**

13.1. **Untitled**
