

Packaging - Specification ECOBULK


SCHÜTZ

Transportcontainer ECOBULK 275 gal.
MX275 UN B1k/6"B TP
int.Ball 50 VI Cam 1PCC/Steel frame
2-Plt XL:XL/TI
w/Print:"67280"

Schuetz Container Systems Inc.
200 Aspen Hill Road
NORTH BRANCH NJ 08876
USA

Article-No. 4005461

Date Apr 13, 2020
Page 1 / 3



This picture is for illustration purpose only and does not necessarily correspond to the specified product.

Weights and measures

Nominal Capacity	1.000 l	275 gal US
Brimful Capacity	1.060 l	280.027 gal US
Length	1.200 mm	47.240 in
Width	1.000 mm	39.370 in
Height with pallet	1.160 mm	45.670 in
Total weight approx.	56.6 kg	124.8 lbs US

Pallet

Pallet type	Steel-framepallet, zincd
Opening height	min. 90mm, 4-way entry

Packaging - Specification ECOBULK

SCHÜTZ

Transportcontainer ECOBULK 275 gal.
MX275 UN Blk/6"B TP
int.Ball 50 VI Cam 1PCC/Steel frame
2-Plt XL:XL/TI
w/Print:"67280"



Schuetz Container Systems Inc.
200 Aspen Hill Road
NORTH BRANCH NJ 08876
USA

Article-No. 4005461

Date Apr 13, 2020
Page 2 / 3

Outer container

Grid	Steel, galvanized
Bottom plate	Steel, galvanized
Corner protector	black
Label plate	extra large - 8 field, with Schütz-Ticket
additional label plate	backside extra large - 8 field




Inner container

Rectangular blow molded tank of high density polyethylene
Container PE-HD, black, inner layer natural

Filling opening

Screw cap DN150 / 6", PE-HD, black
O-ring gasket TPE



Plug

without Plug

Packaging - Specification ECOBULK

SCHÜTZ

Transportcontainer ECOBULK 275 gal.
MX275 UN B1k/6"B TP
int.Ball 50 VI Cam 1PCC/Steel frame
2-Plt XL:XL/TI
w/Print:"67280"


Schuetz Container Systems Inc.
200 Aspen Hill Road
NORTH BRANCH NJ 08876
USA

Article-No. **4005461**

Date Apr 13, 2020
Page 3 / 3

Discharge opening

Outlet valve	ball-valve DN50/2", intergrate
Case	PE-HD
Connection thread	camlock
Flap gasket / Ball gasket	FKM
Handle color	grey, Handle protection
Screw cap	PE-HD
Screw cap gasket	PE, foamed
Screw cap color	natural



Features

w/Print

UN-Marking

UN31HA1/Y/MM YY/USA/+AA9912/~3855/2034/1041L/55KG/100KPA SCHUETZ#

Heavy metals

Concentration level of heavy metals (Pb, Cd, Cr VI and Hg) in packaging does not exceed 100 ppm

Delivery

Ready for filling. The customer or filler is responsible for testing the material compatibility of the filling material with the packaging

This specification is produced and delivered according to the current status of the SCHÜTZ "Quality Management Standard for the Supply of Packaging Products" which can be viewed under the following link:

www.schuetz.net/qmstandard